

Announcing

BRITISH SOCIETIES OF DEVELOPMENTAL AND CELL BIOLOGY
and the
BRAIN RESEARCH ASSOCIATION

Spring Symposium

University of Leeds, April 9–11 1991

Developmental Nerve Cell Biology

Organizing Committee

Dennis Bray, Nigel Holder, Roger Keynes, Andrew Lumsden and Hugh Perry

Invited speakers include:

J. Campos-Ortega (Köln), G. Schoenwolf (Utah), C. Kimmel (Oregon), G. Banker (Virginia), F. Bonhoeffer (Tübingen), M.-m. Poo (New York), S. Thanos (Tübingen), D. Purves (Duke), S. Fraser (Irvine), M. Bronner-Fraser (Irvine), P. Patterson (CalTech), J. Price (London), J. Cohen (London), D. Edgar (Liverpool), P. Doherty (London), H. Betz (Heidelberg), J. Taylor (Oxford), F. Rathjen (Hamburg), M. Placzek (New York), P. Gordon-Weeks (London), S. Strittmatter (Boston), D. Cleveland (Baltimore), K. Kosik (Boston), N. Cowan (New York), R. Krumlauf (London), D. Wilkinson (London), M. Maden (London), C. Doe (Illinois), A. Davies (London), R. Oppenheim (N. Carolina), W. Richardson (London), K. Unsicker (Marburg), M. Sendtler (Martinsried), C. Kintner (San Diego).

Additional sessions include

BSDB

Transcription factors in development (Organizers: G. Williams and R. Patient) and Enhancer traps in the analysis of *Drosophila* development (R. Whittle and P. Ingham).

BSCB

Genetic disease: from mutation to phenotype (Organizer: P. Goodfellow); Control of exocytosis (Robert Burgoyne); The biology of leucocyte recognition (Martin Humphries and John Lackie) and Intracellular movement (Hugh Dickinson and Denys Wheatley).

Information regarding the meeting can be obtained from Hansa Patel, Department of Continuing Professional Education, Springfield Mount, Leeds, LS2 9NG.

Tel.: 0532 333235/333241. Fax: 0532 333240

DEVELOPMENT

TRAVELLING FELLOWSHIPS

The journal is pleased to announce a new travelling fellowship program that is in keeping with The Company of Biologists' commitment to support research scientists.

**In 1991 DEVELOPMENT is offering
FIVE TRAVELLING FELLOWSHIPS
of up to \$1500 each**

Graduate and postdoctoral students are invited to apply to the Editors in 1991 for funds to assist travel and expenses involved in visits to other laboratories.

Applications, which should be accompanied by a curriculum vitae, an account of the work to be done and a full breakdown of the costs involved, should include a letter of recommendation from the head of the laboratory in which the applicant is presently working and from the head of the laboratory in which the work will be done.

Applications should be sent to C. C. Wylie

The Company of Biologists Limited
Department of Zoology, Downing Street, Cambridge CB2 3EJ, UK

The Editors in awarding the Fellowships will be guided by the excellence of the candidates, and the importance and innovative quality of the work to be done.

Modern Techniques in Developmental Biology

A PRACTICAL COURSE

25th August – 7th September, 1991
Oxford, UK

< >

The aim of the course is to familiarise participants with new technical advances in Developmental Biology, and especially to encourage integration between cellular and molecular approaches. The number of participants is strictly limited, and places will be awarded on a competitive basis.

< >

Teaching staff invited includes:

Phil Ingham (Oxford)	Liz Robertson (New York)
David Ish-Horowicz (Oxford)	Ariel Ruiz i Altaba (New York)
Chuck Kimmel (Oregon)	Peter Thorogood (London)
Robb Krumlauf (London)	Cheryll Tickle (London)
Gail Martin (San Francisco)	David Wilkinson (London)

Applications

from postdoctoral scientists or advanced graduate students in educational, research or commercial/industrial establishments should be sent by 15th February, 1991 to one of the organizers:

Peter Holland Department of Zoology South Parks Road Oxford OX1 3PS, UK	Claudio Stern Department of Anatomy South Parks Road Oxford OX1 3QX, UK
--	--

Invited lecturers:

N. Le Douarin (Nogent-sur-Marne)	E. Southern (Oxford)
P. Gruss (Göttingen)	M. Wilcox (Cambridge)
F. Rosa (Paris)	L. Wolpert (London)

and should include a *Curriculum Vitae* and a brief statement of research interests. Two referees should support the application by writing directly to the organizers. A limited number of bursaries will be available to assist participants.

< >

Sponsored by: British Society for Developmental Biology, Company of Biologists, Nuffield Foundation, Universities Funding Council and Oxford Centre for Continuing Education.

INFORMATION FOR CONTRIBUTORS

Manuscripts

Send to: **Development Editorial Office**, Dept of Zoology, University of Cambridge, Downing St, Cambridge CB2 3EJ, UK. Tel: (0223) 311789 or direct to one of the editors.

USA papers should be sent direct to:

Dr D. Melton, Department of Biochemistry and Molecular Biology, Harvard University, 7 Divinity Avenue, Cambridge, MA 02138, USA,

Dr G. Rubin, Department of Molecular and Cell Biology, Box 539, LSA Building, University of California, Berkeley, CA 94720, USA,

or **Dr T. Jessell**, Center for Neurobiology and Behavior, Columbia University, 722 West 168th Street, New York, NY 10032, USA.

European papers can be sent to:

Dr W. J. Gehring, Department of Cell Biology, Biozentrum, University of Basel, Klingelbergstrasse 70, CH-4056, Basel, Switzerland.

Manuscripts should be in English, typewritten, double spaced, on one side of the paper, and the pages numbered. Papers should be fully ready for press, since revision in proof will not be possible. The author is requested to provide three copies of the typescript and figures, and should keep a copy.

Author's disks

Development can use author's word-processor disks (5¼ and 3½" instead of rekeying accepted articles. This increases both the speed and accuracy of proof production. With your letter of provisional acceptance, you will be sent full instructions on formatting and saving your manuscript on disk. Please send a *copy* of your disk with 2 printed copies of your final **revised** manuscript. Disks will be returned.

Reprints

Authors will receive 200 reprints free of charge and may order additional copies when proofs are returned.

Layout and style

A **short title** of not more than 40 characters, for use as page headings, should be supplied and at least 3 key words for indexing papers.

A **summary** must be provided at the beginning of the text. It should not exceed 500 words. Acknowledgements should be placed before the list of references.

The list of **references** must be given in alphabetical order of author's names. The titles of journals should be abbreviated in accordance with the *World List of Scientific Periodicals*, 4th edn (1963). The following style is used:

Lawrence, P. and Johnston, P. (1988). Cell lineage of the *Drosophila* abdomen. *Development* 99, 197–208.

Rossant, J. (1977). Cell commitment in early rodent development. In *Development in Mammals*, vol. 2 (ed. M. H. Johnson), pp. 119–150. Amsterdam: North Holland.

Citations in the text are given in the following form: Jones and Smith (1960) or (Jones and Smith, 1960). Where there are more than two authors citations should be in the form (Jones et al. 1960). Where more than one paper by the same author(s) have been published in the same year they are cited as Jones (1960a), Jones (1960b) etc.

Footnotes should be avoided wherever possible.

Tables

Please submit on separate sheets together with their titles and legends.

Proofs

Authors will receive two sets of proofs, one for correction and return to Editorial Office. Authors may be required to pay for alterations in proof other than those needed to correct printer's errors.

Text figures/photographs

These should be numbered in a single series (Fig. 1, Figs 2, 3 etc), in the order in which they are referred to in the text. Legends for all illustrations should be typed together, separately from the main text. Authors should submit three copies for reviewers. Copies of the photographic plates must be of suitable standard for reviewers to judge the quality of the work; photocopies are not acceptable. Original figures should be kept by the author until the manuscript has been accepted for publication.

Text figures and **photographs** ideally should be at final size and occupy either 1 or 2 columns. The maximum printed size for illustrations is 210 mm × 168 mm for a whole page or 210 mm × 81 mm for a single column. Labelling can be inserted by the author providing that the lettering conforms to journal style and size. Otherwise labelling should be indicated on a duplicate marked set of prints or on a tracing-paper overlay bearing accurately marked outlines of the objects indicated. Figure parts should be labelled in upper case and lettering on the plates should be in lower case. Magnification should be indicated, where relevant, by a scale line on or beside the illustration. Each illustration should have the name of the author and the figure number written on the back, together with indication of orientation and any proposed reduction in size.

Colour plates

These can be reproduced free of charge at the discretion of the editor. Any charge for excessive use of colour will also be at the editor's discretion.

Copyright

In order to give The Company of Biologists Limited authority to deal with matters of copyright, authors will be required to assign to them the copyright of any article published in the journal.

Contents

Volume 111 (2) 1991

Fisher, C., Byers, M. R., Iadarola, M. J. and Powers, E. A. Patterns of epithelial expression of Fos protein suggest important role in the transition from viable to cornified cell during keratinization	253	Drysdale, T. A. and Elinson, R. P. Development of the <i>Xenopus laevis</i> hatching gland and its relationship to surface ectoderm patterning	469
Wiles, M. V. and Keller G. Multiple hematopoietic lineages develop from embryonic stem (ES) cells in culture	259	Perkins, A. S., Mercer, J. A., Jenkins, N. A. and Copeland, N. G. Patterns of <i>Evi-1</i> expression in embryonic and adult tissues suggest that <i>Evi-1</i> plays an important regulatory role in the mouse development	479
Mackenzie, A., Leeming, G. L., Jowett, A. K., Ferguson, M. W. J. and Sharpe, P. T. The homeobox gene Hox 7.1 has specific regional and temporal expression patterns during early murine craniofacial embryogenesis, especially tooth development <i>in vivo</i> and <i>in vitro</i>	269	Brown, R. and Brockes, J. P. Identification and expression of a regeneration-specific homeobox gene in the newt limb blastema	489
Davis, C. A., Holmyard, D. P., Millen, K. J. and Joyner, A. L. Examining pattern formation in mouse, chicken and frog embryos with an <i>En</i> -specific antiserum	287	Ferretti, P., Brockes, J. P. and Brown, R. A new type II keratin restricted to normal and regeneration limbs and tails is responsive to retinoic acid	497
Fernandez, D. E., Turner, F. R. and Crouch, M. L. <i>In situ</i> localization of storage protein mRNAs in developing meristems of <i>Brassica napus</i> embryos	299	Minkoff, R., Parker, S. B. and Hertzberg, E. L. Analysis of distribution patterns of gap junctions during development of embryonic chick facial primordia and brain	509
Ginsberg, D., DeSimone, D. and Geiger, B. Expression of a novel cadherin (EP-cadherin) in unfertilized eggs and early <i>Xenopus</i> embryos	315	Godsave, S. F. and Slack, J. M. W. Single cell analysis of mesoderm formation in the <i>Xenopus</i> embryo	523
Takahashi, Y. and Nogawa, H. Branching morphogenesis of mouse salivary epithelium in basement membrane-like substratum separated from mesenchyme by the membrane filter	327	Jones, C. M., Lyons, K. M. and Hogan, B. L. M. Involvement of <i>Bone Morphogenetic Protein-4</i> (BMP-4) and <i>Vgr-1</i> in morphogenesis and neurogenesis in the mouse	531
Shi, X., Lu, L., Qiu, Z., He, W. and Frankel, J. Microsurgically generated discontinuities provoke heritable changes in cellular handedness of a ciliate, <i>Stylonychia mytilus</i>	337	Miwa, Y., Atsumi, T., Imai, N. and Ikawa, Y. Primitive erythropoiesis of mouse teratocarcinoma stem cells PCC3/A/1 in serum-free medium	543
Boulter, C. A., Aguzzi, A., Williams, R. L., Wagner, E. F., Evans, M. J. and Beddington, R. Expression of <i>v-src</i> induces aberrant development and twinning in chimaeric mice	357	Hopwood, N. D., Pluck, A. and Gurdon, J. B. <i>Xenopus</i> Myf-5 marks early muscle cells and can activate muscle genes ectopically in early embryos	551
Eldon, E. D. and Pirrotta, V. Interactions of the <i>Drosophila</i> gap gene <i>giant</i> with maternal and zygotic pattern-forming genes	367	Mazarakis, N. D., Nelki, D., Lyon, M. F., Ruddy, S., Evans, E. P., Freemont, P. and Dudley, K. Isolation and characterisation of a testis-expressed developmentally regulated gene from the distal inversion of the mouse <i>t</i> -complex	561
Yasuda, G. K., Baker, J. and Schubiger, G. Independent roles of centrosomes and DNA in organizing the <i>Drosophila</i> cytoskeleton	379	Sasaki, H., Hamada, T., Ueda, T., Seki, R., Higashinakagawa, T. and Sakaki, Y. Inherited type of allelic methylation variations in a mouse chromosome region where an integrated transgene shows methylation imprinting	573
Boulet, A. M., Lloyd, A. and Sakonju, S. Molecular definition of the morphogenetic and regulatory functions and the <i>cis</i> -regulatory elements of the <i>Drosophila</i> <i>Abd-B</i> homeotic gene	393	Perris, R., Krotoski, D., Lallier, T., Domingo, C., Sorrell, J. M. and Bronner-Fraser, M. Spatial and temporal changes in the distribution of proteoglycans during avian neural crest development	583
Irvine, K. D., Helfand, S. L. and Hogness, D. S. The large upstream control region of the <i>Drosophila</i> homeotic gene <i>Ultrabithorax</i>	407	Kraut, R. and Levine, M. Spatial regulation of the gap gene <i>giant</i> during <i>Drosophila</i> development	601
Swalla, B. J., Badgett, M. R. and Jeffery, W. R. Identification of a cytoskeletal protein localized in the myoplasm of ascidian eggs: localization is modified during anural development	425	Kraut, R. and Levine, M. Mutually repressive interactions between the gap genes <i>giant</i> and <i>Krüppel</i> define middle body regions of the <i>Drosophila</i> embryo	611
Sánchez-Herrero, E. Control of the expression of the bithorax complex genes abdominal-A and Abdominal-B by <i>cis</i> -regulatory regions in <i>Drosophila</i> embryos	437	Kelso-Winemiller, L. C. and Winkler, M. M. 'Unmasking' of stored maternal mRNAs and the activation of protein synthesis at fertilization in sea urchins	623
Lyons, G. E., Buckingham, M. E. and Mannherz, H. G. α -actin proteins and gene transcripts are colocalized in embryonic mouse muscle	451	Stocker, K. M., Sherman, L., Rees, S. and Ciment, G. Basic FGF and TGF- β 1 influence commitment to melanogenesis in neural-crest-derived cells of avian embryos	635
Wanaka, A., Milbrandt, J. and Johnson, E. M. Expression of FGF receptor gene in rat development	455		