



Cover: Confocal image showing the adult hippocampal neurogenic niche of an adult GABA_{B1} receptor subunit-deficient mouse. Progenitors (BLBP, blue) and neuroblasts (Dcx, green) are aligned within the subgranular zone of the dentate gyrus. Proliferation (PCNA, red) and neurogenesis are enhanced in the hippocampus of adult GABA_{B1} mutant mice. See Research article by Giachino et al. on p. 83.

IN THIS ISSUE

- 1 GABA_B inhibits neural stem cell proliferation; Controlling expression by nuclear position; Why timing matters during segmentation; Cargo transport: a complex tale of the kinesin tail; Tracking the causes of age-related aneuploidy; Regulating stem cell fate with CRISPR

EDITORIAL

- 3 Developing with the community
Pourquié, O.

DEVELOPMENT AT A GLANCE

- 5 Sphingosine 1-phosphate signalling
Mendelson, K., Evans, T. and Hla, T.

MEETING REVIEW

- 11 How unique is the human neocortex?
Molnár, Z. and Pollen, A.

STEM CELLS AND REGENERATION

- 17 FOXD1 promotes nephron progenitor differentiation by repressing decorin in the embryonic kidney
Fetting, J. L., Guay, J. A., Karolak, M. J., Iozzo, R. V., Adams, D. C., Maridas, D. E., Brown, A. C. and Oxburgh, L.

- 28 Meis2 is a Pax6 co-factor in neurogenesis and dopaminergic periglomerular fate specification in the adult olfactory bulb
Agoston, Z., Heine, P., Brill, M. S., Grebbin, B. M., Hau, A.-C., Kallenborn-Gerhardt, W., Schramm, J., Götz, M. and Schulte, D.

- 39 Stem cell factor Sox2 and its close relative Sox3 have differentiation functions in oligodendrocytes
Hoffmann, S. A., Hos, D., Küspert, M., Lang, R. A., Lovell-Badge, R., Wegner, M. and Reiprich, S.

- 51 Brain tumor specifies intermediate progenitor cell identity by attenuating β-catenin/Armadillo activity
Komori, H., Xiao, Q., McCartney, B. M. and Lee, C.-Y.

- 63 A bi-modal function of Wnt signalling directs an FGF activity gradient to spatially regulate neuronal differentiation in the midbrain
Dyer, C., Blanc, E., Hanisch, A., Roehl, H., Otto, G. W., Yu, T., Basson, M. A. and Knight, R.

- 73 The actin-binding protein profilin is required for germline stem cell maintenance and germ cell enclosure by somatic cyst cells
Shields, A. R., Spence, A. C., Yamashita, Y. M., Davies, E. L. and Fuller, M. T.

- 83 GABA suppresses neurogenesis in the adult hippocampus through GABA_B receptors
Giachino, C., Barz, M., Tchorz, J. S., Tome, M., Gassmann, M., Bischofberger, J., Bettler, B. and Taylor, V.

- 91 CCAAT/enhancer binding protein-mediated regulation of TGFβ receptor 2 expression determines the hepatoblast fate decision
Takayama, K., Kawabata, K., Nagamoto, Y., Inamura, M., Ohashi, K., Okuno, H., Yamaguchi, T., Tashiro, K., Sakurai, F., Hayakawa, T., Okano, T., Furue, M. K. and Mizuguchi, H.

- 101 p63 and Brøn control developmentally regulated higher-order chromatin remodelling at the epidermal differentiation complex locus in epidermal progenitor cells
Mardaryev, A. N., Gdula, M. R., Yarker, J. L., Emelianov, V. N., Poterlowicz, K., Sharov, A. A., Sharova, T. Y., Scarpa, J. A., Chambon, P., Botchkarev, V. A. and Fessing, M. Y.

RESEARCH ARTICLES

- 112 Induction of endocycles represses apoptosis independently of differentiation and predisposes cells to genome instability
Hassel, C., Zhang, B., Dixon, M. and Calvi, B. R.

- 124 Adaptation of the length scale and amplitude of the Bicoid gradient profile to achieve robust patterning in abnormally large *Drosophila melanogaster* embryos
Cheung, D., Miles, C., Kreitman, M. and Ma, J.

- 136 Function of the *Drosophila* receptor guanylyl cyclase Gyc76C in PlexA-mediated motor axon guidance
Chak, K. and Kolodkin, A. L.

- 148 β-catenin regulates Pax3 and Cdx2 for caudal neural tube closure and elongation
Zhao, T., Gan, Q., Stokes, A., Lassiter, R. N. T., Wang, Y., Chan, J., Han, J. X., Pleasure, D. E., Epstein, J. A. and Zhou, C. J.

- 158 Retinoic acid controls proper head-to-trunk linkage in zebrafish by regulating an anteroposterior somitogenetic rate difference
Retnoaji, B., Akiyama, R., Matta, T., Bessho, Y. and Matsui, T.

- 166 Purkinje cells and Bergmann glia are primary targets of the TRα1 thyroid hormone receptor during mouse cerebellum postnatal development
Fauquier, T., Chatonnet, F., Picou, F., Richard, S., Fossat, N., Aguilera, N., Lamonerie, T. and Flamant, F.

- 176** The auto-inhibitory domain and ATP-independent microtubule-binding region of Kinesin heavy chain are major functional domains for transport in the *Drosophila* germline
Williams, L. S., Ganguly, S., Loiseau, P., Ng, B. F. and Palacios, I. M.
- 187** Asymmetric activation of Dll4-Notch signaling by Foxn4 and proneural factors activates BMP/TGF β signaling to specify V2b interneurons in the spinal cord
Misra, K., Luo, H., Li, S., Matise, M. and Xiang, M.
- 199** Premature dyad separation in meiosis II is the major segregation error with maternal age in mouse oocytes.
Yun, Y., Lane, S. I. R. and Jones, K. T.
- 209** HTZ-1/H2A.z and MYS-1/MYST HAT act redundantly to maintain cell fates in somatic gonadal cells through repression of *ceh-22* in *C. elegans*
Shibata, Y., Sawa, H. and Nishiwaki, K.

TECHNIQUES AND RESOURCES

- 219** Cas9 effector-mediated regulation of transcription and differentiation in human pluripotent stem cells
Kearns, N. A., Genga, R. M. J., Enuameh, M. S., Garber, M., Wolfe, S. A. and Maehr, R.
- 224** Novel cardiovascular gene functions revealed via systematic phenotype prediction in zebrafish
Musso, G., Tasan, M., Mosimann, C., Beaver, J. E., Plovie, E., Carr, L. A., Chua, H. N., Dunham, J., Zuberi, K., Rodriguez, H., Morris, Q., Zon, L., Roth, F. P. and MacRae, C. A.
- ## CORRECTIONS
- 236** S6K links cell fate, cell cycle and nutrient response in *C. elegans* germline stem/progenitor cells
Korta, D. Z., Tuck, S. and Hubbard, E. J. A.
- 237** Insulin signaling promotes germline proliferation in *C. elegans*
Michaelson, D., Korta, D. Z., Capua, Y. and Hubbard, E. J. A.