

Table S2. List of oligonucleotides used in this study

| Name | Sequence |
|---|-----------------------------------|
| ChIP primers | |
| rDNA F | 5'-CATTAACGTTATACGGGCCTG-3' |
| rDNA R | 5'-GCGAAAAGAAAACAGTTCAGC-3' |
| A F | 5'-CTGGCCCCCATTTACGCTG-3' |
| A R | 5'-AGACAAAAGGAGATGAGGCG-3' |
| B F | 5'-CATATGTCACACTCACACTCACACATG-3' |
| B R | 5'-GAACACGAAAAATTGAAACGATGC-3' |
| C (white) F | 5'-ACAGGTGTTGGCCGTTGTGC-3' |
| C (white) R | 5'-CATATCCCGGGCTACTTTGC-3' |
| D F | 5'-TGGGGAAAAGCCACTTGCAGG-3' |
| D R | 5'-TCTCCATGTGGGACTACG-3' |
| E F | 5'-AGATGTCAGACAGGGACAGC-3' |
| E R | 5'-CCAGTTCGTGTTTGCTATCTG-3' |
| actin F | 5'-CCTCGTTCTTGGGAATGG-3' |
| actin R | 5'-CGGTGTTGGCATAACAGATCCT-3' |
| Real-time RT-PCR primers | |
| Realtime-concertina-F | 5'-GATTCAACGGCTAGCTACACCTG-3' |
| Realtime-concertina-R | 5'-GTCCACCAACATCAACGAACACA-3' |
| Dbp80-RT-Forward | 5'-CGGCATTGACATCGAACAAG-3' |
| Dbp80-RT-Reverse | 5'-CATCCGCATTATCGGTGTTTC-3' |
| Light-RT-Forward | 5'-TGGACGGCATAGTTGACTAC-3' |
| Light-RT-Reverse | 5'-CCACGGTTAACTTCCAAAGG-3' |
| Realtime-Su(var)2-5-F | 5'-CGCAAGGATGAGGAGAAGTCA-3' |
| Realtime-Su(var)2-5-R | 5'-TCCTGAAACGGGAATGGTGTC-3' |
| Realtime-Su(var)3-9-F | 5'-GCAGGACCTCAGCAACTTGA-3' |
| Realtime-Su(var)3-9-R | 5'-GGCTTTGACCACCGTGGATTT-3' |
| dCAF-1-p180-RT-F | 5'-ATGTTCAAGTGATAGATTAC-3' |
| dCAF-1-p180-RT-R | 5'-TCGTAGTCGAAGAGCACCTT-3' |
| actin RT-F | 5'-CGTGACTAACTGGGACGACA-3' |
| actin RT-R | 5'-GGAGGCGTAGAGAGAAAGCA-3' |
| rp49 RT-F | 5'-AGATCGTGAAGAAGCGCACCAAG-3' |
| rp49 RT-R | 5'-CACCAGGAACTTCTTGAATCCGG-3' |
| Semi-quantitative RT-PCR primers | |
| Su(var)2-5-RT-Forward | 5'-GCAAGGGAAAGGTGGAGTA-3' |
| Su(var)2-5-RT-Reverse | 5'-CCAGGATAGCGCTCTTC-3' |
| Su(var)3-9-RT-Forward | 5'-CATCACAATCAAGCTGGAAC-3' |
| Su(var)3-9-RT-Reverse | 5'-GATCTGCAGATTGAGTGGC-3' |