



**Table S2. Keratin subdomain information for sequences used for multiple species comparison.** Amino acid length of head, rod and tail domains are indicated as first, second and third number, respectively.

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	180-313-151		188-313-136	146-313-98	143-313-0		
K2	178-313-148	176-313-128	199-313-195				
K5	168-313-109	169-313-119	162-313-105	168-313-107	174-313-112	150-313-102	154-311-93
K9	153-312-158	131-312-85	131-312-300				
K10	146-314-124	127-314-85	135-314-112	103-314-84	143-311-139		
K14	115-311-46	121-311-45	121-311-52		109-311-47	187-311-0	
K7	91-312-66	92-312-62	85-312-60	102-287-0			
K8	91-311-81	98-311-69	97-311-82		93-295-72	99-311-97	115-311-94
K18	80-312-38	79-312-38	72-313-38		77-312-105	55-312-11	84-311-36
K19	80-311-9	79-311-9	83-311-9	86-311-10	94-312-17	104-308-0	49-311-1
K20	70-311-43	48-310-42	77-291-63		81-311-44		
K31	56-311-49	56-311-49	56-311-49				
K35	97-311-47	97-311-47	97-311-47				
K81	106-311-88	106-311-83	106-311-64	105-311-91			
K85	123-311-73	123-311-73	123-311-73				
K86	106-311-69	106-311-69	106-311-69	107-311-76			

**Table S3a. Relative amino acid composition of human type I and type II keratins.** The percentage share of the respective amino acid subgroups was calculated for the keratin subdomains of human type I and type II keratins. Grouping of amino acids is based on Stryer's biochemistry, 5<sup>th</sup> edition. AS, Amino acids with aliphatic side chains (isoleucine, leucine, methionine, valine); AO, Amino acids with hydroxyl groups (serine, threonine); AR, Aromatic amino acids (phenylalanine, tryptophan; tyrosine); BA, Basic amino acids (arginine, lysine); AC, Amino acids with acidic side chains (aspartate, glutamate); OT, Amino acids not belonging to any of the predefined subgroups (alanine, asparagine, cysteine, glutamine, glycine, histidine, proline). Human keratin sequences K1-K8/ K81/K85/K86 and K9-K10/K12-K14/ K16-K20/K23/K24/ K31/K35 were used for type II and type I keratins, respectively. Note that the amino acid distribution substantially differs between keratin subdomains. For example, type II keratins display higher content of basic amino acids in the head and rod domains, but less acidic amino acids in the tail.

	Sub-type	Relative amino acid composition (%)					
		AS	AO	AR	BA	AC	OT
<b>Head</b>	I	12.6	24.5	9.5	5.8	2.2	45.6
	II	15.9	18.2	7.8	8.9	3.5	45.6
<b>Rod</b>	I	25.0	11.1	4.9	12.7	19.3	27.1
	II	24.6	9.3	5.7	14.6	19.1	26.7
<b>Tail</b>	I	16.7	26.5	3.7	11.7	7.9	33.5
	II	15.4	30.2	5.1	6.3	2.0	41.0

**Table S3b. Relative amino acid composition of keratin head, rod and tail domains differs between human type I and type II keratins.** The percentage share of the respective amino acid subgroups was calculated for the keratin subdomains of human type I and type II keratins and amino acids are displayed in single-letter-code. Human keratin sequences K1-K8/ K81/K85/K86 and K9-K10/K12-K14/ K16-K20/K23/K24/ K31/K35 were used for type II and type I keratins, respectively. Note that the amino acid distribution substantially differs between keratin subdomains. For example, type II keratins display higher isoleucine content in the head than type I keratins, while both keratin subtypes display comparable isoleucine percentage in the rod and tail.

	Sub-type	Relative amino acid composition (%)																			
		A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
<b>Head</b>	I	5.5	3.1	1.0	1.2	6.2	30.3	0.8	1.7	0.6	5.7	1.9	2.0	2.9	1.1	5.2	20.8	3.7	3.3	0.4	2.9
	II	5.9	3.8	1.0	2.5	5.5	24.8	0.5	4.0	1.5	5.2	1.1	2.4	5.2	3.0	7.4	14.4	3.8	5.5	0.0	2.3
<b>Rod</b>	I	7.4	0.8	6.1	13.2	1.1	3.2	1.3	5.0	5.6	13.0	2.6	5.6	0.9	7.8	7.0	5.8	5.3	4.5	0.5	3.3
	II	8.7	0.9	6.4	12.7	2.3	2.6	1.0	5.4	7.8	11.9	2.4	5.8	0.3	7.2	6.8	5.4	4.0	4.9	0.4	3.0
<b>Tail</b>	I	3.9	2.8	2.9	5.1	1.4	12.2	1.0	3.4	5.8	4.4	0.9	4.1	4.8	4.8	5.9	19.0	7.5	8.0	0.8	1.5
	II	4.4	3.4	0.9	1.1	2.4	27.4	0.4	2.7	2.2	3.6	0.6	2.3	1.9	1.1	4.1	25.2	5.0	8.5	0.0	2.7

**Table S4a. Relative amino acid composition of selected human keratins.** The percentage share of the respective amino acid subgroups was calculated for the indicated human type I and type II keratins.

Grouping of amino acids is based on Stryer's biochemistry, 5<sup>th</sup> edition. AS, Amino acids with aliphatic side chains (isoleucine, leucine, methionine, valine); AO, Amino acids with hydroxyl groups (serine, threonine); AR, Aromatic amino acids (phenylalanine, tryptophan; tyrosine); BA, Basic amino acids (arginine, lysine); AC, Amino acids with acidic side chains (aspartate, glutamate); OT, Amino acids not belonging to any of the predefined subgroups (alanine, asparagine, cysteine, glutamine, glycine, histidine, proline). IF, Intermediate filament; K, Keratin.

IF Subtype	Protein name	Relative amino acid composition (%)					
		AS	AO	AR	BA	AC	OT
Type II	<b>K1</b>	16.5	17.7	7.1	10.2	9.9	38.5
	<b>K2</b>	18.2	15.8	6.9	10.5	10.2	38.5
	<b>K3</b>	17.8	14.0	7.8	9.6	10.0	40.8
	<b>K4</b>	22.1	16.2	5.9	12.1	11.3	32.5
	<b>K5</b>	20.2	15.9	7.3	11.2	11.0	34.4
	<b>K6A</b>	20.7	15.2	6.4	11.7	11.3	34.6
	<b>K7</b>	22.6	13.6	4.9	13.0	14.7	31.1
	<b>K8</b>	23.2	17.0	5.8	13.3	14.5	26.3
	<b>K81</b>	21.6	12.9	5.1	11.7	13.5	35.2
	<b>K85</b>	20.7	14.4	5.9	13.0	13.4	32.5
	<b>K86</b>	21.8	13.0	5.3	12.6	14.0	33.6
Type I	<b>K9</b>	14.1	16.9	7.2	8.0	10.6	43.2
	<b>K10</b>	14.7	18.0	7.7	8.0	10.8	40.8
	<b>K12</b>	22.7	15.2	5.3	10.3	15.2	31.4
	<b>K13a</b>	21.4	15.5	6.1	10.5	14.2	32.3
	<b>K14</b>	22.2	15.7	5.9	11.7	14.6	29.9
	<b>K16</b>	20.9	17.1	6.1	10.6	13.7	31.5
	<b>K17</b>	22.7	14.6	5.3	12.0	15.7	29.6
	<b>K18</b>	23.7	15.6	4.9	13.0	15.6	27.2
	<b>K19</b>	22.5	15.0	6.0	11.3	15.0	30.3
	<b>K20</b>	25.9	13.4	4.7	13.2	15.8	26.9
	<b>K23</b>	22.0	14.2	5.5	13.3	15.2	29.9
	<b>K24</b>	18.1	18.5	6.5	10.1	13.3	33.5
	<b>K31</b>	21.9	15.4	4.8	10.1	14.4	33.4
	<b>K35</b>	21.5	14.7	5.1	10.8	14.7	33.2

**Table S4b. Relative amino acid composition of human type I and type II keratins domains.**

The percentage share of the respective amino acid subgroups was calculated for the indicated type I and type II keratin domains. Grouping of amino acids is based on Stryer's biochemistry, 5<sup>th</sup> edition. AS, Amino acids with aliphatic side chains (isoleucine, leucine, methionine, valine); AO, Amino acids with hydroxyl groups (serine, threonine); AR, Aromatic amino acids (phenylalanine, tryptophan; tyrosine); BA, Basic amino acids (arginine, lysine); AC, Amino acids with acidic side chains (aspartate, glutamate); OT, Amino acids not belonging to any of the predefined subgroups (alanine, asparagine, cysteine, glutamine, glycine, histidine, proline). IF, Intermediate filament; K, Keratin.

IF Subtype	Protein name	Relative amino acid composition (%)																	
		Head						Rod						Tail					
		AS	AO	AR	BA	AC	OT	AS	AO	AR	BA	AC	OT	AS	AO	AR	BA	AC	OT
Type II	K1	11.7	16.1	10.0	8.3	2.8	51.1	24.3	11.8	5.8	13.7	18.5	25.9	6.0	31.8	6.6	5.3	0.7	49.7
	K2	12.9	14.6	9.0	7.3	2.2	53.9	26.5	8.0	5.8	14.1	18.8	26.8	6.8	33.8	6.8	6.8	1.4	44.6
	K3	11.1	13.6	10.1	5.6	2.0	57.6	25.4	9.5	5.7	13.7	18.4	27.3	8.7	27.0	9.6	5.2	0.9	48.7
	K4	18.5	16.6	6.6	11.4	4.7	42.2	25.9	10.9	5.4	14.1	17.9	25.9	15.7	38.6	5.7	5.7	1.4	32.9
	K5	14.3	20.2	9.5	7.7	2.4	45.8	24.6	8.3	6.1	15.3	19.2	26.5	16.5	31.2	7.3	4.6	0.9	39.4
	K6A	16.0	19.6	7.4	8.0	2.5	46.6	24.3	8.3	5.8	15.3	18.8	27.5	17.0	31.8	6.8	5.7	1.1	37.5
	K7	22.0	18.7	5.5	12.1	5.5	36.3	23.4	9.3	5.1	14.4	19.9	27.9	19.7	27.3	3.0	7.6	3.0	39.4
	K8	20.9	27.5	6.6	9.9	3.3	31.9	25.1	9.6	5.5	15.1	19.9	24.8	18.5	33.3	6.2	9.9	6.2	25.9
	K81	15.1	17.0	7.5	8.5	4.7	47.2	24.1	9.0	5.8	14.8	19.6	26.7	20.5	21.6	0.0	4.5	2.3	51.1
	K85	17.1	19.5	6.5	10.6	4.1	42.3	23.2	8.7	6.1	15.4	19.6	27.0	16.4	30.1	4.1	6.8	2.7	39.7
	K86	15.1	17.0	7.5	8.5	4.7	47.2	23.8	9.0	5.8	15.1	19.9	27.0	23.9	25.4	0.0	7.5	1.5	41.7
Type I	K9	5.2	22.2	13.1	5.2	1.3	52.9	25.0	11.2	4.8	11.2	19.2	28.5	1.3	22.8	6.3	4.4	2.5	62.7
	K10	6.2	23.3	13.7	4.8	1.4	50.7	24.2	11.5	5.4	11.5	19.1	28.3	0.8	28.2	6.5	3.2	0.8	60.5
	K12	17.6	23.2	7.2	4.8	2.4	44.8	24.1	10.5	5.1	12.4	19.7	28.3	25.9	24.1	1.9	11.1	18.5	18.5
	K13a	11.5	14.4	11.5	2.9	2.9	56.7	26.0	11.5	4.8	12.8	19.6	25.3	11.9	47.6	2.4	11.9	2.4	23.8
	K14	13.0	26.1	9.6	4.3	1.7	45.2	25.1	9.0	5.1	14.5	20.3	26.0	26.1	34.8	2.2	10.9	8.7	17.4
	K16	12.8	23.9	9.4	4.3	1.7	47.9	26.0	10.0	4.8	13.2	19.6	26.4	6.7	48.9	6.7	8.9	4.4	24.4
	K17	14.3	32.1	7.1	6.0	2.4	38.1	25.1	9.0	5.1	12.9	19.6	28.3	21.6	21.6	2.7	18.9	13.5	21.6
	K18	16.3	27.5	7.5	7.5	1.3	40.0	25.6	11.2	4.8	14.1	19.6	24.7	23.7	26.3	0.0	15.8	13.2	21.1
	K19	15.0	26.3	10.0	6.3	2.5	40.0	24.4	11.9	4.8	12.5	18.6	27.7	22.2	22.2	11.1	11.1	0.0	33.3
	K20	21.4	22.9	7.1	10.0	5.7	32.9	26.4	10.9	4.5	13.2	17.0	28.0	30.2	16.3	2.3	18.6	23.3	9.3
	K23	8.3	23.6	8.3	8.3	0.0	51.4	24.8	11.6	5.5	13.9	19.4	24.8	25.0	17.5	0.0	17.5	10.0	30.0
	K24	6.4	28.6	10.7	5.0	1.4	47.9	22.5	12.0	5.4	11.4	19.0	29.7	21.7	27.5	2.9	14.5	11.6	21.7
	K31	12.5	21.4	8.9	3.6	3.6	50.0	25.7	13.8	4.5	11.6	18.6	25.7	8.2	18.4	2.0	8.2	0.0	63.3
	K35	15.5	26.8	8.2	8.2	2.1	39.2	25.4	10.9	4.2	11.9	20.6	27.0	8.5	14.9	4.3	8.5	2.1	61.7



	K35	10.3	5.2	0.0	2.1	4.1	17.5	0.0	1.0	4.1	9.3	2.1	1.0	5.2	0.0	4.1	22.7	4.1	3.1	1.0	3.1
--	-----	------	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----

AA, Amino acid; IF, Intermediate filament; K, Keratins. Amino acids are denoted by their single-letter-abbreviations.

**Table S6. Absolute amino acid composition of selected human keratin rod domains.**

IF Subtype	Protein name	AA Length	Amino acid description (single letter code)																			
			A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
Type II	K1	313	20	0	26	32	7	5	2	19	23	37	7	23	1	30	20	23	14	13	1	10
	K2	313	22	2	23	36	6	8	5	21	27	37	6	20	2	25	17	14	11	19	1	11
	K3	315	28	0	24	34	7	10	4	18	24	41	8	21	1	22	19	16	14	13	1	10
	K4	313	25	1	20	36	7	5	3	14	28	40	7	19	1	27	16	18	16	20	1	9
	K5	313	25	2	23	37	9	7	3	14	25	36	12	23	1	22	23	11	15	15	2	8
	K6A	313	28	2	23	36	7	9	3	16	26	38	7	19	1	24	22	11	15	15	2	9
	K7	312	35	1	20	42	8	10	2	16	24	37	7	15	1	23	21	17	12	13	2	6
	K8	311	25	0	18	44	7	10	1	19	25	38	12	19	0	22	22	20	10	9	1	9
	K81	311	29	3	15	46	7	8	3	18	22	36	5	14	1	19	24	18	10	16	1	10
	K85	311	33	9	14	47	7	8	4	15	23	34	6	13	1	16	25	18	9	17	2	10
	K86	313	29	10	15	47	7	8	3	17	22	35	5	14	1	19	25	18	10	17	1	10
Type I	K9	312	13	2	23	37	3	12	4	19	24	36	10	23	3	32	11	18	17	13	1	11
	K10	314	22	2	18	42	2	10	3	18	19	42	5	24	2	26	17	20	16	11	2	13
	K12	315	29	1	22	40	4	13	2	14	15	43	7	18	3	23	24	19	14	12	2	10
	K13a	312	26	2	16	45	3	7	3	18	18	39	12	17	4	20	22	18	18	12	2	10
	K14	311	25	2	20	43	4	9	4	13	21	38	12	19	2	20	24	14	14	15	2	10
	K16	311	24	2	19	42	3	11	3	15	15	42	9	14	4	24	26	17	14	15	2	10
	K17	311	28	2	18	43	4	11	2	15	16	41	9	19	3	23	24	14	14	13	2	10
	K18	312	28	0	20	41	5	8	5	18	18	40	6	14	2	20	26	17	18	16	2	8
	K19	311	28	0	22	36	4	16	5	16	13	38	8	10	3	24	26	19	18	14	1	10
	K20	311	21	1	14	39	3	9	7	13	21	45	8	18	2	29	20	16	18	16	1	10
	K23	310	14	1	19	41	4	9	12	18	25	35	11	14	4	23	18	17	19	13	2	11
	K24	316	29	3	20	40	3	20	2	19	18	36	8	18	2	20	18	19	19	8	2	12
	K31	311	16	7	15	43	4	2	2	12	11	48	1	20	3	30	25	25	18	19	1	9
	K35	311	22	10	19	45	2	4	2	11	12	43	6	16	4	26	25	21	13	19	2	9

AA, Amino acid; K, Keratins. Amino acids are denoted by their single-letter-abbreviations.

**Table S7a. Absolute amino acid composition of selected human keratin tail domains.**

AA, Amino acid; IF, Intermediate filament; K, Keratins. Amino acids are denoted by their single-letter-abbreviations.

IF Subtype	Protein name	AA Length	Amino acid description (single letter code)																			
			A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
Type II	K1	151	1	1	0	1	1	69	2	2	2	0	0	1	1	0	6	42	6	7	0	9
	K2	148	4	0	1	1	4	58	1	3	4	1	0	2	0	1	6	46	4	6	0	6
	K3	115	6	1	0	1	7	44	0	4	1	1	1	1	1	3	5	29	2	4	0	4
	K4	70	1	1	0	1	4	19	0	4	2	3	0	1	0	1	2	22	5	4	0	0
	K5	109	2	0	0	1	4	39	0	1	3	7	0	1	1	0	2	31	3	10	0	4
	K6A	88	2	0	0	1	1	26	1	3	3	4	0	2	0	2	2	23	5	8	0	5
	K7	66	8	0	2	0	1	14	0	3	1	5	2	3	1	0	4	14	4	3	0	1
	K8	81	4	0	2	3	2	12	1	2	5	6	2	1	2	1	3	21	6	5	0	3
	K81	88	4	14	1	1	0	19	0	2	1	4	0	4	3	1	3	15	4	12	0	0
	K85	73	4	6	1	1	2	11	0	3	0	1	0	1	5	2	5	18	4	8	0	1
	K86	67	5	7	1	0	0	9	0	0	1	1	0	4	3	0	4	12	5	15	0	0
Type I	K9	158	2	0	0	4	1	92	4	1	2	1	0	1	0	0	5	36	0	0	0	9
	K10	124	0	0	0	1	1	70	4	0	2	0	0	0	1	0	2	35	0	1	0	7
	K12	54	1	0	3	7	1	2	0	2	5	3	2	1	1	5	1	8	5	7	0	0
	K13a	42	3	0	1	0	1	3	0	1	0	0	0	1	3	0	5	12	8	4	0	0
	K14	46	0	0	3	1	1	2	0	2	1	3	1	1	1	4	4	12	4	6	0	0
	K16	45	1	0	0	2	2	2	0	1	1	1	0	0	1	7	3	20	2	1	0	1
	K17	37	0	0	1	4	0	1	1	2	3	0	0	0	1	5	4	2	6	6	0	1
	K18	38	1	0	4	1	0	2	1	2	3	2	1	2	0	2	3	4	6	4	0	0
	K19	9	1	0	0	0	0	0	0	0	1	2	0	2	0	0	0	2	0	0	1	0
	K20	43	0	0	2	8	0	1	0	3	6	2	0	1	0	2	2	3	4	8	0	1
	K23	40	3	1	0	4	0	1	1	4	5	2	1	2	1	3	2	4	3	3	0	0
	K24	69	1	1	4	4	2	9	0	2	5	2	1	2	0	2	5	16	3	10	0	0
	K31	49	4	9	0	0	1	2	0	1	1	1	0	4	12	0	3	5	4	2	0	0
	K35	47	5	8	1	0	1	3	0	1	1	2	0	2	11	0	3	6	1	1	0	1

**Table S7b. Relative amino acid composition of selected keratin tail domains.**

AA, Amino acid; IF, Intermediate filament; K, Keratins. Amino acids are denoted by their single-letter-abbreviations.

IF Subtype	Protein name	Relative amino acid composition (%)																			
		A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
Type II	K1	0.7	0.7	0.0	0.7	0.7	45.7	1.3	1.3	1.3	0.0	0.0	0.7	0.7	0.0	4.0	27.8	4.0	4.6	0.0	6.0
	K2	2.7	0.0	0.7	0.7	2.7	39.2	0.7	2.0	2.7	0.7	0.0	1.4	0.0	0.7	4.1	31.1	2.7	4.1	0.0	4.1
	K3	5.2	0.9	0.0	0.9	6.1	38.3	0.0	3.5	0.9	0.9	0.9	0.9	2.6	4.3	25.2	1.7	3.5	0.0	3.5	
	K4	1.4	1.4	0.0	1.4	5.7	27.1	0.0	5.7	2.9	4.3	0.0	1.4	0.0	1.4	2.9	31.4	7.1	5.7	0.0	0.0
	K5	1.8	0.0	0.0	0.9	3.7	35.8	0.0	0.9	2.8	6.4	0.0	0.9	0.9	0.0	1.8	28.4	2.8	9.2	0.0	3.7
	K6A	2.3	0.0	0.0	1.1	1.1	29.5	1.1	3.4	3.4	4.5	0.0	2.3	0.0	2.3	2.3	26.1	5.7	9.1	0.0	5.7
	K7	12.1	0.0	3.0	0.0	1.5	21.2	0.0	4.5	1.5	7.6	3.0	4.5	1.5	0.0	6.1	21.2	6.1	4.5	0.0	1.5
	K8	4.9	0.0	2.5	3.7	2.5	14.8	1.2	2.5	6.2	7.4	2.5	1.2	2.5	1.2	3.7	25.9	7.4	6.2	0.0	3.7
	K81	4.5	15.9	1.1	1.1	0.0	21.6	0.0	2.3	1.1	4.5	0.0	4.5	3.4	1.1	3.4	17.0	4.5	13.6	0.0	0.0
	K85	5.5	8.2	1.4	1.4	2.7	15.1	0.0	4.1	0.0	1.4	0.0	1.4	6.8	2.7	6.8	24.7	5.5	11.0	0.0	1.4
	K86	7.5	10.4	1.5	0.0	0.0	13.4	0.0	0.0	1.5	1.5	0.0	6.0	4.5	0.0	6.0	17.9	7.5	22.4	0.0	0.0
	K9	1.3	0.0	0.0	2.5	0.6	58.2	2.5	0.6	1.3	0.6	0.0	0.6	0.0	0.0	3.2	22.8	0.0	0.0	0.0	5.7
	K10	0.0	0.0	0.0	0.8	0.8	56.5	3.2	0.0	1.6	0.0	0.0	0.0	0.8	0.0	1.6	28.2	0.0	0.8	0.0	5.6
	K12	1.9	0.0	5.6	13.0	1.9	3.7	0.0	3.7	9.3	5.6	3.7	1.9	1.9	9.3	1.9	14.8	9.3	13.0	0.0	0.0
Type I	K13a	7.1	0.0	2.4	0.0	2.4	7.1	0.0	2.4	0.0	0.0	0.0	2.4	7.1	0.0	11.9	28.6	19.0	9.5	0.0	0.0
	K14	0.0	0.0	6.5	2.2	2.2	4.3	0.0	4.3	2.2	6.5	2.2	2.2	2.2	8.7	8.7	26.1	8.7	13.0	0.0	0.0
	K16	2.2	0.0	0.0	4.4	4.4	4.4	0.0	2.2	2.2	2.2	0.0	0.0	2.2	15.6	6.7	44.4	4.4	2.2	0.0	2.2
	K17	0.0	0.0	2.7	10.8	0.0	2.7	2.7	5.4	8.1	0.0	0.0	0.0	2.7	13.5	10.8	5.4	16.2	16.2	0.0	2.7
	K18	2.6	0.0	10.5	2.6	0.0	5.3	2.6	5.3	7.9	5.3	2.6	5.3	0.0	5.3	7.9	10.5	15.8	10.5	0.0	0.0
	K19	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	22.2	0.0	22.2	0.0	0.0	0.0	22.2	0.0	0.0	11.1	0.0
	K20	0.0	0.0	4.7	18.6	0.0	2.3	0.0	7.0	14.0	4.7	0.0	2.3	0.0	4.7	4.7	7.0	9.3	18.6	0.0	2.3
	K23	7.5	2.5	0	10	0	2.5	2.5	10	12.5	5	2.5	5	2.5	7.5	5	10	7.5	7.5	0	0
	K24	1.4	1.4	5.8	5.8	2.9	13	0	2.9	7.2	2.9	1.4	2.9	0	2.9	7.2	23.2	4.4	14.5	0	0
	K31	8.2	18.4	0.0	0.0	2.0	4.1	0.0	2.0	2.0	2.0	0.0	8.2	24.5	0.0	6.1	10.2	8.2	4.1	0.0	0.0
	K35	10.6	17.0	2.1	0.0	2.1	6.4	0.0	2.1	2.1	4.3	0.0	4.3	23.4	0.0	6.4	12.8	2.1	2.1	0.0	2.1

**Table S8. Relative amino acid composition of human epidermal, simple-type epithelial and hair keratins.** Epid, epidermal. Amino acids are denoted by their single-letter-abbreviations.

		Relative amino acid composition (%)																			
		A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
Head	Epid.	2.8	1.5	0.7	1.3	8.0	40.4	0.3	2.7	1.1	3.9	0.8	1.3	1.9	1.8	5.2	18.4	2.0	3.2	0.0	2.8
	Simple	7.6	0.0	1.8	1.9	3.9	18.2	1.0	3.1	0.4	6.3	2.2	2.5	3.8	3.1	8.7	19.1	5.4	7.5	0.0	3.4
	Hair	6.2	10.5	0.5	3.3	4.2	14.3	0.7	3.3	1.5	6.0	1.3	4.5	7.9	1.1	6.3	15.6	4.8	4.5	0.6	2.9
Rod	Epid.	6.8	0.5	7.1	12.1	1.7	2.7	1.1	5.5	7.4	12.0	2.8	7.0	0.6	8.3	6.0	5.3	4.6	4.6	0.5	3.4
	Simple	8.8	0.1	6.0	13.0	1.7	3.4	1.3	5.3	6.5	12.7	2.6	4.9	0.5	7.6	7.4	5.7	4.9	4.4	0.4	2.8
	Hair	8.3	2.9	5.0	14.7	1.7	1.9	0.9	4.7	5.8	12.6	1.5	5.0	0.6	7.1	8.0	6.4	3.9	5.7	0.5	3.1
Tail	Epid.	1.1	0.1	1.2	1.3	1.8	39.9	1.3	1.5	2.0	2.4	0.4	1.0	0.8	1.6	3.9	27.4	3.0	5.3	0.0	4.2
	Simple	6.2	0.0	4.1	5.0	0.8	8.7	0.8	3.9	8.1	9.4	1.6	7.1	0.8	2.2	4.5	17.4	7.7	8.0	2.2	1.5
	Hair	7.3	14.0	1.2	0.5	1.4	12.1	0.0	2.1	1.4	2.7	0.0	4.9	12.5	0.8	5.7	16.5	5.6	10.6	0.0	0.7
Total	Epid.	4.6	0.7	4.1	7.1	3.3	21.0	1.0	3.9	4.6	7.8	1.8	4.3	1.0	5.0	5.3	13.1	3.5	4.2	0.3	3.4
	Simple	8.3	0.1	5.1	10.1	2.1	7.1	1.2	4.7	5.3	10.9	2.5	4.3	1.2	6.2	7.4	9.5	5.4	5.4	0.4	2.8
	Hair	7.6	5.8	3.6	10.4	2.1	6.1	0.7	4.0	4.2	10.0	1.2	4.8	3.5	5.1	7.4	9.7	4.3	6.2	0.4	2.7

**Table S9. Accession numbers of sequences used for multi species comparison.** K, Keratin.

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	NP_006112.3		NP_032499.2	XP_001381422.1	XP_428851.2		
K2	NP_000414.2	XP_001254016.1	NP_034798.2				
K5	NP_000415.2	NP_001008663.1	NP_081287.1	XP_001362910.1	NP_001001195.1	NP_001072377.1	NP_571231.1
K9	NP_000217.2	XP_002696068.1	NP_957707.2				
K10	NP_000412.3	NP_776802.1	NP_034790.2	XP_001369459.1	XP_418163.2		
K14	NP_000517.2	NP_001160047.1	NP_058654.1		NP_001001311.2	XP_002940701.1	
K7	NP_005547.3	NP_001039876.1	NP_149064.1	XP_001377290.1			
K8	NP_002264.1	NP_001028782.1	NP_112447.2		XP_424502.2	NP_001080525.1	NP_956374.1
K18	NP_000215.1	NP_001179024.1	NP_034794.2		XP_001377493.1	NP_001089734.1	NP_848524.1
K19	NP_002267.2	NP_001015600.1	NP_032497.1	XP_001367988.1	NP_990340.1	NP_001084992.1	XP_002663760.1
K20	NP_061883.1	NP_001095321.1	NP_075745.1		XP_418168.1		
K31	NP_002268.2	NP_001069974.1	NP_034789.2				
K35	NP_002271.3	NP_001069541.1	NP_058576.2				
K81	NP_002272.2	NP_001069674.1	NP_001159629.1	XP_001362739.1			
K85	NP_002274.1	NP_001069381.1	NP_058575.2				
K86	NP_002275.1	NP_001179997.1	NP_034797.1	XP_001377307.1			

**Table S10. Cysteine content in keratin domains from multiple species.** The tables display cysteine count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Cysteine content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	2/180		5/188	2/146	0/143		
K2	3/178	2/176	3/199				
K5	2/168	1/169	2/162	1/168	1/174	1/150	0/154
K9	2/153	4/131	3/131				
K10	2/146	1/127	1/135	1/103	5/143		
K14	3/115	3/121	4/121		2/109	6/187	
K7	0/91	0/92	0/85	0/102			
K8	0/91	0/98	0/97		0/93	0/99	0/115
K18	0/80	0/79	0/72		0/77	0/55	0/84
K19	0/80	0/79	0/83	1/86	1/94	0/104	0/49
K20	0/70	0/48	0/77		0/81		
K31	9/56	8/56	10/56				
K35	5/97	6/97	5/97				
K81	11/106	9/106	12/106	11/105			
K85	12/123	9/123	12/123				
K86	12/106	10/106	12/106	12/107			

b. Cysteine content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	0/313		3/313	0/313	2/313		
K2	2/313	2/313	4/313				
K5	2/313	2/313	2/313	2/313	1/313	4/313	0/311
K9	2/312	6/312	2/312				
K10	2/314	2/314	2/314	1/314	1/311		
K14	2/311	2/311	2/311		2/311	1/311	
K7	1/312	1/312	0/312	2/287			
K8	0/311	0/311	0/311		0/295	0/311	1/311
K18	0/312	0/312	0/313		0/312	1/312	0/311
K19	0/311	0/311	0/311	0/311	0/312	2/308	0/311
K20	1/311	2/310	1/291		1/311		
K31	7/311	8/311	12/311				
K35	10/311	10/311	10/311				
K81	9/311	9/311	10/311	11/311			
K85	9/311	8/311	11/311				
K86	9/311	9/311	10/311	10/311			

**c. Cysteine content in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		1/136	0/98	-		
K2	0/148	1/128	1/195				
K5	0/109	0/119	0/105	0/107	1/112	0/102	0/93
K9	0/158	3/85	1/300				
K10	0/124	0/85	0/112	0/84	5/139		
K14	0/46	0/45	0/52		0/47	-	
K7	0/66	0/62	0/60	-			
K8	0/81	0/69	0/82		1/72	0/97	0/94
K18	0/38	0/38	0/38		0/105	0/11	0/36
K19	0/9	0/9	0/9	0/10	0/17	-	0/1
K20	0/43	0/42	0/63		0/44		
K31	9/49	10/49	10/49				
K35	8/47	8/47	8/47				
K81	14/88	14/83	10/64	14/91			
K85	6/73	6/73	6/73				
K86	8/69	10/69	11/69	9/76			

**d. Cysteine content in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	3/644		9/637	2/557	2/456		
K2	5/639	5/617	8/707				
K5	4/590	3/601	4/580	3/588	3/599	5/565	0/558
K9	4/623	13/528	6/743				
K10	4/584	3/526	3/561	2/501	11/593		
K14	5/472	5/477	6/484		4/467	7/495	
K7	1/469	1/466	0/457	2/389			
K8	0/483	0/478	0/490		1/460	0/507	1/520
K18	0/430	0/429	0/423		0/494	1/378	0/431
K19	0/400	0/399	0/403	1/407	1/423	2/412	0/361
K20	1/424	2/400	1/431		1/436		
K31	25/416	26/416	32/416				
K35	23/455	24/455	23/455				
K81	34/505	32/500	32/481	36/507			
K85	27/507	23/507	29/507				
K86	29/486	29/486	33/486	31/494			

**Table S11. Glycine content in keratin domains from multiple species.** The tables display glycine count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Glycine content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	72/180		71/188	37/146	38/143		
K2	72/178	70/176	83/199				
K5	50/168	54/169	47/162	55/168	63/174	31/150	57/154
K9	73/153	48/131	60/131				
K10	70/146	56/127	64/135	37/103	50/143		
K14	42/115	46/121	46/121		38/109	23/187	
K7	11/91	11/92	10/85	17/102			
K8	14/91	13/98	15/97		10/93	14/99	18/115
K18	17/80	18/79	12/72		14/77	5/55	11/84
K19	20/80	22/79	21/83	19/86	30/94	34/104	8/49
K20	12/70	10/48	15/77		11/81		
K31	3/56	5/56	5/56				
K35	17/97	17/97	18/97				
K81	19/106	19/106	17/106	18/105			
K85	17/123	16/123	15/123				
K86	18/106	17/106	17/106	16/107			

b. Glycine content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	5/313		6/313	6/313	6/313		
K2	8/313	7/313	8/313				
K5	7/313	8/313	8/313	8/313	10/313	6/313	8/311
K9	12/312	10/312	10/312				
K10	10/314	9/314	10/314	7/314	12/311		
K14	9/311	8/311	9/311		11/311	12/311	
K7	10/312	8/312	9/312	10/287			
K8	10/311	10/311	10/311		15/295	10/311	7/311
K18	8/312	8/312	10/313		9/312	12/312	11/311
K19	16/311	16/311	13/311	13/311	12/312	11/308	7/311
K20	9/311	10/310	6/291		8/311		
K31	2/311	6/311	5/311				
K35	4/311	5/311	6/311				
K81	8/311	8/311	8/311	7/311			
K85	8/311	9/311	8/311				
K86	8/311	8/311	8/311	8/311			

**c. Glycine content in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	69/151		61/136	19/98	-		
K2	58/148	46/128	91/195				
K5	39/109	47/119	36/105	42/107	39/112	35/102	40/93
K9	92/158	32/85	159/300				
K10	70/124	43/85	63/112	20/84	44/139		
K14	2/46	2/45	2/52		2/47	-	
K7	14/66	13/62	14/60	-			
K8	12/81	8/69	13/82		10/72	22/97	18/94
K18	2/38	2/38	2/38		7/105	0/10	1/36
K19	0/9	0/9	0/9	0/10	3/17	-	0/1
K20	1/43	1/42	2/63		1/44		
K31	2/49	2/49	3/49				
K35	3/47	3/47	3/47				
K81	19/88	15/83	11/64	18/91			
K85	11/73	11/73	12/73				
K86	9/69	12/69	12/69	14/76			

**d. Glycine content in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	146/644		138/637	62/557	44/456		
K2	138/639	123/617	182/707				
K5	96/590	109/601	91/580	105/588	112/599	72/565	105/558
K9	177/623	90/528	229/743				
K10	150/584	108/526	137/561	64/501	106/593		
K14	53/472	56/477	57/484		51/467	35/495	
K7	35/469	32/466	33/457	27/389			
K8	36/483	31/478	38/490		35/460	46/507	43/520
K18	27/430	28/429	23/423		30/494	17/378	23/431
K19	36/400	38/399	34/403	32/407	45/423	45/412	15/361
K20	22/424	21/400	23/431		20/436		
K31	7/416	13/416	13/416				
K35	24/455	25/455	27/455				
K81	46/505	42/500	36/481	43/507			
K85	36/507	36/507	35/507				
K86	35/486	37/486	37/486	38/494			

**Table S12. Proline content in keratin domains from multiple species.** The tables display proline count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Proline content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	5/180		5/188	6/146	3/143		
K2	6/178	7/176	5/199				
K5	7/168	7/169	6/162	6/168	7/174	9/150	5/154
K9	0/153	1/131	0/131				
K10	0/146	0/127	0/135	0/103	1/143		
K14	1/115	1/121	1/121		2/109	12/187	
K7	6/91	6/92	5/85	4/102			
K8	4/91	5/98	4/97		4/93	4/99	5/115
K18	2/80	1/79	2/72		2/77	5/55	3/84
K19	2/80	1/79	1/83	2/86	2/94	2/104	2/49
K20	2/70	2/48	2/77		2/81		
K31	7/56	6/56	7/56				
K35	5/97	5/97	5/97				
K81	8/106	7/106	8/106	8/105			
K85	8/123	8/123	11/123				
K86	8/106	8/106	8/106	8/107			

b. Proline content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/313		1/313	1/313	3/313		
K2	2/313	1/313	1/313				
K5	1/313	1/313	1/313	1/313	1/313	1/313	0/311
K9	3/312	2/312	2/312				
K10	2/314	2/314	2/314	2/314	4/311		
K14	3/311	3/311	3/311		4/311	1/311	
K7	1/312	1/312	1/312	6/287			
K8	0/311	0/311	0/311		2/295	0/311	0/311
K18	2/312	3/312	2/313		2/312	2/312	3/311
K19	3/311	3/311	3/311	3/311	4/312	3/308	2/311
K20	2/311	3/310	2/291		2/311		
K31	3/311	3/311	3/311				
K35	4/311	4/311	4/311				
K81	1/311	1/311	1/311	1/311			
K85	1/311	1/311	1/311				
K86	1/311	1/311	1/311	1/311			

**c. Proline content in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		1/136	1/98	-		
K2	0/148	0/128	0/195				
K5	1/109	1/119	2/105	1/107	0/112	2/102	0/93
K9	0/158	0/85	1/300				
K10	1/124	1/85	1/112	2/84	2/139		
K14	0/46	0/45	0/52		0/47	-	
K7	1/66	2/62	2/60	-			
K8	2/81	3/69	2/82		3/72	2/97	1/94
K18	0/38	0/38	0/38		2/105	3/11	0/36
K19	0/9	0/9	2/9	3/10	2/17	-	0/1
K20	0/43	0/42	0/63		0/44		
K31	12/49	10/49	14/49				
K35	11/47	11/47	9/47				
K81	3/88	4/83	3/64	5/91			
K85	5/73	4/73	5/73				
K86	3/69	3/69	4/69	3/76			

**d. Proline content in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	7/644		7/637	7/557	6/456		
K2	8/639	8/617	6/707				
K5	9/590	9/601	9/580	8/588	8/599	12/56 5	5/558
K9	3/623	3/528	3/743				
K10	3/584	3/526	3/561	4/501	7/593		
K14	4/472	4/477	4/484		6/467	13/49 5	
K7	8/469	9/466	8/457	10/389			
K8	6/483	8/478	6/490		9/460	6/507	6/520
K18	4/430	4/429	4/423		6/494	10/37 8	6/431
K19	5/400	4/399	6/403	8/407	8/423	5/412	4/361
K20	4/424	5/400	4/431		4/436		
K31	22/416	19/416	24/416				
K35	20/455	20/455	18/455				
K81	12/505	12/500	12/481	14/507			
K85	14/507	13/507	17/507				
K86	12/486	12/486	13/486	12/494			

**Table S13. Alanine content in keratin domains from multiple species.** The tables display alanine count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Alanine content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	3/180		2/188	8/146	4/143		
K2	5/178	2/176	2/199				
K5	9/168	10/169	10/162	8/168	10/174	8/150	7/154
K9	4/153	7/131	2/131				
K10	0/146	1/127	0/135	3/103	12/143		
K14	5/115	6/121	4/121		9/109	6/187	
K7	10/91	7/92	7/85	9/102			
K8	4/91	6/98	5/97		8/93	10/99	7/115
K18	9/80	6/79	7/72		9/77	3/55	6/84
K19	7/80	7/79	3/83	4/86	6/94	3/104	3/49
K20	2/70	5/48	5/77		9/81		
K31	2/56	2/56	3/56				
K35	10/97	10/97	7/97				
K81	6/106	6/106	7/106	5/105			
K85	7/123	8/123	6/123				
K86	6/106	7/106	7/106	8/107			

b. Alanine content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	20/313		18/313	19/313	15/313		
K2	22/313	22/313	18/313				
K5	25/313	25/313	24/313	21/313	29/313	27/313	31/311
K9	13/312	8/312	10/312				
K10	22/314	18/314	18/314	23/314	12/311		
K14	25/311	24/311	24/311		30/311	21/311	
K7	35/312	33/312	34/312	21/287			
K8	25/311	27/311	25/311		19/295	23/311	27/311
K18	28/312	26/312	26/313		25/312	24/312	21/311
K19	28/311	29/311	26/311	28/311	30/312	21/308	19/311
K20	21/311	20/310	22/291		24/311		
K31	16/311	18/311	18/311				
K35	22/311	20/311	19/311				
K81	29/311	31/311	33/311	28/311			
K85	33/311	32/311	38/311				
K86	29/311	30/311	33/311	27/311			

c. Alanine content in keratin tail domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		0/136	4/98	-		
K2	4/148	3/128	2/195				
K5	2/109	1/119	2/105	0/107	2/112	6/102	2/93
K9	2/158	0/85	2/300				
K10	0/124	0/85	1/112	6/84	7/139		
K14	0/46	0/45	0/52		3/47	-	
K7	8/66	4/62	3/60	-			
K8	4/81	1/69	2/82		5/72	0/97	3/94
K18	1/38	1/38	1/38		8/105	0/11	1/36
K19	1/9	2/9	1/9	1/10	1/17	-	0/1
K20	0/43	0/42	1/63		1/44		
K31	4/49	5/49	3/49				
K35	5/47	4/47	4/47				
K81	4/88	4/83	6/64	3/91			
K85	4/73	6/73	3/73				
K86	5/69	6/69	8/69	6/76			

d. Alanine content in the whole keratin sequence

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	24/644		20/637	31/557	19/456		
K2	31/639	27/617	22/707				
K5	36/590	36/601	36/580	29/588	41/599	41/565	40/558
K9	19/623	15/528	14/743				
K10	22/584	19/526	19/561	32/501	31/593		
K14	30/472	30/477	28/484		42/467	27/495	
K7	53/469	44/466	44/457	30/389			
K8	33/483	34/478	32/490		32/460	33/507	37/520
K18	38/430	33/429	34/423		42/494	27/378	28/431
K19	36/400	38/399	30/403	33/407	37/423	24/412	22/361
K20	23/424	25/400	28/431		34/436		
K31	22/416	25/416	24/416				
K35	37/455	34/455	30/455				
K81	39/505	41/500	46/481	36/507			
K85	44/507	46/507	47/507				
K86	40/486	43/486	48/486	41/494			

**Table S14. Glutamate content in keratin domains from multiple species.** The tables display glutamate count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Glutamate content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	4/180		3/188	4/146	6/143		
K2	3/178	3/176	3/199				
K5	3/168	3/169	3/162	3/168	3/174	5/150	2/154
K9	1/153	1/131	2/131				
K10	1/146	0/127	1/135	1/103	2/143		
K14	1/115	1/121	1/121		1/109	8/187	
K7	3/91	2/92	3/85	4/102			
K8	2/91	2/98	2/97		2/93	3/99	2/115
K18	1/80	1/79	1/72		1/77	0/55	2/84
K19	1/80	1/79	1/83	1/86	1/94	1/104	0/49
K20	1/70	1/48	0/77		1/81		
K31	2/56	2/56	2/56				
K35	2/97	2/97	2/97				
K81	4/106	4/106	4/106	4/105			
K85	4/123	4/123	4/123				
K86	4/106	4/106	4/106	4/107			

b. Glutamate content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	32/313		32/313	30/313	46/313		
K2	36/313	35/313	34/313				
K5	37/313	35/313	36/313	35/313	39/313	38/313	42/311
K9	37/312	40/312	39/312				
K10	42/314	43/314	43/314	42/314	43/311		
K14	43/311	42/311	44/311		45/311	41/311	
K7	42/312	39/312	41/312	22/287			
K8	44/311	44/311	44/311		41/295	41/311	40/311
K18	41/312	41/312	41/313		42/312	36/312	39/311
K19	36/311	37/311	36/311	35/311	37/312	39/308	39/311
K20	39/311	37/310	36/291		43/311		
K31	43/311	45/311	46/311				
K35	45/311	44/311	41/311				
K81	46/311	45/311	45/311	45/311			
K85	47/311	46/311	47/311				
K86	46/311	45/311	45/311	46/311			

c. Glutamate content in keratin tail domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		1/136	3/98	-		
K2	1/148	2/128	2/195				
K5	1/109	1/119	1/105	1/107	1/112	1/102	1/93
K9	4/158	3/85	3/300				
K10	1/124	1/85	0/112	2/84	8/139		
K14	1/46	1/45	1/52		3/47	-	
K7	0/66	0/62	0/60	-			
K8	3/81	3/69	3/82		4/72	4/97	4/94
K18	1/38	1/38	1/38		6/105	2/11	4/36
K19	0/9	0/9	0/9	0/10	0/17	-	0/1
K20	8/43	7/42	12/63		9/44		
K31	0/49	0/49	0/49				
K35	0/47	0/47	0/47				
K81	1/88	1/83	1/64	1/91			
K85	1/73	1/73	1/73				
K86	1/69	1/69	1/69	1/76			

d. Glutamate content in the whole keratin sequence

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	37/644		36/637	37/557	52/456		
K2	40/639	40/617	39/707				
K5	41/590	39/601	40/580	39/588	43/599	44/565	45/558
K9	42/623	44/528	44/743				
K10	44/584	44/526	44/561	45/501	53/593		
K14	45/472	44/477	46/484		49/467	49/495	
K7	45/469	41/466	44/457	26/389			
K8	49/483	49/478	49/490		47/460	48/507	46/520
K18	43/430	43/429	43/423		49/494	38/378	45/431
K19	37/400	38/399	37/403	36/407	38/423	40/412	39/361
K20	48/424	45/400	48/431		53/436		
K31	45/416	47/416	48/416				
K35	47/455	46/455	43/455				
K81	51/505	50/500	50/481	50/507			
K85	52/507	51/507	52/507				
K86	51/486	50/486	50/486	51/494			

**Table S15. Phenylalanine content in keratin domains from multiple species.** The tables display phenylalanine count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Phenylalanine content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	13/180		15/188	6/146	6/143		
K2	15/178	15/176	18/199				
K5	13/168	14/169	13/162	11/168	9/174	7/150	12/154
K9	13/153	8/131	11/131				
K10	15/146	10/127	13/135	7/103	7/143		
K14	7/115	7/121	9/121		6/109	5/187	
K7	3/91	4/92	2/85	6/102			
K8	3/91	3/98	5/97		3/93	5/99	2/115
K18	3/80	2/79	2/72		2/77	3/55	0/84
K19	4/80	4/79	4/83	3/86	6/94	2/104	3/49
K20	3/70	1/48	3/77		2/81		
K31	3/56	4/56	2/56				
K35	4/97	6/97	4/97				
K81	5/106	6/106	5/106	5/105			
K85	4/123	4/123	5/123				
K86	4/106	4/106	4/106	3/107			

b. Phenylalanine content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	7/313		10/313	7/313	7/313		
K2	6/313	8/313	7/313				
K5	9/313	8/313	8/313	8/313	7/313	6/313	9/311
K9	3/312	4/312	3/312				
K10	2/314	3/314	2/314	3/314	2/311		
K14	4/311	4/311	5/311		4/311	8/311	
K7	8/312	8/312	8/312	12/287			
K8	7/311	6/311	7/311		6/295	7/311	8/311
K18	5/312	4/312	5/313		5/312	3/312	5/311
K19	4/311	6/311	4/311	6/311	4/312	4/308	7/311
K20	3/311	3/310	4/291		5/311		
K31	4/311	3/311	4/311				
K35	2/311	4/311	2/311				
K81	7/311	7/311	7/311	7/311			
K85	7/311	7/311	7/311				
K86	7/311	7/311	7/311	7/311			

**c. Phenylalanine content in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		1/136	2/98	-		
K2	4/148	4/128	4/195				
K5	4/109	6/119	7/105	3/107	2/112	5/102	3/93
K9	1/158	1/85	1/300				
K10	1/124	0/85	1/112	0/84	0/139		
K14	1/46	1/45	2/52		0/47	-	
K7	1/66	2/62	2/60	-			
K8	2/81	2/69	4/82		3/72	5/97	0/94
K18	0/38	0/38	0/38		2/105	0/11	0/36
K19	0/9	0/9	0/9	0/10	0/17	-	0/1
K20	0/43	0/42	0/63		0/44		
K31	1/49	0/49	1/49				
K35	1/47	1/47	1/47				
K81	0/88	0/83	0/64	0/91			
K85	2/73	2/73	2/73				
K86	0/69	0/69	0/69	0/76			

**d. Phenylalanine content in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	21/644		26/637	15/557	13/456		
K2	25/639	27/617	29/707				
K5	26/590	28/601	28/580	22/588	18/599	18/565	24/558
K9	17/623	13/528	15/743				
K10	18/584	13/526	16/561	10/501	9/593		
K14	12/472	12/477	16/484		10/467	13/495	
K7	12/469	14/466	12/457	18/389			
K8	12/483	11/478	16/490		12/460	17/507	10/520
K18	8/430	6/429	7/423		9/494	6/378	5/431
K19	8/400	10/399	8/403	9/407	10/423	6/412	10/361
K20	6/424	4/400	7/431		7/436		
K31	8/416	7/416	7/416				
K35	7/455	11/455	7/455				
K81	12/505	13/500	12/481	12/507			
K85	13/507	13/507	14/507				
K86	11/486	11/486	11/486	10/494			

**Table S16. Tyrosine content in keratin domains from multiple species.** The tables display tyrosine count in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Tyrosine content in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	5/180		2/188	3/146	11/143		
K2	1/178	2/176	2/199				
K5	3/168	3/169	4/162	5/168	5/174	5/150	3/154
K9	7/153	2/131	3/131				
K10	5/146	7/127	6/135	5/103	5/143		
K14	4/115	5/121	2/121		6/109	5/187	
K7	2/91	2/92	3/85	1/102			
K8	3/91	3/98	1/97		1/93	4/99	6/115
K18	3/80	2/79	2/72		3/77	1/55	4/84
K19	4/80	4/79	3/83	4/86	3/94	8/104	1/49
K20	2/70	3/48	3/77		2/81		
K31	1/56	1/56	1/56				
K35	3/97	1/97	3/97				
K81	3/106	3/106	3/106	4/105			
K85	4/123	5/123	4/123				
K86	4/106	5/106	4/106	6/107			

b. Tyrosine content in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	10/313		9/313	9/313	13/313		
K2	11/313	9/313	9/313				
K5	8/313	8/313	9/313	8/313	9/313	10/313	8/311
K9	11/312	10/312	9/312				
K10	13/314	13/314	12/314	12/314	13/311		
K14	10/311	10/311	9/311		10/311	9/311	
K7	6/312	7/312	6/312	8/287			
K8	9/311	10/311	8/311		6/295	11/311	9/311
K18	8/312	8/312	8/313		8/312	7/312	7/311
K19	10/311	9/311	11/311	8/311	10/312	10/308	8/311
K20	10/311	9/310	9/291		8/311		
K31	9/311	9/311	8/311				
K35	9/311	10/311	10/311				
K81	10/311	10/311	10/311	10/311			
K85	10/311	10/311	10/311				
K86	10/311	10/311	10/311	10/311			

c. Tyrosine content in keratin tail domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	9/151		7/136	5/98	-		
K2	6/148	6/128	7/195				
K5	4/109	2/119	1/105	6/107	4/112	3/102	5/93
K9	9/158	3/85	20/300				
K10	7/124	6/85	7/112	3/84	0/139		
K14	0/46	0/45	0/52		1/47	-	
K7	1/66	1/62	1/60	-			
K8	3/81	3/69	3/82		2/72	5/97	10/94
K18	0/38	0/38	0/38		0/105	0/11	0/36
K19	0/9	0/9	0/9	0/10	0/17	-	0/1
K20	1/43	1/42	2/63		0/44		
K31	0/49	1/49	0/49				
K35	1/47	0/47	1/47				
K81	0/88	0/83	0/64	1/91			
K85	1/73	1/73	1/73				
K86	0/69	0/69	0/69	1/76			

d. Tyrosine content in the whole keratin sequence

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	24/644		18/637	17/557	24/456		
K2	18/639	17/617	18/707				
K5	15/590	13/601	14/580	19/588	18/599	18/565	16/558
K9	27/623	15/528	32/743				
K10	25/584	26/526	25/561	20/501	18/593		
K14	14/472	15/477	11/484		17/467	14/495	
K7	9/469	10/466	10/457	9/389			
K8	15/483	16/478	12/490		9/460	20/507	25/520
K18	11/430	10/429	10/423		11/494	8/378	11/431
K19	14/400	13/399	14/403	12/407	13/423	18/412	9/361
K20	13/424	13/400	14/431		10/436		
K31	10/416	11/416	9/416				
K35	13/455	11/455	14/455				
K81	13/505	13/500	13/481	15/507			
K85	15/507	16/507	15/507				
K86	14/486	15/486	14/486	17/494			

**Table S17. Content of acidic amino acids in keratin domains from multiple species.** The tables display count of acidic amino acids (i.e. glutamates and aspartates) in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Content of acidic amino acids in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	5/180		4/188	5/146	15/143		
K2	4/178	4/176	5/199				
K5	4/168	4/169	4/162	4/168	5/174	7/150	3/154
K9	2/153	3/131	2/131				
K10	2/146	1/127	2/135	3/103	2/143		
K14	2/115	2/121	3/121		2/109	11/187	
K7	5/91	4/92	5/85	5/102			
K8	3/91	3/98	3/97		4/93	4/99	3/115
K18	1/80	1/79	1/72		1/77	3/55	2/84
K19	2/80	2/79	2/83	2/86	2/94	2/104	3/49
K20	4/70	1/48	3/77		3/81		
K31	2/56	2/56	2/56				
K35	2/97	2/97	2/97				
K81	5/106	5/106	5/106	5/105			
K85	5/123	5/123	5/123				
K86	5/106	5/106	5/106	5/107			

b. Content of acidic amino acids in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	58/313		58/313	57/313	63/313		
K2	59/313	57/313	60/313				
K5	60/313	60/313	60/313	59/313	59/313	59/313	64/311
K9	60/312	63/312	62/312				
K10	60/314	60/314	60/314	61/314	60/311		
K14	63/311	63/311	63/311		63/311	63/311	
K7	62/312	61/312	60/312	44/287			
K8	62/311	62/311	62/311		53/295	61/311	66/311
K18	61/312	62/312	63/313		63/312	62/312	57/311
K19	58/311	58/311	56/311	57/311	60/312	60/308	63/311
K20	53/311	54/310	49/291		61/311		
K31	58/311	61/311	60/311				
K35	64/311	62/311	63/311				
K81	61/311	60/311	61/311	59/311			
K85	61/311	61/311	61/311				
K86	61/311	60/311	61/311	60/311			

**c. Content of acidic amino acids in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	1/151		5/136	1/98	-		
K2	2/148	3/128	4/195				
K5	1/109	1/119	1/105	1/107	1/112	1/102	1/93
K9	4/158	4/85	7/300				
K10	1/124	1/85	1/112	5/84	11/139		
K14	4/46	4/45	4/52		5/47	-	
K7	2/66	1/62	1/60	-			
K8	5/81	5/69	5/82		6/72	6/97	7/94
K18	5/38	5/38	5/38		8/105	3/11	6/36
K19	0/9	1/9	0/9	0/10	3/17	-	0/1
K20	10/43	10/42	15/63		11/44		
K31	0/49	0/49	0/49				
K35	1/47	1/47	1/47				
K81	2/88	2/83	2/64	2/91			
K85	2/73	2/73	2/73				
K86	2/69	3/69	2/69	2/76			

**d. Content of acidic amino acids in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	64/644		63/637	67/557	78/456		
K2	65/639	64/617	69/707				
K5	65/590	65/601	65/580	64/588	65/599	67/565	68/558
K9	66/623	70/528	71/743				
K10	63/584	62/526	63/561	69/501	73/593		
K14	69/472	69/477	70/484		70/467	74/495	
K7	69/469	66/466	66/457	49/389			
K8	70/483	70/478	70/490		63/460	71/507	76/520
K18	67/430	68/429	69/423		73/494	68/378	65/431
K19	60/400	61/399	58/403	59/407	65/423	62/412	66/361
K20	67/424	65/400	67/431		75/436		
K31	60/416	63/416	62/416				
K35	67/455	65/455	66/455				
K81	68/505	67/500	68/481	66/507			
K85	68/507	68/507	68/507				
K86	68/486	68/486	68/486	67/494			

**Table S18. Content of basic amino acids in keratin domains from multiple species.** The tables display count of basic amino acids (i.e. lysines and arginines) in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Content of basic amino acids in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	15/180		14/188	13/146	14/143		
K2	13/178	12/176	14/199				
K5	13/168	13/169	12/162	13/168	14/174	12/150	7/154
K9	8/153	8/131	6/131				
K10	7/146	6/127	5/135	6/103	10/143		
K14	5/115	5/121	6/121		6/109	19/187	
K7	11/91	9/92	10/85	10/102			
K8	9/91	10/98	10/97		10/93	8/99	9/115
K18	6/80	6/79	7/72		6/77	5/55	7/84
K19	5/80	5/79	6/83	5/86	6/94	5/104	5/49
K20	7/70	4/48	7/77		5/81		
K31	2/56	2/56	2/56				
K35	8/97	9/97	10/97				
K81	9/106	11/106	9/106	10/105			
K85	13/123	13/123	13/123				
K86	9/106	10/106	9/106	10/107			

b. Content of basic amino acids in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	43/313		45/313	43/313	46/313		
K2	44/313	45/313	45/313				
K5	48/313	48/313	48/313	48/313	48/313	51/313	50/311
K9	35/312	38/312	37/312				
K10	36/314	37/314	37/314	35/314	37/311		
K14	43/311	43/311	43/311		42/311	47/311	
K7	45/312	47/312	44/312	40/287			
K8	47/311	47/311	47/311		48/295	47/311	49/311
K18	44/312	43/312	43/313		47/312	48/312	44/311
K19	39/311	38/311	40/311	39/311	39/312	41/308	38/311
K20	41/311	40/310	37/291		43/311		
K31	36/311	38/311	38/311				
K35	37/311	36/311	37/311				
K81	46/311	47/311	48/311	47/311			
K85	48/311	47/311	48/311				
K86	47/311	47/311	48/311	47/311			

**c. Content of basic amino acids in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	8/151		8/136	8/98	-		
K2	10/148	11/128	13/195				
K5	5/109	5/119	6/105	5/107	6/112	5/102	4/93
K9	7/158	7/85	14/300				
K10	4/124	4/85	4/112	6/84	13/139		
K14	7/46	7/45	7/52		6/47	-	
K7	5/66	6/62	5/60	-			
K8	8/81	8/69	8/82		7/72	8/97	7/94
K18	6/38	6/38	6/38		21/105	1/11	7/36
K19	1/9	1/9	1/9	1/10	4/17	-	0/1
K20	8/43	8/42	12/63		8/44		
K31	4/49	4/49	4/49				
K35	4/47	4/47	4/47				
K81	4/88	4/83	4/64	5/91			
K85	5/73	5/73	5/73				
K86	5/69	4/69	4/69	5/76			

**d. Content of basic amino acids in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	66/644		67/637	64/557	60/456		
K2	67/639	68/617	72/707				
K5	66/590	66/601	66/580	66/588	68/599	68/565	61/558
K9	50/623	53/528	57/743				
K10	47/584	47/526	46/561	47/501	60/593		
K14	55/472	55/477	56/484		54/467	66/495	
K7	61/469	62/466	59/457	50/389			
K8	64/483	65/478	65/490		65/460	63/507	65/520
K18	56/430	55/429	56/423		76/494	54/378	58/431
K19	45/400	44/399	47/403	45/407	49/423	46/412	44/361
K20	56/424	52/400	56/431		56/436		
K31	42/416	44/416	44/416				
K35	49/455	49/455	51/455				
K81	59/505	62/500	61/481	62/507			
K85	66/507	65/507	66/507				
K86	61/486	61/486	61/486	62/494			

**Table S19. Content of aromatic amino acids in keratin domains from multiple species.** The tables display count of aromatic amino acids (i.e. phenylalanines, tyrosines plus tryphophans) in the highlighted keratin domain together with the respective domain amino acid length. K, Keratin.

a. Content of aromatic amino acids in keratin head domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	18/180		17/188	9/146	19/143		
K2	16/178	17/176	20/199				
K5	16/168	17/169	17/162	16/168	14/174	12/150	15/154
K9	20/153	11/131	15/131				
K10	20/146	17/127	19/135	12/103	13/143		
K14	11/115	12/121	11/121		12/109	11/187	
K7	5/91	6/92	5/85	7/102			
K8	6/91	6/98	6/97		4/93	9/99	8/115
K18	6/80	5/79	5/72		6/77	4/55	4/84
K19	8/80	8/79	7/83	7/86	9/94	10/104	4/49
K20	5/70	4/48	6/77		4/81		
K31	5/56	6/56	4/56				
K35	8/97	8/97	8/97				
K81	8/106	9/106	8/106	9/105			
K85	8/123	9/123	9/123				
K86	8/106	9/106	8/106	9/107			

b. Content of aromatic amino acids in keratin rod domain

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	18/313		20/313	17/313	21/313		
K2	18/313	18/313	17/313				
K5	19/313	18/313	19/313	18/313	18/313	18/313	19/311
K9	15/312	15/312	13/312				
K10	17/314	18/314	16/314	17/314	17/311		
K14	16/311	16/311	16/311		16/311	19/311	
K7	16/312	16/312	16/312	22/287			
K8	17/311	17/311	16/311		15/295	19/311	19/311
K18	15/312	14/312	15/313		15/312	11/312	13/311
K19	16/311	17/311	16/311	16/311	16/312	16/308	17/311
K20	14/311	13/310	14/291		14/311		
K31	14/311	13/311	13/311				
K35	13/311	16/311	14/311				
K81	18/311	18/311	19/311	19/311			
K85	19/311	19/311	19/311				
K86	18/311	18/311	19/311	19/311			

**c. Content of aromatic amino acids in keratin tail domain**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	10/151		8/136	7/98	-		
K2	10/148	10/128	11/195				
K5	8/109	8/119	8/105	9/107	6/112	8/102	8/93
K9	10/158	4/85	21/300				
K10	8/124	6/85	8/112	3/84	1/139		
K14	1/46	1/45	2/52		1/47	-	
K7	2/66	3/62	3/60	-			
K8	5/81	5/69	7/82		5/72	10/97	10/94
K18	0/38	0/38	0/38		4/105	0/11	0/36
K19	0/9	0/9	0/9	0/10	0/17	-	0/1
K20	1/43	1/42	2/63		0/44		
K31	1/49	1/49	1/49				
K35	1/47	0/47	1/47				
K81	0/88	0/83	0/64	1/91			
K85	1/73	1/73	1/73				
K86	0/69	0/69	0/69	1/76			

**d. Content of aromatic amino acids in the whole keratin sequence**

	Human	Cow	Mouse	Opossum	Chicken	Frog	Zebrafish
K1	46/644		45/637	33/557	40/456		
K2	44/639	45/617	48/707				
K5	43/590	43/601	44/580	43/588	38/599	38/565	42/558
K9	45/623	30/528	49/743				
K10	45/584	41/526	43/561	32/501	31/593		
K14	28/472	29/477	29/484		29/467	30/495	
K7	23/469	25/466	24/457	29/389			
K8	28/483	28/478	29/490		24/460	38/507	37/520
K18	21/430	19/429	20/423		25/494	15/378	17/431
K19	24/400	25/399	23/403	23/407	25/423	26/412	21/361
K20	20/424	18/400	22/431		18/436		
K31	20/416	20/416	18/416				
K35	23/455	25/455	24/455				
K81	26/505	27/500	27/481	29/507			
K85	30/507	31/507	31/507				
K86	26/486	27/486	27/486	29/494			