

Appendix 7. Anatomical data from 14 hummingbirds that died inadvertently during the study. All measurements were recorded on a digital balance that was sensitive to 0.001 grams.

Taxon	body mass (g)	pectoralis major mass (g)	supracoracoideus mass (g)	heart mass (g)
<i>Augastes geoffroyi</i>	3.990	0.759	0.338	0.102
<i>Campylopterus largipennis</i> #1	9.300	1.926	1.163	0.209
<i>Campylopterus largipennis</i> #2	9.430	2.060	1.166	0.222
<i>Campylopterus largipennis</i> #3	7.550	1.294	0.647	0.136
<i>Chloristilbon canivetii</i>	2.389	0.340	0.151	0.052
<i>Doryfera ludoviciae</i>	5.200	1.053	0.448	0.122
<i>Heliangelis amethysticollis</i>	6.050	1.110	0.531	0.120
<i>Hylocharis eliciae</i>	4.030	0.761	0.351	0.109
<i>Phaethornis hispidus</i>	5.890	1.054	0.517	0.127
<i>Phaethornis malaris</i>	5.900	0.725	0.377	0.122
<i>Selasphorus flammula</i>	2.457	0.349	0.154	0.060
<i>Thalurania furcata</i> #1	4.110	0.683	0.309	0.089
<i>Thalurania furcata</i> #2	4.503	0.799	0.392	0.104
<i>Threnetes niger</i>	5.060	0.677	0.330	0.088