

Table S1. Primers used in the amplification and sequencing reactions of α - and β -like (δ) globin genes of star-nosed and American shrew moles.

Primer name	Sequence
Invitrogen-AP	5' - GGCCACGCGTCGACTAGTACTTTTTTTTTTTTTTTTTTTT - 3'
Invitrogen-AP(G)	5' - GGCCACGCGTCGACTAGTACGGGIIGGGIIGGGIIG - 3'
MoleHBA-F	5' - AACATCAAGGCCGCCTGG - 3'
MoleHBA-FN	5' - ACCACCAAGACCTACTTC - 3'
MoleHBA-R	5' - GCTTAACGGTACTTGGAGGTCAG - 3'
MoleHBA-RN	5' - GGTCAGCACGGTGCTCACGG - 3'
MoleHBB-F	5' - TGGACCCAGAAGTTCTTTGACAG - 3'
MoleHBB-FN	5' - GGTTGTCTACCCCTGGAC - 3'
MoleHBB-R	5' - GTACTTGTGAGCCAGGGCAGY - 3'
MoleHBB-RN	5' - TTCTCGGGATCCACGTGC - 3'
M-13('F)-40	5' - GTTTTCCCAGTCACGAC - 3'
M-13('R)	5' - AACAGCTATGACCATG - 3'