

Table S1: Raw Data: Morphine-Exposed (Days 1 to 6)

	0.06 mg/mL Morphine in 1.0 M (aq) Sucrose		0.12 mg/mL Morphine in 0.5 M (aq) Sucrose		0.12 mg/mL Morphine in H₂O (aq)	
Colony 1 - A	27	11	4	13	23	40
Colony 1 - B	38	11	12	2	9	3
Colony 2 - A	25	1	13	3	4	0
Colony 2 - B	35	5	26	6	23	11
Colony 3 - A	70	50	33	25	17	19
Colony 3 - B	20	19	25	5	25	26

Table S2: Raw Data: Sucrose-Fading (Days 1 to 6)

	1.0 M (aq) Sucrose		0.5 M (aq) Sucrose		H₂O (aq)	
Colony 1 - A	30	29	26	6	5	7
Colony 1 - B	44	15	13	3	12	4
Colony 2 - A	30	6	4	2	0	0
Colony 2 - B	43	16	10	2	9	13
Colony 3 - A	18	0	10	15	13	14
Colony 3 - B	24	16	11	6	3	11

Table S3: Raw Data: Morphine-Exposed (Two-dish choice test)

	0.5 M (aq) Sucrose	0.12 mg/mL Morphine in H₂O (aq)
Colony 1 - A	8	24
Colony 1 - B	5	5
Colony 2 - A	1	5
Colony 2 - B	10	19
Colony 3 - A	9	4
Colony 3 - B	16	33

Table S4: Raw Data: Drug-Naive (Two-dish choice test)

	0.5 M (aq) Sucrose	0.12 mg/mL Morphine in H₂O (aq)
Colony 1 - A	21	7
Colony 1 - B	14	9
Colony 2 - A	92	46
Colony 2 - B	26	8
Colony 3 - A	65	21
Colony 3 - B	21	5

Table S5: Raw Data: Sucrose-Fading (Two-dish choice test)

	0.5 M (aq) Sucrose	H₂O (aq)
Colony 1 - A	4	1
Colony 1 - B	12	7
Colony 2 - A	5	6
Colony 2 - B	14	9
Colony 3 - A	28	15
Colony 3 - B	27	5