

Contents

Volume 200 (20) 1997

Nishino, H. and Sakai, M.

Three neural groups in the femoral chordotonal organ of the cricket *Gryllus bimaculatus*: central projections and soma arrangement and displacement during joint flexion

2583–2595

van Staaden, M. J. and Römer, H.

Sexual signalling in bladder grasshoppers: tactical design for maximizing calling range

2597–2608

Goffredi, S. K., Childress, J. J., Desaulniers, N. T. and Lallier, F. H.

Sulfide acquisition by the vent worm *Riftia pachyptila* appears to be via uptake of HS⁻, rather than H₂S

2609–2616

Altringham, J. D. and Block, B. A.

Why do tuna maintain elevated slow muscle temperatures? Power output of muscle isolated from endothermic and ectothermic fish

2617–2627

Wang, T., Carrier, D. R. and Hicks, J. W.

Ventilation and gas exchange in lizards during treadmill exercise

2629–2639

Cañas, X., Sanchis, D., Gómez, G., Casanovas, J. M., Artigas, F., Fernández-López, J. A., Remesar, X. and Alemany, M.

3-Hydroxybutyrate co-infused with noradrenaline decreases resulting plasma levels of noradrenaline in Wistar rats

2641–2646

Fish, F. E., Baudinette, R. V., Frappell, P. B. and Sarre, M. P.

Energetics of swimming by the platypus *Ornithorhynchus anatinus*: metabolic effort associated with rowing

2647–2652

Lucas, J. M. and Knapp, L. W.

A physiological evaluation of carbon sources for calcification in the octocoral *Leptogorgia virgulata* (Lamarck)

2653–2662

Watkins, T. B.

The effect of metamorphosis on the repeatability of maximal locomotor performance in the Pacific tree frog *Hyla regilla*

2663–2668

Kline, L. W., Zhang, M. L. and Pang, P. K. T.

Cyclic AMP induces a relaxation response in the bullfrog *Rana catesbeiana*, but nitric oxide does not

2669–2674