

INDEX OF SUBJECTS

A

Absorption:

See Sugars and Tripalmitin

Acid production:

After fertilization of sea-urchin eggs. A re-examination of the lactic acid hypothesis (ROTHSCHILD) 843

Acoustic reflexion:

Experiments with perch (*Perca fluviatilis* Linn.) to determine the proportion of the echo returned by the swimbladder (HARDEN JONES and PEARCE) 437

Adaptability:

The, of mice to high environmental temperatures (HARRISON) 892

Adaptation:

Flight activity in the blowfly *Calliphora erythrocephala* in relation to light and radiant heat, with special reference to (DIGBY) 1

— Flight activity in the blowfly, *Calliphora erythrocephala* in relation to wind speed, with special reference to (DIGBY) 776

Adaptive behaviour:

See Temperature

Adaptive structures:

The efficiency of, in the nymph of *Rhithrogena emicollata* (Curtis) (Ephemeroptera) (STUART) 27

Alimentary canal:

The absorption of glucose from the, of the locust *Schistocerca gregaria* (Forsk.) (TREHERNE) 297

Alkaline denaturation:

See Oxygen dissociation

Amino-acid composition:

The inorganic and, of some lamellibranch muscles (POTTS) 749

Amino-acids:

See Malpighian tubules

Ammonia:

Conductimetric method for the estimation of small quantities of (SHAW and STADDON) 85

Ancylus fluviatilis (O. F. Müller):

Seasonal and experimental variations of the oxygen consumption of the (BERG, LUMBYE and OCKELMANN) 43

Ant:

See *Lasius niger* L.

Aphididae:

See Feeding

Aphis fabae Scop.:

Effects of the ant, *Lasius niger* L., on the feeding and excretion of the bean aphid (BANKS and NIXON) 703

Apis mellifera:

Observations on the temperature regulation and food consumption of honeybees (FREE and SPENCER-BOOTH) 930

Artemia salina (L.):

The survival of, in various media (CROGHAN) 213

— The osmotic and ionic regulation of (CROGHAN) 219

— The mechanism of osmotic regulation in: the physiology of the branchiae (CROGHAN) 234

— The mechanism of osmotic regulation in: the physiology of the gut (CROGHAN) 243

— Ionic fluxes in (CROGHAN) 425

B

Bimalate ions:

Chemotaxis of bracken spermatozooids: the role of (BROKAW) 192

Black snake toxin:

Effect of the, on the gastrocnemius-sciatic preparation (MOHAMED and ZAKI) 20

Blood volumes:

The, of some representative molluscs (MARTIN, HARRISON, HUSTON and STEWART) 260

Blowfly:

See *Calliphora erythrocephala*

Bombyx mori L.

In vitro culture of embryos in the silkworm. 1. Culture in silkworm egg extract, with special reference to some characteristics of the diapausing egg (TAKAMI) 286

Bracken spermatozooids:

Chemotaxis of: the role of bimalate ions (BROKAW) 192

— Chemotaxis of, implications of electrochemical orientation (BROKAW) 197

Bull:

The movement of the spermatozoa of the (GRAY) 96

C

Calliphora erythrocephala:

Flight activity in the blowfly, in relation to light and radiant heat, with special reference to adaptation (DIGBY) 1

— Flight activity in the blowfly, in relation to wind speed, with special reference to adaptation (DIGBY) 776

Carausius morosus Br.

The electrical and mechanical responses of the prothoracic flexor tibiae muscle of the stick insect (WOOD) 850

Carcinus maenas (L.):

— Tidal and diurnal rhythms of locomotory activity in (NAYLOR) 602

Carcinas maenas (L.):

— Further studies on ionic regulation in the muscle fibres of (SHAW) 902

— Osmoregulation in the muscle fibres of (SHAW) 920

Cerianthus (Coelenterata)

The co-ordination of the responses of (HORRIDGE) 369

Chalcid wasps:

See *Mormoniella vitripennis* (WALKER)

Chemotaxis:

Of bracken spermatozooids: the role of bimalate ions (BROKAW) 192

— Of bracken spermatozooids: implications of electrochemical orientation (BROKAW) 197

Chironomus riparius Meigen:

The relation of oxygen consumption to body size and to temperature in the larvae of (EDWARDS) 383

Cleavage:

On 'The stationary surface ring' in heart-shaped (DAN) 400

— A quantitative description of protoplasmic movement during, in the sea-urchin egg (HIRAMOTO) 407

Climatic environments:

The growth and development of mice in three (BIGGERS, ASHOUB, McLAREN and MICHIE) 144

Cockroach:

See *Periplaneta americana* L.

Conductimetric method:

For the estimation of small quantities of ammonia (SHAW and STADDON) 85

Co-ordination:

The, of responses of *Cerianthus* (Coelenterata) 369

— See Insect movements

Crocodiles:

Nitrogenous excretion in (KHALIL and HAGGAG) 552

D**Dehydration:**

Comparison of, and hydration of two genera of frogs (*Heleioporus* and *Neobatrachus*) that live in areas of varying aridity (BENTLEY, LEE and MAIN) 677

Development:

See Climatic environments

Digestion:

See Tripalmitin

Diurnal rhythms:

See Locomotory activity

Dividing cells:

Surface characters of: I. Stationary surface rings (ISHIZAKA) 396

Dixippus morosus:

Excretion by the malpighian tubules of the stick insect (orthoptera, phasmidae): amino acids, sugars and urea (RAMSAY) 871

Dragonfly nymph:

See Insect movements

Drosophila subobscura:

The effects of temperature and of egg-laying on the longevity of (MAYNARD SMITH) 832

Dytiscus:

See Insect movements

E**Earthworm:**

See Oxygen dissociation

Echinodermata:

Studies on the myoneural physiology of. III. Spontaneous activity of the pharyngeal retractor muscle of *Cucumaria* (POPLE and EWER) 712

Echo:

See Acoustic reflexion

Efficiency:

The, of adaptive structures in the nymph of *Rhithrogena semicolorata* (Curtis) (Ephemeroptera) (STUART) 27

Egg:

See *Bombyx mori* L. and Sea-urchin

Egg-laying:

The effects of temperature and of, on the longevity of *Drosophila subobscura* (MAYNARD SMITH) 832

Electric organs:

On the function and evolution of, in fish (LISSMAN) 156

Electrochemical orientation:

See Chemotaxis

Electrolyte solutions:

The effect of, on the hatching rate of the eggs of *Trichostrongylus retortaeformis* (Zeder) and its interpretation in terms of a proposed hatching mechanism of strongyloid eggs (WILSON) 584

Embryonic mortality:

in relation to ovulation rate in the house mouse (BOWMAN and ROBERTS) 138

Embryos:

In vitro culture of embryos in the silkworm, *Bombyx mori* L. I. Culture in silkworm egg extract with special reference to some characteristics of the diapausing egg (TAKAMI) 286

Environments, marine and brackish water:

Oxygen consumption as a function of size and salinity in *Metapenaeus monoceros* Fab. from (RAO) 307

Enzymes:

A survey of the, from the gastro-intestinal tract of *Helix pomatia* (MYERS and NORTH-COTE) 639

Erpobdella testacea (Sav.):

Seasonal variation in the respiratory acclimatization of the leech (MANN) 314

Evolution:

See Electric organs

Excretion:

By the malpighian tubules of the stick insect, *Dixippus morosus* (Orthoptera, Phasmodidae): amino-acids, sugars and urea (RAMSAY) 871

See *Aphis fabae* Scop.

Experimental production:

Of midgut tumours in *Periplaneta americana* L. (HARKER) 251

F**Facultative diapause:**

The induction and termination of, in the chalcid wasps *Mormoniella vitripennis* (Walker) and *Tritoneptis klugii* (Ratzeburg) (SCHNEIDERMAN and HORWITZ) 520

Feeding:

Studies on the, and nutrition of *Tuberolachnus salignus* (Gmelin) (Homoptera, Aphididae). II. The nitrogen and sugar composition of ingested phloem sap and excreted honeydew (MITTLER) 74

— Studies on the, and nutrition of *Tuberolachnus salignus* (Gmelin) (Homoptera, Aphididae).

III. The nitrogen economy (MITTLER) 626

— See *Aphis fabae* Scop.

Fertilization:

See Sea-urchin

Fish:

See Gas secretion

— An apparatus for the study of the locomotion of (BAINBRIDGE and BROWN) 134

— On the function and evolution of electric organs in (LISSMANN) 156

Flagella:

Wave propagation along (MACHIN) 796

Flight:

Soaring and gliding, of the black vulture (NEWMAN) 280

Flight activity:

In the blowfly *Calliphora erythrocephala* in relation to light and radiant heat, with special reference to adaptation (DIGBY) 1

— In the blowfly, *Calliphora erythrocephala*, in relation to wind speed with special reference to adaptation (DIGBY) 776

Food consumption:

Observations on the temperature regulation and, of honeybees (*Apis mellifera*) (FREE and SPENCER-BOOTH) 930

Form perception:

Some experiments on, in the nymphs of the desert locust, *Schistocerca gregaria* Forskål (WALLACE) 765

Frogs:

See *Heleioporus*

G**Gas secretion:**

In fishes lacking rete mirabile (SUNDNES, ENNS and SCHOLANDER) 671

Gastrocnemius-sciatic:

See Black snake toxin

Gastro-intestinal tract:

See *Helix pomatia*

Gill ventilation:

The mechanism of, in three freshwater teleosts (HUGHES and SHELTON) 807

Glucose:

The absorption of, from the alimentary canal of the locust *Schistocerca gregaria* (Forsk.) (TREHERNE) 297

Growth:

The, and development of mice in three climatic environments (BIGGERS, ASHOUB, McLAREN and MICHIE) 144

Gymnarchus niloticus:

The mechanism of object location in, and similar fish (LISSMANN and MACHIN) 451

H**Haemoglobins:**

The oxygen dissociation and alkaline denaturation of, from two species of earth-worm (HAUGHTON, KERKUT and MUNDAY) 360

Haemolymph:

Induced ovarian development in decapitated mosquitos by transfusion of (GILLETT) 685

Hatching:

The effect of weak electrolyte solutions on the hatching rate of the eggs of *Trichostrogylus retortaeformis* (Zeder) and its interpretation in terms of a proposed hatching mechanism of stronglyloid eggs (WILSON) 584

Heleioporus:

Comparison of dehydration and hydration of two genera of frogs (*Heleioporus* and *Neobatrachus*) that live in areas of varying aridity (BENTLEY, LEE and MAIN) 677

Helix pomatia:

A survey of the enzymes from the gastro-intestinal tract of (MYERS and NORTHCOTE) 639

Honeybees:

See *Apis mellifera*

Hydration:

See Dehydration

Hydrophilus:

See Insect movements

Hydroxytryptamine:

The occurrence of 5-, in scorpion venom (ADAM and WEISS) 39

I**Induction:**

See Facultative diapause

Inorganic:

See Amino acid composition

Insect:

See Waterproofing mechanism

Insect movements:

The co-ordination of. III. Swimming in *Dytiscus*, *Hydrophilus* and a dragonfly nymph (HUGHES) 567

Ionic fluxes:

In *Artemia salina* (L.) (CROGHAN) 425

Ionic regulation:

See *Artemia salina* (L.)

Ions:

See Bimalate ions

L**Lamellibranch muscles:**

The inorganic and amino acid composition of some (POTTS) 749

Lampern:

See *Lampetra fluviatilis* L.

Lampetra fluviatilis L.:

The mechanism of marine osmoregulation in the lampern, and the causes of its breakdown during the spawning migration (MORRIS) 649

Lasius niger L.:

Effects of the ant, on the feeding and excretion of the bean aphid, *Aphis fabae* Scop. (BANKS and NIXON) 703

Leech:

See *Erpobdella testacea* (Sav.)

Limpet:

See *Ancylus fluviatilis*

Locomotion:

An apparatus for the study of the locomotion of fish (BAINBRIDGE and BROWN) 134

Locomotory activity:

Tidal and diurnal rhythms of, in *Carcinus maenas* (L.) (NAYLOR) 602

Locust:

See *Schistocerca gregaria*

Longevity:

The effects of temperature and of egg-laying on the, of *Drosophila subobscura* (MAYNARD SMITH) 832

M**Malpighian tubules:**

Excretion by the, of the stick insect, *Dixippus morosus* (orthoptera, phasmidae) amino-acids, sugars and urea (RAMSAY) 871

Marine osmoregulation:

The mechanism of, in the lampern (*Lampetra fluviatilis* L.) and the causes of its breakdown during the spawning migration (MORRIS) 649

Mechanism:

See Marine osmoregulation and Object location

Metabolism:

See Sugars

Metapenaeus monoceros Fab.:

Oxygen consumption as a function of size and salinity in, from marine and brackish-water environments (RAO) 307

Mice:

The adaptability of mice to high environmental temperatures (HARRISON) 892

— See Climatic environments

Midgut tumours:

Experimental production of, in *Periplaneta americana* L. (HARKER) 251

Migration:

See Spermatozoa

Molluscs:

See Blood volumes

Mormoniella vitripennis (Walker):

The induction and termination of facultative diapause in the chalcid wasps, and *Tritneptis klugii* (Ratzeburg) (SCHNEIDERMAN and HORWITZ) 520

Mosquitoes:

Induced ovarian development in decapitated, by transfusion of haemolymph (GILLETT) 685

Mouse:

See Ovulation

Muscle fibres:

Osmoregulation in the, of *Carcinus maenas* (SHAW) 920

Muscles:

See Lamellibranch muscles

Myoneural physiology:

Studies on the, of echinodermata. III. Spontaneous activity of the pharyngeal retractor muscle of *Cucumaria* (POPLE and EWER) 712

Mysidium:

Turbidity and the polarized light orientation of the crustacean (BAINBRIDGE and WATERMAN) 487

N**Nemertean:**

See Worms

Neobatrachus:

See *Heleioporus*

Nitrogenous excretion:

In crocodiles (KHALIL and HAGGAG) 552

O**Object location:**

The mechanism of, in *Gymnarchus niloticus* and similar fish (LISSMANN and MACHIN) 451

Octopuses:

The influence of preoperational training on the performance of, following vertical lobe removal (WELLS and WELLS) 324

— The effect of vertical lobe removal on the performance of, in retention tests (WELLS and WELLS) 337

- Opisthophthalmus latimanus** Koch:
Temperature adaptive behaviour in the scorpion (ALEXANDER and EWER) 349
- Orientation:**
Turbidity and the polarized light, of the crustacean *Myridium* (BAINBRIDGE and WATERMAN) 487
- Osmoregulation:**
In the muscle fibres of *Carcinus maenas* (SHAW) 920
- Osmotic regulation:**
See Artemia salina (L.)
- Ovarian development:**
Induced, in decapitated mosquitos by transfusion of haemolymph (GILLET) 685
- Ovulation:**
Embryonic mortality in relation to, rate in the house mouse (BOWMAN and ROBERTS) 138
- Oxygen:**
Measurement of dissolved, in swamp waters. Further modification of the Winkler method (BEADLE) 556
- Oxygen consumption:**
Seasonal and experimental variation of the, limpet *Ancylus fluviatilis* (O. F. Müller) (BERG, LUMBYE and OCKELMANN) 43
— As a function of size and salinity in *Metapenaeus monoceros* Fab. from marine and brackish water environments (RAO) 307
— The relation of, to body size and to temperature in the larvae of *Chironomus riparius* Meigen (EDWARDS) 383
- Oxygen dissociation:**
The, and alkaline denaturation of haemoglobins from two species of earthworm (HAUGHTON, KERKUT and MUNDAY) 360
- P**
- Perca fluviatilis** Linn.:
Acoustic reflexion experiments with perch, to determine the proportion of the echo returned by the swimbladder (HARDEN JONES and PEARCE) 437
- Perch:**
See Perca fluviatilis Linn.
- Periplaneta americana** L.:
Experimental production of midgut tumours in (HARKER) 251
— The digestion and absorption of tripalmitin in the cockroach (TREHERNE) 862
- Polarized light:**
Turbidity and the, orientation of the crustacean *Mysidium* (BAINBRIDGE and WATERMAN) 487
- Preoperational training:**
See Octopus
- Prothoracic flexor tibialis muscle:**
The electrical and mechanical responses of the, of the stick insect *Carausius morosus* Br. (WOOD) 850
- Protoplasmic movement:**
A quantitative description of, during cleavage in the sea-urchin egg (HIRAMOTO) 407
- R**
- Respiratory acclimatization:**
Seasonal variation in the, of the leech, *Erpobdella testacea* (Sav.) (MANN) 314
- Responses:**
The electrical and mechanical, of the prothoracic flexor tibialis muscle of the stick insect, *Carausius morosus* Br. (WOOD) 850
- Rete mirabile:**
Gase secretion in fishes lacking (SUNDNES, ENNS and SCHOLANDER) 671
- Retention tests:**
See Octopus
- Rhithrogena semicolorata:**
The efficiency of adaptive structures in the nymph of (Curtis) (Ephemeroptera) (STUART) 27
- Rhodnius prolixus** Stal.:
The migration of spermatozoa in the female of (DAVEY) 694
- Rhythm of reproduction:**
The internal, in xerophilous birds under conditions of illumination and darkness (MARSHALL and SERVENTY) 666
- S**
- Salinity:**
See Oxygen consumption
- Schistocerca gregaria** (Forsk.):
The absorption and metabolism of some sugars in the locust (TREHERNE) 611
— Some experiments on form perception in the nymphs of the desert locust (WALLACE) 765
- Scorpion:**
See Opisthophthalmus latimanus Koch.
- Scorpion venom:**
The occurrence of 5-hydroxytryptamine in (ADAM and WEISS) 39
- Seasonal variation:**
See Respiratory acclimatization
- Sea-urchin:**
A quantitative description of protoplasmic movement during cleavage in the, egg (HIRAMOTO) 407
— Acid production after fertilization of, eggs. A re-examination of the lactic acid hypothesis (ROTHSCHILD) 843
- Shape:**
Factors controlling the change of, of certain nemertean and turbellarian worms (CLARK and COWEY) 731
- Silkworm:**
See Bombyx mori L.
- Size:**
See Oxygen consumption

Spawning migration:

The mechanism of marine osmoregulation in the lampern (*Lampetra fluviatilis* L.) and the causes of its breakdown during the spawning migration (MORRIS) 649

Spermatozoa:

The migration of, in the female of *Rhodnius prolixus* Stal. (DAVEY) 694

— The movement of the, of the bull (GRAY) 96

Speed of swimming:

Of fish as related to size and to the frequency and amplitude of the tail beat (BAINBRIDGE) 109

Stationary surface ring:

See Surface characters

— On 'The', in heart-shaped cleavage (DAN) 400

Stick insect:

See *Carausius morosus* Br. and *Dixippus morosus*

Strongyloid eggs:

See Hatching

Sugars:

The absorption and metabolism of some, in the locust, *Schistocerca gregaria* (Forsk.) (TREHERNE) 611

See Malpighian tubules

Surface characters:

Of dividing cells. I. Stationary surface rings (ISHIZAKA) 396

Swamp waters:

Measurement of dissolved oxygen in, Further modification of the Winkler method (BEADLE) 556

Swimbladder:

Acoustic reflexion experiments with perch (*Perca fluviatilis* Linn.) to determine the proportion of the echo returned by the (HARDEN JONES and PEARCE) 437

Swimming:

See Insect movements

T**Tail beat:**

The speed of swimming of fish as related to size and to the frequency and amplitude of the (BAINBRIDGE) 109

Teleosts:

The mechanism of gill ventilation in three freshwater (HUGHES and SHELTON) 807

— The effect of temperature changes on the thyroid-pituitary relationship in (FORTUNE) 824

Temperature:

Adaptive behaviour in the scorpion, *Opis-thophthalmus latimanus* Koch (ALEXANDER and EWER) 349

— The effect of, on the waterproofing mechanism of an insect (BEAMENT) 494

— The effect of, changes on the thyroidpituitary relationship in teleosts (FORTUNE) 824

Temperature:

— The effects of, and of egg-laying on the longevity of *Drosophila subobscura* (MAYNARD SMITH) 832

— Observations on the, regulation and food consumption of honeybees (*Apis mellifera*) (FREE and SPENCER-BOOTH) 930

Temperatures:

See Mice

Termination:

See Facultative diapause

Thyroid-pituitary:

The effect of temperature changes on the, relationship in teleosts (FORTUNE) 824

Tidal rhythms:

See Locomotory activity

Toxin:

Effect of the black snake, on the gastrocnemius-sciatic preparation (MOHAMED and ZAKI) 20

Transfusion:

See Haemolymph

Trichostrongylus retortaeformis (Zeder)

See Hatching

Tripalmitin:

The digestion and absorption of, in the cockroach, *Periplaneta americana* L. (TREHERNE) 862

Tritneptis klugii (Ratzeburg):

See *Mormoniella vitripennisa* (Walker)

Tuberolachnus salignus (Gmelin):

Studies on the feeding and nutrition of (Homoptera, Aphididae). II. The nitrogen and sugar composition of ingested phloem sap and excreted honeydew (MITTLER) 74

— Studies on the feeding and nutrition of (Homoptera, Aphididae). III. The nitrogen economy (MITTLER) 626

Turbellarian:

See Worms

Turbidity:

And the polarized light orientation of the crustacean *Mysidium* (BAINBRIDGE and WATERMAN) 487

U**Urea:**

See Malpighian tubules

V**Variations:**

Seasonal and experimental, of the oxygen consumption of the limpet *Ancylus fluviatilis* (O. F. Müller) (BERG, LUMBYE and OCKELMANN) 43

Vertical lobe:

See *Ocotopus*

Vulture:

Soaring and gliding flight of the black (NEWMAN) 280

W

Waterproofing mechanism:

The effect of temperature on the, of an insect (BEAMENT) 494

Wave propagation:

Along flagella (MACHIN) 796

Wind speed:

See Flight activity

Winkler method:

See swamp waters

Worms:

Factors controlling the change of shape of certain nemertean and turbellarian (CLARK and COWEY) 731

X

Xerophilous birds:

The internal rhythm of reproduction in, under conditions of illumination and darkness (MARSHALL and SERVENTY) 666

INDEX OF AUTHORS

A

- Adam, K. R. and Weiss, C.** The occurrence of 5-hydroxytryptamine in scorpion venom 39
Alexander, Anne J. and Ewer, D. W. Temperature adaptive behaviour in the scorpion, *Opisthophthalmus latimanus* Koch. 349
Ashoub, M. R. See BIGGERS, ASHOUB, McLAREN and MICHIE

B

- Bainbridge, Richard.** The speed of swimming of fish as related to size and to the frequency and amplitude of the tail beat 109
Bainbridge, Richard and Brown, R. H. J. An apparatus for the study of the locomotion of fish 134
Bainbridge, Richard and Waterman, Talbot H. Turbidity and the polarized light orientation of the crustacean *Myxidium* 487
Banks, C. J. and Nixon, H. L. Effects of the ant, *Lasius niger* L., on the feeding and excretion of the bean aphid, *Aphis fabae* Scop. 703
Beadle, L. C. Measurement of dissolved oxygen in swamp waters. Further modification of the Winkler method 556
Beament, J. W. L. The effect of temperature on the waterproofing mechanism of an insect 494
Bentley, P. J., Lee, A. K. and Main, A. R. Comparison of dehydration and hydration of two genera of frogs (*Heleioporus* and *Neobatrachus*) that live in areas of varying aridity 677
Berg, Kaj, Lumbye, Jørgen and Ockelmann, K. W. Seasonal and experimental variations of the oxygen consumption of the limpet *Ancylus fluviatilis* (O. F. Müller) 43
Biggers, J. D., Ashoub, M. R., McLaren, Anne and Michie, Donald. The growth and development of mice in three climatic environments 144
Bowman, J. C. and Roberts, R. C. Embryonic mortality in relation to ovulation rate in the house mouse 138
Brokaw, C. J. Chemotaxis of bracken spermatozooids: the role of bimalate ions 192
 — Chemotaxis of bracken spermatozooids: implications of electro-chemical orientation 197
Brown, R. H. J. See BAINBRIDGE and BROWN

C

- Clark, R. B. and Cowey, J. B.** Factors controlling the change of shape of certain nemertean and turbellarian worms 731
Cowey, J. B. See CLARK and COWEY

- Croghan, P. C.** The survival of *Artemia salina* (L.) in various media 213
 — The osmotic and ionic regulation of *Artemia salina* (L.) 219
 — The mechanism of osmotic regulation in *Artemia salina* (L.): the physiology of the branchiae 234
 — The mechanism of osmotic regulation in *Artemia salina* (L.): the physiology of the gut 243
 — Ionic fluxes in *Artemia salina* (L.) 425

D

- Dan, Katsuma.** On 'The stationary surface ring' in heart-shaped cleavage 400
Davey, K. G. The migration of spermatozoa in the female of *Rhodnius prolixus* Stal. 694
Digby, Peter S. B. Flight activity in the blowfly *Calliphora erythrocephala* in relation to light and radiant heat, with special reference to adaptation 1
 — Flight activity in the blowfly, *Calliphora erythrocephala*, in relation to wind speed, with special reference to adaptation 776

E

- Edwards, R. W.** The relation of oxygen consumption to body size and to temperature in the larvae of *Chironomus riparius* Meigen 383
Enns, T. See SUNDNES, ENNS and SCHOLANDER
Ewer, D. W. See ALEXANDER and EWER
 — See POPLÉ and EWER

F

- Fortune, P. Y.** The effect of temperature changes on the thyroid-pituitary relationship in teleosts 824
Free, J. B. and Spencer-Booth, Yvette. Observations on the temperature regulation and food consumption of honeybees (*Apis mellifera*) 930

G

- Gillett, J. D.** Induced ovarian development in decapitated mosquitos by transfusion of haemolymph 685
Gray, J. The movement of the spermatozoa of the bull 96

H

- Haggag, Gaber.** See KHALIL and HAGGAG
Harker, Janet E. Experimental production of midgut tumours in *Periplaneta americana* L. 251

- Harrison, F. M.** See MARTIN, HARRISON, HUSTON and STEWART
- Harrison, G. Ainsworth.** The adaptability of mice to high environmental temperatures 871
- Haughton, T. M., Kerkut, G. A. and Munday, K. A.** The oxygen dissociation and alkaline denaturation of haemoglobins from two species of earthworm 360
- Hiramoto, Y.** A quantitative description of protoplasmic movement during cleavage in the sea-urchin egg 407
- Horridge, G. A.** The co-ordination of the responses of *Cerianthus* (Coelenterata) 369
- Horwitz, Judith.** See SCHNEIDERMAN and HORWITZ
- Hughes, G. M.** The co-ordination of insect movements. III. Swimming in *Dytiscus*, *Hydrophilus*, and a dragonfly nymph 567
- Hughes, G. M. and Shelton, G.** The mechanism of gill ventilation in three freshwater teleosts 807
- Huston, M. J.** See MARTIN, HARRISON, HUSTON and STEWART
- I
- Ishizaka, Shozo.** Surface characters of dividing cells. I. Stationary surface rings 396
- J
- Jones, F. R. Harden and Pearce, G.** Acoustic reflexion experiments with perch (*Perca fluviatilis* Linn.) to determine the proportion of the echo returned by the swimbladder 437
- Kerkut, G. A.** See HAUGHTON, KERKUT and MUNDAY
- K
- Khalil, Fouad and Haggag, Gaber.** Nitrogenous excretion in crocodiles 552
- L
- Lee, A. K.** See BENTLEY, LEE and MAIN
- Lissmann, H. W.** On the function and evolution of electric organs in fish 156
- Lissman, H. W. and Machin, K. E.** The mechanism of object location in *Gymnarchus niloticus* and similar fish 451
- Lumbye, Jorgen.** See BERG, LUMBYE and OCKELMANN
- M
- Machin, K. E.** Wave propagation along flagella 796
- See LISSMANN and MACHIN
- Main, A. R.** See BENTLEY, LEE and MAIN
- Mann, K. H.** Seasonal variation in the respiratory acclimatization of the leech *Erpobdella testacea* (Sav.) 314
- Marshall, A. J. and Serventy, D. J.** The internal rhythm of reproduction in xerophilous birds under conditions of illumination and darkness 666
- Martin, S. W., Harrison, F. M., Huston, M. J. and Stewart, D. M.** The blood volumes of some representative molluscs 260
- McLaren, Anne.** See BIGGERS, ASHOUB, McLAREN and MICHIE
- Michie, Donald.** See BIGGERS, ASHOUB, McLAREN and MICHIE
- Mittler, T. E.** Studies on the feeding and nutrition of *Tuberolachnus salignus* (Gmelin) (Homoptera, Aphididae). II. The nitrogen and sugar composition of ingested phloem sap and excreted honeydew 74
- Studies on the feeding and nutrition of *Tuberolachnus salignus* (Gmelin) (Homoptera, Aphididae). III. The nitrogen economy 626
- Mohamed, A. H. and Zaki, O.** Effect of the black snake toxin on the gastrocnemius-sciatic preparation 20
- Morris, R.** The mechanism of marine osmoregulation in the lampern (*Lampetra fluviatilis* L.) and the causes of its breakdown during the spawning migration 649
- Munday, K. A.** See HAUGHTON, KERKUT and MUNDAY
- Myers, Fay L. and Northcote, D. H.** A survey of the enzymes from the gastrointestinal tract of *Helix pomatia* 639
- N
- Naylor, E.** Tidal and diurnal rhythms of locomotory activity in *Carcinus maenas* (L.) 602
- Newman, B. G.** Soaring and gliding flight of the black vulture 280
- Nixon, H. L.** See BANKS and NIXON
- Northcote, D. H.** See MYERS and NORTHCOTE
- O
- Ockelmann, K. W.** See BERG, LUMBYE and OCKELMANN
- P
- Pearce, G.** See JONES and PEARCE
- Pople, W. and Ewer, D. W.** Studies on the myoneural physiology of echinodermata. III. Spontaneous activity of the pharyngeal retractor muscle of *Cucumaria* 712
- Potts, W. T. W.** The inorganic and amino acid composition of some lamellibranch muscles 749
- R
- Ramsay, J. A.** Excretion by the malpighian tubules of the stick insect, *Dixippus morosus* (orthoptera, phasmidae): amino acids, sugars and urea 871

Rao, Kandula Pampapathi. Oxygen consumption as a function of size and salinity in *Metapeanaeus monoceros* Fab. from marine and brackish water environments 307

Roberts, R. C. See BOWMAN and ROBERTS

Rothschild, Lord. Acid production after fertilization of sea-urchin eggs. A re-examination of the lactic acid hypothesis 843

S

Schneiderman, Howard A. and Horwitz, Judith. The induction and termination of facultative diapause in the chalcid wasps, *Mormoniella vitripennis* (Walker) and *Tritoneptis klugii* (Ratzeburg) 520

Scholander, P. F. See SUNDNES, ENNS and SCHOLANDER

Serventy, D. J. See MARSHALL and SERVenty

Shaw, J. Further studies on ionic regulation in the muscle fibre of *Carcinus maenas* 902
— Osmoregulation in the muscle fibre of *Carcinus maenas* 920

Shaw, J. and Staddon, B. W. Conductimetric method for the estimation of small quantities of ammonia 85

Shelton, G. See HUGHES and SHELTON

Smith, J. Maynard. The effects of temperature and of egg-laying on the longevity of *Drosophila subobscura* 832

Spencer-Booth, Yvette. See FREE and SPENCER-BOOTH

Staddon, B. W. See SHAW and STADDON

Stewart, D. M. See MARTIN, HARRISON, HUSTON and STEWART

Stuart, A. M. The efficiency of adaptive structures in the nymph of *Rhithrogena semicolorata* (Curtis) (Ephemeroptera) 27

Sundnes, G., Enns, T. and Scholander, P. F. Gas secretion in fishes lacking rete mirabile 671

T

Takami, Takeo. *In vitro* culture of embryos in the silkworm, *Bombyx mori* L. I. Culture in silkworm extract with special reference to some characteristics of the diapausing egg 286

Treherne, J. E. The absorption of glucose from the alimentary canal of the locust, *Schistocerca gregaria* (Forsk.) 297

— The absorption and metabolism of some sugars in the locust, *Schistocerca gregaria* (Forsk.) 611

— The digestion and absorption of tripalmitin in the cockroach, *Periplaneta americana* L. 862

W

Wallace, G. K. Some experiments on form perception in the nymphs of the desert locust, *Schistocerca gregaria* Forskål 765

Waterman, Talbot H. See BAINBRIDGE and WATERMAN

Weiss, C. See ADAM and WEISS

Wells, M. J. and Wells, J. The influence of preoperational training on the performance of octopuses following vertical lobe removal 324

— The effect of vertical lobe removal on the performance of octopuses in retention tests 337

Wells, J. See WELLS and WELLS

Wilson, P. A. G. The effect of weak electrolyte solutions on the hatching rate of the eggs of *Trichostrongylus retortaeformis* (Zeder) and its interpretation in terms of a proposed hatching mechanism of strongyloid eggs 584

Wood, D. W. The electrical and mechanical responses of the prothoracic flexor tibialis muscle of the stick insect, *Carausius morosus* Br. 850

Z

Zaki, O. See MOHAMED and ZAKI

The Journal of
Experimental Biology

The Journal of Experimental Biology

EDITED BY
V. B. WIGGLESWORTH and J. A. RAMSAY

VOLUME XXXV

CAMBRIDGE
AT THE UNIVERSITY PRESS
1958

Published for the Company of Biologists, Limited

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)*

*and published by the Cambridge University Press
Bentley House, 200 Euston Road, London, N.W. 1*

*American Branch: 32 East 57th Street, New York 22, N. Y.
Agent in Canada: The Macmillan Company of Canada Limited*

CONTENTS

No. I. MARCH 1958

	PAGE
PETER S. B. DIGBY. Flight activity in the blowfly <i>Calliphora erythrocephala</i> in relation to light and radiant heat, with special reference to adaptation	I
A. H. MOHAMED and O. ZAKI. Effect of the black snake toxin on the gastrocnemius-sciatic preparation	20
A. M. STUART. The efficiency of adaptive structures in the nymph of <i>Rhithrogena semicolorata</i> (Curtis) (Ephemeroptera)	27
K. R. ADAM and C. WEISS. The occurrence of 5-hydroxytryptamine in scorpion venom. (With Plate 1)	39
KAJ BERG, JØRGEN LUMBYE and K. W. OCKELMANN. Seasonal and experimental variations of the oxygen consumption of the limpet <i>Ancylus fluviatilis</i> (O. F. Müller)	43
T. E. MITTLER. Studies on the feeding and nutrition of <i>Tuberolachnus salignus</i> (Gmelin) (Homoptera, Aphididae). II. The nitrogen and sugar composition of ingested phloem sap and excreted honeydew	74
J. SHAW and B. W. STADDON. Conductimetric method for the estimation of small quantities of ammonia	85
J. GRAY. The movement of the spermatozoa of the bull. (With Plates 2-4)	96
RICHARD BAINBRIDGE. The speed of swimming of fish as related to size and to the frequency and amplitude of the tail beat	109
RICHARD BAINBRIDGE and R. H. J. BROWN. An apparatus for the study of the locomotion of fish	134
J. C. BOWMAN and R. C. ROBERTS. Embryonic mortality in relation to ovulation rate in the house mouse	138
J. D. BIGGERS, M. R. ASHOUB, ANNE McLAREN and DONALD MICHIE. The growth and development of mice in three climatic environments	144
H. W. LISSMANN. On the function and evolution of electric organs in fish. (With Plates 5 and 6)	156
C. J. BROKAW. Chemotaxis of bracken spermatozoids: the role of bimalate ions	192
C. J. BROKAW. Chemotaxis of bracken spermatozoids: implications of electrochemical orientation. (With Plate 7)	197
P. C. CROGHAN. The survival of <i>Artemia salina</i> (L.) in various media	213
P. C. CROGHAN. The osmotic and ionic regulation of <i>Artemia salina</i> (L.)	219
P. C. CROGHAN. The mechanism of osmotic regulation in <i>Artemia salina</i> (L.): the physiology of the branchiae	234
P. C. CROGHAN. The mechanism of osmotic regulation in <i>Artemia salina</i> (L.): the physiology of the gut	243

No. 2. JUNE 1958

	PAGE
JANET E. HARKER. Experimental production of midgut tumours in <i>Periplaneta americana</i> L. (With Plate 8)	251
A. W. MARTIN, F. M. HARRISON, M. J. HUSTON and D. M. STEWART. The blood volumes of some representative molluscs	260
B. G. NEWMAN. Soaring and gliding flight of the black vulture	280
TAKEO TAKAMI. <i>In vitro</i> culture of embryos in the silkworm, <i>Bombyx mori</i> L. I. Culture in silkworm egg extract, with special reference to some characteristics of the diapausing egg. (With Plate 9)	286
J. E. TREHERNE. The absorption of glucose from the alimentary canal of the locust <i>Schistocerca gregaria</i> (Forsk.)	297
KANDULA PAMPAPATHI RAO. Oxygen consumption as a function of size and salinity in <i>Metapenaeus monoceros</i> Fab. from marine and brackish-water environments	307
K. H. MANN. Seasonal variation in the respiratory acclimatization of the leech <i>Erpobdella testacea</i> (Sav.)	314
M. J. WELLS and J. WELLS. The influence of preoperational training on the performance of octopuses following vertical lobe removal	324
M. J. WELLS and J. WELLS. The effect of vertical lobe removal on the performance of octopuses in retention tests	337
ANNE J. ALEXANDER and D. W. EWER. Temperature adaptive behaviour in the scorpion, <i>Opisthophthalmus latimanus</i> Koch	349
T. M. HAUGHTON, G. A. KERKUT and K. A. MUNDAY. The oxygen dissociation and alkaline denaturation of haemoglobins from two species of earthworm	360
G. A. HORRIDGE. The co-ordination of the responses of <i>Cerianthus</i> (Coelenterata)	369
R. W. EDWARDS. The relation of oxygen consumption to body size and to temperature in the larvae of <i>Chironomus riparius</i> Meigen	383
SHOZO ISHIZAKA. Surface characters of dividing cells. I. Stationary surface rings	396
KATSUMA DAN. On 'The stationary surface ring' in heart-shaped cleavage	400
Y. HIRAMOTO. A quantitative description of protoplasmic movement during cleavage in the sea-urchin egg	407
P. C. CROGHAN. Ionic fluxes in <i>Artemia salina</i> (L.)	425
F. R. HARDEN JONES and G. PEARCE. Acoustic reflexion experiments with perch (<i>Perca fluviatilis</i> Linn.) to determine the proportion of the echo returned by the swimbladder	437
H. W. LISSMANN and K. E. MACHIN. The mechanism of object location in <i>Gymnarchus niloticus</i> and similar fish	451

No. 3. SEPTEMBER 1958

RICHARD BAINBRIDGE and TALBOT H. WATERMAN. Turbidity and the polarized light orientation of the crustacean <i>Mysidium</i>	487
J. W. L. BEAMENT. The effect of temperature on the waterproofing mechanism of an insect	494

Contents

vii

	PAGE
HOWARD A. SCHNEIDERMAN and JUDITH HORWITZ. The induction and termination of facultative diapause in the chalcid wasps <i>Mormoniella vitripennis</i> (Walker) and <i>Tritneptis klugii</i> (Ratzeburg)	520
FOUAD KHALIL and GABER HAGGAG. Nitrogenous excretion in crocodiles	552
L. C. BEADLE. Measurement of dissolved oxygen in swamp waters. Further modification of the Winkler method	556
G. M. HUGHES. The co-ordination of insect movements. III. Swimming in <i>Dytiscus</i> , <i>Hydrophilus</i> , and a dragonfly nymph	567
P. A. G. WILSON. The effect of weak electrolyte solutions on the hatching rate of the eggs of <i>Trichostrongylus retortaeformis</i> (Zeder) and its interpretation in terms of a proposed hatching mechanism of stronglyloid eggs	584
E. NAYLOR. Tidal and diurnal rhythms of locomotory activity in <i>Carcinus maenas</i> (L.)	602
J. E. TREHERNE. The absorption and metabolism of some sugars in the locust, <i>Schistocerca gregaria</i> (Forsk.)	611
T. E. MITTLER. Studies on the feeding and nutrition of <i>Tuberolachnus salignus</i> (Gmelin) (Homoptera, Aphididae). III. The nitrogen economy	626
FAY L. MYERS and D. H. NORTHCOTE. A survey of the enzymes from the gastrointestinal tract of <i>Helix pomatia</i>	639
R. MORRIS. The mechanism of marine osmoregulation in the lampern (<i>Lampetra fluviatilis</i> L.) and the causes of its breakdown during the spawning migration	649
A. J. MARSHALL and D. J. SERVENTY. The internal rhythm of reproduction in xerophilous birds under conditions of illumination and darkness. (With Plate 10)	666
G. SUNDNES, T. ENNS and P. F. SCHOLANDER. Gas secretion in fishes lacking rete mirabile. (With Plate 11)	671
P. J. BENTLEY, A. K. LEE and A. R. MAIN. Comparison of dehydration and hydration of two genera of frogs (<i>Heleioporus</i> and <i>Neobatrachus</i>) that live in areas of varying aridity	677
J. D. GILLETT. Induced ovarian development in decapitated mosquitoes by transfusion of haemolymph	685
K. G. DAVEY. The migration of spermatozoa in the female of <i>Rhodnius prolixus</i> Stal.	694

No. 4. DECEMBER 1958

C. J. BANKS and H. L. NIXON. Effects of the ant, <i>Lasius niger</i> L., on the feeding and excretion of the bean aphid, <i>Aphis fabae</i> Scop.	703
W. POPLE and D. W. EWER. Studies on the myoneural physiology of echinodermata. III. Spontaneous activity of the pharyngeal retractor muscle of <i>Cucumaria</i>	712
R. B. CLARK and J. B. COWEY. Factors controlling the change of shape of certain nemertean and turbellarian worms. (With Plate 12)	731
W. T. W. POTTS. The inorganic and amino acid composition of some lamellibranch muscles	749

	PAGE
G. K. WALLACE. Some experiments on form perception in the nymphs of the desert locust, <i>Schistocerca gregaria</i> Forskål	765
PETER S. B. DIGBY. Flight activity of the blowfly, <i>Calliphora erythrocephala</i> , in relation to wind speed, with special reference to adaptation	776
K. E. MACHIN. Wave propagation along flagella	796
G. M. HUGHES and G. SHELTON. The mechanism of gill ventilation in three freshwater teleosts. (With Plate 13)	807
P. Y. FORTUNE. The effect of temperature changes on the thyroid-pituitary relationship in teleosts. (With Plate 14)	824
J. MAYNARD SMITH. The effects of temperature and of egg-laying on the longevity of <i>Drosophila subobscura</i>	832
LORD ROTHSCHILD. Acid production after fertilization of sea-urchin eggs. A re-examination of the lactic acid hypothesis	843
D. W. WOOD. The electrical and mechanical responses of the prothoracic flexor tibialis muscle of the stick insect, <i>Carausius morosus</i> Br.	850
J. E. TREHERNE. The digestion and absorption of tripalmitin in the cockroach, <i>Periplaneta americana</i> L.	862
J. A. RAMSAY. Excretion by the malpighian tubules of the stick insect, <i>Dixippus morosus</i> (orthoptera, phasmidae): amino acids, sugars and urea	871
G. AINSWORTH HARRISON. The adaptability of mice to high environmental temperatures	892
J. SHAW. Further studies on ionic regulation in the muscle fibres of <i>Carcinus maenas</i>	902
J. SHAW. Osmoregulation in the muscle fibres of <i>Carcinus maenas</i>	920
J. B. FREE and YVETTE SPENCER-BOOTH. Observations on the temperature regulation and food consumption of honeybees (<i>Apis mellifera</i>)	930

All communications should be addressed to the Editors,

The Journal of Experimental Biology, Zoological Laboratory,
Downing Street, Cambridge, England.

MANUSCRIPTS:

Authors are requested to present their work in as *concise* a form as possible. MSS. should be *typewritten* (double spacing) on one side only of the paper, and the pages numbered. *Tables* and *Legends* should be on separate sheets from the rest of the MS. and should be numbered. The place where they are to be inserted in the text should be indicated in the margin of the MS. *Bibliography* should be given under the heading of 'References' and in the following form: Surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the *World List of Scientific Periodicals*), volume and pages of reference (first and last). In the text a reference should be quoted by the author's name and date (in brackets), and not by the numerical order of the paper in the list of references. Every paper must contain a summary of the chief results of the enquiry.

ILLUSTRATIONS:

(i) *Line blocks*. These should be used whenever possible. Illustrations should be pen drawings in Indian ink (*jet black and waterproof*) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased in any way. *Lettering should be temporarily and lightly put in by the author in soft pencil*. Where considerable reduction is required it is essential that the drawing be of such a character as to bear such reduction. *All brush work, tinting or pencil shading is to be avoided*.

Charts and curves can often be drawn to best advantage on *graph paper ruled in pale blue*. The blue lines, while ensuring accuracy, are easily eliminated by the printer, only the blackened lines that are desired remaining.

(ii) *Text half-tone blocks*. These are suitable for illustrations involving brushwork, or in which the depth of shading is an essential feature. They can be used for such things as oscillograph records and some photographs can be produced in this way, a good glossy bromide print being required. Illustrations should be gummed on *white card*, grouped and numbered as they are to appear in print. All lettering should be shown in position on a covering sheet of transparent paper.

(iii) *Plates*. Plates should be used only for illustrations, such as photomicrographs, in which the most accurate reproduction of fine detail is called for. Plates are expensive and the Editors may require an author to defray the cost of plates which in their opinion are not essential. The photographs making up the plate should be gummed on *white card*, grouped and numbered as they are to appear in print. Exclusive of margin the plate figures should not cover, when reduced, an area greater than $7\frac{1}{2}$ in. in length \times 5 in. in width when ready for reproduction as a single plate, or $7\frac{1}{2}$ in. \times $11\frac{1}{2}$ in. in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper.

Authors are asked not to submit sheets of illustrations which are more than foolscap size; or, if this cannot be avoided, to include photographic reductions for the convenience of referees.

ABSTRACTS:

Authors should submit with their MSS. *four copies* (typewritten, double spacing) of an abstract suitable for biological abstracting journals. The abstract will not appear in the *Journal of Experimental Biology* but will be scrutinised by the Editors before being passed for publication. The summary of a paper may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definitive conclusions of the work. Details of methods are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3 % of the original. An address (to which applications for offprints may be sent) should be added.

PROOFSHEETS AND OFFPRINTS:

Authors will receive one set of slip proofs for correction and return to the Editors. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of ten shillings per sheet of sixteen pages will be made for alterations apart from printer's errors. Authors may be charged for any excess over this average. Authors will receive 50 copies of their papers free; additional copies may be purchased and should be ordered when the proofs are returned to the Editors.

THE SOCIETY FOR EXPERIMENTAL BIOLOGY

The Society holds Conferences four times a year at which the results of experimental investigations are presented and discussed. Enquiries about membership of the Society should be addressed to one of the Secretaries:

Dr J. D. CATHY, Department of Zoology, Queen Mary College, London, E. 1

Dr G. E. FOGG, Botany Department, University College,
Gower Street, London, W.C. 1