INDEX OF AUTHORS

- Abdel Magid, A. M. See Vokac, Nasr El Din Ahmed and Abdel Magid
- Adams, William B. Mechanical tuning of the acoustic receptor of *Proderia eridania* (Cramer) (Noctuidae) 297
- Ballingtijn, E. M., van den Burg, A. and Egberink, B. P. An electromyographic study of the adductor mandibulae complex of a free-swimming carp (Cyprinus carpio L.) during feeding 261
- Bernays, E. A., Blaney, W. M. and Chapman, R. F. Changes in chemoreceptor sensilla on the maxillary palps of *Locusta migratoria* in relation to feeding
- Bernays, E. A. and Chapman, R. F. The control of changes in peripheral sensilla associated with feeding in *Locusta migratoria* (L.)
- Berry, Michael S. Electrotonic coupling between identified large cells in the buccal ganglia of Planorbis corneus
- Blaney, W.M. See BERNAYS, BLANEY and CHAPMAN Blaxter, J. H. S. Brightness discrimination in larvae of plaice and sole 693
- Blondeau, A. See DELALEU, BLONDEAU and HOLLEY
- Brackenbury, John H. Lung-air-sac anatomy and respiratory pressures in the bird 543
- Bregazzi, P. K. The effects of low temperature upon the locomotor activity rhythm of Talitrus saltator (Montagu) (Crustacea: Amphipoda)
- Bregazzi, P. K. and Naylor, E. The locomotor activity rhythm of *Talitrus saltator* (Montagu) (Crustacea, Amphipoda) 375
- Cameron, James N. and Randall, David J. The effect of increased ambient CO₂ on arterial CO₂ tension, CO₃ content and PH in rainbow trout
- Carlson, Albert D. A comparison of transmitter and synephrine on luminescence induction in the firefly larvae 737
- Chapman, R. F. See Bernays, Blaney and Chapman; and Bernays and Chapman
- Coggshall, John C. The landing response and visual processing in the milkweed bug, Oncopeltus fasciatus 401
- Cubbin, C. M. See Jones, Cubbin and Marsh
- Dan, Katsuma. See YONEDA and DAN
 Delaleu, J. C., Blondeau, A. and Holley, A.
 Electrophysiology of the heart of an isopod
 crustacean: Porcellis dilatatus. II. Effects of
 ions and membrane permeability inhibitors

- Egberink, B. P. See Ballintijn, van den Burg and Egberink
- Fell, H. B. Tissue culture and its contribution to biology and medicine (George Bidder Lecture)
- Fyhn, H. J., Petersen, J. A. and Johansen, K. Eco-physiological studies of an intertidal crustacean, *Pollicipes polymerus* (Cirripedia, Lepadomorpha). I. Tolerance to body temperature change, desiccation and osmotic stress
- Gentle, Michael J. The eye and colour change in the minnow (*Phoscinus phoxinus* L.) 701
- A note on the paling centre of the minnow (Phoxinus phoxinus L.) 709
- **Gradwell, Norman.** On the interactions between suctorial adhesion, gill ventilation and opercular spine erections in *Xenocara occidentalis*
- Greenaway, Peter. Calcium regulation in the freshwater crayfish Austropotamobius pallipes (Lereboullet). I. Calcium balance in the intermoult animal
- Greenberg, Michael J. See Pierce and Greenberg
- Hisano, Nozomu, Tateda, Hideki and Kuwabara, Masutaro. Photosensitive neurones in the marine pulmonate mollusc *Onchidium verruculatum* 651
- An electrophysiological study of the photoexcitative neurones of Onchidium verruculatum in situ 661
- Holley, A. and Delaleu, J. C. Electrophysiology of the heart of an isopod crustacean: Porcellio dilatus. I. General properties 589
 - see Delaleu, Blondeau and Holley
- Hughes, G. M. The relationship between cardiac and respiratory rhythms in the dogfish, Scyliorhinus canicula L. 415
- Isaia, J. Comparative effects of temperature on the sodium and water permeabilities of the gills of a stenohaline freshwater fish (Carassius auratus) and a stenohaline marine fish (Serranus scriba, Serranus cabrilla) 359
- See Motais and Isaia
- Johansen, K. See Fyhn, Petersen and Johansen Jones, David R. Factors affecting diastolic blood pressures in the systemic and pulmocutaneous arches of anuran amphibia 789
- Jones, M. D. R., Cubbin, C. M. and Marsh, D.

 The circadian rhythm of flight activity of the
 mosquito Anopheles gambiae: the lightresponse rhythm

 337

- See HOLLEY and DELALEU

- Jones, M. D. R., Cubbin, C. M. and Marsh, D. Light-on effects and the question of bimodality in the circadian flight activity of the mosquito Anopheles gambiae 347
- Kirsch, R. Plasma chloride and sodium, and chloride space in the European eel, Anguilla anguilla L.
- The kinetics of peripheral exchanges of water and electrolytes in the silver eel (Anguilla anguilla L.) in fresh water and in sea water
- Kuwabara, Masutaro. See Hisano, Tateda and Kuwabara
- Land, M. F. Stepping movements made by jumping spiders during turns mediated by the lateral eyes 15
- Lawn, I. D. See McFarlane and Lawn
 Leader, John P. Osmoregulation in the larva of
 the marine caddis fly, Philanisus plebeius
 (Walk.) (Trichoptera)

 821
- Lindqvist, Ossi V. See SALMINEN and LINDQVIST
- McFarlane, I. D. and Lawn, I. D. Expansion and contraction of the oral disc in the sea anemone Tealia felina 633
- Machemer, Hans. Ciliary activity and the origin of metachrony in Paramecium: effects of increased viscosity 239
- Machin, J. Water exchange in the mantle of a terrestrial snail during periods of reduced evaporative loss
- Marsh, D. See JONES, CUBBIN and MARSH
- Moreton, R. B. Electrophysiology and ionic movements in the central nervous system of the snail, *Helix aspersa* 513
- Motais, R. and Isaia, J. Evidence for an effect of ouabain on the branchial sodium-excreting pump of marine teleosts: interaction between the inhibitor and external Na and K 367
- Myrberg, Arthur A., Jr., and Spires, Juanita Y.
 Sound discrimination by the bicolor damselfish, Eupomacentrus partitus 727
- Nasr El Din Ahmed. See VOKAC, NASR EL DIN AHMED and ABDEL MAGID
- Naylor, E. See Bregazzi and Naylor
- Okajima, A. See Sandeman and Okajima
 Okasha, A. Y. K. Water relations in an insect,
 Thermobia domestica. II. Relationships between water content, water uptake from subsaturated atmospheres and water loss 285
- Pal, R. A. The osmoregulatory system of the amoeba, Acanthamoeba castellanii 55
- Petersen, J. A. See FYHN, PETERSEN and JOHANSEN Pierce, Sidney K., Jr., and Greenberg, Michael J. The nature of cellular volume regulation in marine bivalves 681
- Prior, David J. Electrophysiological analysis of peripheral neurones and their possible role in the local reflexes of a mollusc 133

- A neural correlate of behavioural stimulus intensity discrimination in a mollusc
- Randall, David J. See CAMERON and RANDALL Roberts, B. L. See RUSSELL and ROBERTS
- Roberts, B. L. and Russell, L. J. The activity of lateral-line efferent neurones in stationary and swimming dogfish 435
- Rossiter, G. T. See SATCHELL and ROSSITER
- Rumsey, T. J. Osmotic and ionic regulation in a terrestrial snail, *Pomatias elegans* (Gastropoda, Prosobranchia) with a note on some tropical Pomatiasidae
- Russell, I. J. See ROBERTS and RUSSELL
- Russell, I. J. and Roberts, B. L. Inhibition of spontaneous lateral-line activity by efferent nerve stimulation 77
- Salminen, Inga and Lindqvist, Ossi V. Cuticular water content and the rate of evaporation in the terrestrial isopod *Porcellio scaber* Latr. 569
- Sandeman, D. C. and Okajima, A. Statocystinduced eye movements in the crab Scylla serrata. I. The sensory input from the statocyst 187
- Satchell, G. H. and Rossiter, G. T. Pulsatile pressures in the cranial fluids of *Heterodontus* portusjacksoni 161
- Sattelle, D. B. The ionic basis of axonal conduction in the central nervous system of Viviparus contectus (Millet) (Gastropoda: Prosobranchia)
- Spires, Juanita Y. See MYRBERG and SPIRES Staddon, B. W. On the suggestion that the secretion from the metathoracic scent glands of a surface-dwelling aquatic insect, Gerris najas (de Geer) (Heteroptera; Gerridae) has
- a waterproofing function 765 Suthers, Roderick A. See Thomas and SUTHERS
- Tateda, Hideki. See HISANS, TATEDA and KUWABARA
- Tazaki, Kenro. The burst activity of different cell regions and intercellular co-ordination in the cardiac ganglion of the crab, Eriocher japonicus

 713
- Thomas, Steven P. and Suthers, Roderick A.

 The physiology and energetics of bat flight
- Truman, J. W. Physiology of insect rhythms.

 I. Circadian organization of the endocrine events underlying the moulting cycle of larval tobacco hornworms

 805
- van den Burg, A. See Ballintijn, van den Burg and Egberink
- Vokac, Z., Nasr El Din Ahmed and Abdel Magid, A. M. The in vitro respiratory properties of blood of the primitive fish Polypterus senegalus 461
- Waldron, Ingrid. Spatial organization of respiratory neurones in the medulla of tench and goldfish 449

- Wiersma, C. A. G. See York, Wiersma and Yanagisawa; and York, Yanagisawa and Wiersma
- Yamamoto, T. Electrical and mechanical properties of the red and white muscles in the silver carp 551
- Yanagisawa, K. See YORK, WIERSMA and YANAGISAWA; and YORK, YANAGISAWA and WIERSMA
- Yoneda, Mitsuki and Dan, Katsuma. Tension at the surface of the dividing sea-urchin egg
- York, B., Wiersma, C. A. G. and Yanagisawa, K. Properties of the optokinetic motor fibres in the rock lobster: build-up, flipback, afterdischarge and memory, shown by their firing patterns
- York, B., Yanagisawa, K. and Wiersma, C. A. G. Input sources and properties of position-sensitive oculomotor fibres in the rock lobster, *Panulirus interruptus* (Randall)
- Young, D. Specific re-innervation of limbs transplanted between segments in the cockroach, Periplaneta americana 305

Acanthamoeba castellanii:

Adductor mandibulae complex:

(CAMERON and RANDALL)

See Acanthamoeba castellanii

Acoustic receptor:

EGBERINK)

Ambient CO₁:

Amoeba:

The osmoregulatory system of the amoeba

Mechanical tuning of the, of Prodenia eri-

An electromyographic study of the, of a free-

swimming carp (Cyprinus carpio L.) during

feeding (BALLINTIJN, VAN DEN BURG and

The effect of increased, on arterial CO, ten-

sion, CO₂ content and pH in rainbow trout

A neural correlate of, in a mollusc (PRIOR) 147

Light-on effects and the question of, in the

circadian flight activity of the mosquito

Anopheles gambiae (Jones, Cubbin and

Marsh)

dania (Cramer) (Noctuidae) (Adams)

INDEX OF SUBJECTS

297

Biology:

Bird:

Tissue culture and its contribution to, and medicine (FELL) (George Biddler Lecture) 1

Lung-air-sac anatomy and respiratory press-

Evidence for an effect of ovabain on the, of

marine teleosts: interaction between the in-

hibitor and external Na and K (Motals and

Electrotonic coupling between identified large

cells in the, of Planorbis corneus (BERRY) 173

693

In larvae of plaice and sole (BLAXTER)

ures in the (BRACKENBURY)

Brightness discrimination:

Central nervous system:

Prosobranchia)

The ionic basis of axonal conduction in the,

of Viviparus contectus (Millet) (Gastropoda:

- Electrophysiology and ionic movements in the,

of the snail, Helix aspersa (MORETON)

Buccal ganglia:

Burst activity:

Branchial sodium-excreting pump:

Anguilla anguilla L.:	The, of different cell regions and intercellular
Plasma chloride and sodium, and chloride	co-ordination in the cardiac ganglion of the
space in the European eel (KIRSCH) 113	crab, Eriocher japonicus (TAZAKI) 713
- The kinetics of peripheral exchanges of water	, , , , , , , , , , , , , , , , , , , ,
and electrolytes in the silver eel, in fresh water	Calcium regulation:
and in sea water (KIRSCH) 489	In the freshwater crayfish Austropotamobius
Anopheles gambiae:	pallipes (LEREBOULLET)
The circadian rhythm of flight activity of the	- I. Calcium balance in the intermoult animal
mosquito: the light-response rhythm (JONES,	(Greenaway) 471
CUBBIN and MARSH) 337	Carassius auratus:
- Light-on effects and the question of bimodality	Comparative effects of temperature on the
in the circadian flight activity of the mosquito	sodium and water permeabilities of the gills
(JONES, CUBBIN and MARSH) 347	of a stenohaline freshwater fish, and a steno-
Anuran amphibia:	haline marine fish (Serranus scriba, Serranus
Factors affecting diastolic blood pressures in	cabrilla) (ISAIA) 359
the systemic and pulmocutaneous arches of	Cardiac and respiratory rhythms:
(JONES) 789	The relationship between, in the dogfish,
Arterial CO, tension:	Scyliorhinus canicula L. (HUGHES) 415
The effect of increased ambient CO ₂ on, CO ₃	Cardiac ganglion:
content and pH in rainbow trout (CAMERON	The burst activity of different cell regions and
and RANDALL) 673	intercellular co-ordination in the, of the crab
Austropotamobius pallipes (Lereboullet):	Eriocher japonicus (TAZAKI) 713
Calcium regulation in the freshwater Crayfish	Carp:
 I. Calcium balance in the intermoult animal 	See Cyprinus carpio L.
(Greenaway) 471	Cell regions:
Axonal conduction:	The burst activity of different, and inter-
The ionic basis of, in the central nervous	cellular co-ordination in the cardiac ganglion
system of Viviparus contectus (Millet)	of the crab, Eriocher japonicus (TAZAKI) 713
(Gastropoda: Prosobranchia) (Sattelle) 41	Cells:
	Electrotonic coupling between identified
Bat flight:	large, in the buccal ganglia of Planorbis
The physiology and energetics of (Thomas	corneus (BERRY) 173
and Suthers) 317	Cellular volume regulation:
Behaviour alstimulus intensity discrimina-	The nature of, in marine bivalves (PIERCE and
tion:	CDEENBERC) 681

347

Efferent nerve stimulation:

сагр (Үлмлмото)

Electromyograph study:

by (Russell and Roberts)

Electrical and mechanical properties:

felina (McFarlane and Lawn)

(Phoxinus phoxinus L.) (GENTLE)

Feeding:

The, and colour change in the minnow

Changes in chemoreceptor sensilla on the

maxillary palps of Locusta migratoria in

633

Inhibition of spontaneous lateral-line activity

Of the red and white muscles in the silver

An, of the adductor mandibulae complex of a free-swimming Carp (Cyprinus carpio L.)

during feeding (BALLINTIJN, VAN DER BURG

Chemoreceptor sensilla:

Chloride space:

Ciliary activity:

BLANEY and CHAPMAN)

See Scyliorhinus canicula L.

Of an intertidal crustacean, Pollicipes poly-

desiccation and osmotic stress (FYHN, PETER-

merus (Cirripedia, Lepadomorpha)

— I. Tolerance to body temperature change,

Eco-physiological studies:

SEN and JOHANSEN)

Changes in, on the maxillary palps of Locusta

migratoria in relation to feeding (BERNAYS,

Plasma chloride and sodium, and, in the

European eel, Anguilla anguilla L. (KIRSCH)

And the origin of metachrory in Paramecium:

effects of increased viscosity (MACHEMER)	and Egberink) 261
239	Electrophysiological analysis:
Circadian flight activity:	Of peripheral neurones and their possible
Light-on effects and the question of bi-	role in the local reflexes of a mollusc (PRIOR)
modality in the, of the mosquito Anopheles	133
gambiae (JONES, CUBBIN and MARSH) 347	Electrophysiological study:
Circadian rhythm:	An, of the photo-excitative neurones of
Of flight activity of the mosquito Anopheles	Onchidium verruculatum in situ (HISANO,
gambiae: the light-response rhythm (JONES,	TATEDA and Kuwabara) 661
Cubbin and Marsh) 337	Electrophysiology:
CO ₁ content:	And ionic movements in the central nervous
The effect of increased ambient CO ₂ on	system of the snail, Helix aspersa (MORETON)
arterial CO, tension, and pH in rainbow trout	513
(Cameron and Randall) 673	- Of the heart of an isopod crustacean: Porcellio
Cockroach:	dilatus
See Periplaneta americana	— I. General properties (Holley and Delaleu)
Colour change:	1. Ocheral properties (Hobbit and Dalaba)
The eye and, in the minnow (Phoxinus	— II. Effects of ions and membrane permeability
phoxinus L.) (GENTLE) 701	inhibitors (Delaleu, Blondeau and Holley)
Crab:	600
See Eriocher japonicus; and Scylla serrata	Electrotonic coupling:
Cranial fluids:	Between identified large cells in the buccal
Pulsatile pressures in the, of <i>Heterodontus</i>	
portusjacksoni (SATCHELL and ROSSITER) 161	ganglia of Planorbis corneus (BERRY) 173 Eriocher japonicus:
· · · · · · · · · · · · · · · · · · ·	The burst activity of different cell regions
Crayfish:	and intercellular co-ordination in the cardiac
See Austropotamobius pallipes (LEREBOULLET)	
Cuticular water content:	ganglion of the crab (TAZAKI) 713
And the rate of evaporation in the terrestrial	Eupomacentrus partitus: Sound discrimination by the bicolor dam-
isopod Porcellio scaber Latr. (SALMINEN and	
Lindqvist) 569	selfish (Myrnerg and Spires) 727
Cyprinus carpio L.:	European eel:
An electromyographic study of the adductor	—See Anguilla anguilla L. Evaporation:
mandibulae complex of a free-swimming carp,	
during feeding (BALLINTIJN, VAN DEN BURG	Cuticular water content and the rate of, in the
and Egberink) 261	terrestrial isopod Porcellio scaber Latr.
TO 10.1	(SALMINEN and LINDQVIST) 569
Damselfish:	Evaporative loss:
See Eupomacentrus partitus	Water exchange in the mantle of a terrestrial
Diastolic blood pressures:	snail during periods of reduced (MACHIN)
Factors affecting, in the systemic and pulmo-	103
cutaneous arches of anuran amphibia (JONES)	Exchanges of water and electrolytes:
789	The kinetics of peripheral, in the silver eel
Dogfish:	(Anguilla anguilla L.) in fresh water and in
The activity of lateral-line efferent neurones	sea water (Kirsch) 489
in stationary and swimming (ROBERTS and	Expansion and contraction:
Russell) 435	Of the oral disc in the sea anemone Tealia

Intercellular co-ordination:

Intertidal crustacean:

morpha)

Ionic basis:

Eriocher japonicus (TAZAKI)

Amphipoda) (Bregazzi)

Changes in chemoreceptor sensilla on the

maxillary palps of, in relation to feeding

(BERNAPS, BLANEY and CHAPMAN)

Locusta migratoria:

393

745

The burst activity of different cell regions and, in the cardiac ganglion of the crab

See Pollicipes polymerus (Cirripedia, Lepado-

The, of axonal conduction in the central nervous system of Viviparus contectus (Millet)

Feeding (cont.)

Firefly larva:

Insect rhythms:

Physiology of

- I. Circadian organization of the endocrine

larval tobacco hornworms (TRUMAN)

events underlying the moulting cycle of

relation to (BERNAYS, BLANEY and CHAPMAN)

associated with, in Locusta migratoria (L.)

A comparison of transmitter and synephrine

on luminescence induction in the (CARLSON)

- The central of changes in peripheral sensilla

(BERNAYS and CHAPMAN)

Flight activity:	(Gastropoda: Prosobranchia) (SATTELLE) 41
The circadian rhythm of, of the mosquito	Ionic movements:
Anopheles gambiae: the light-response rhythm	Electrophysiology and, in the central nervous
(Jones, Cubbin and Marsh) 337	system of the snail, Helix aspersa (MORETON)
	513
Gerris najas (de Geer) (Heteroptera;	Isopod crustacean:
Gerridae):	See Porcellio dilatatus
On the suggestion that the secretion from the	
metathoracic scent glands of a surface-	Jumping spiders:
dwelling aquatic insect, has a waterproofing	Stepping movements made by, during turns
function (STADDON) 765	mediated by the lateral eyes (LAND) 15
Gill ventilation:	
On the interactions between suctorial ad-	Landing response:
hesion, and opercular spine erections in	The, and visual processing in the milkweed
Xenocara occidentalis (GRADWELL) 771	bug, Oncopeltus fasciatus (COGGSHALL) 401
Gills:	Larva:
Comparative effects of temperature on the	Osmoregulation in the, of the marine caddis
sodium and water permeabilities of the, of	fly, Philanisus plebeius (Walk.) (Trichoptera)
a stenohaline freshwater fish (Carassius	(Leader) 821
auratus) and a stenohaline marine fish	Larvae of plaice and sole:
(Serranus scriba, Serranus cabrilla) (ISAIA)	Brightness discrimination in (BLAXTER) 693
359	Lateral eyes:
Goldfish:	Stepping movements made by jumping
Spatial organization of respiratory neurones	spiders during turns mediated by the (LAND)
in the medulla of tench and (WALDRON)	15
449	Lateral-line activity:
1.7	Inhibition of spontaneous, by efferent nerve
Heart:	stimulation (RUSSELL and ROBERTS) 77
Electrophysiology of the, of an isopod	Lateral-line efferent neurones:
crustacean: Porcellio dilatatus	The activity of, in stationary and swimming
— I. General properties (Holley and Delaleu)	dogfish (ROBERTS and RUSSELL) 435
589	Light-on effects:
— II. Effects of ions and membrane permeability	And the question of bimodality in the circa-
inhibitors (Delaleu, Blondeau and Holley)	dian flight activity of the mosquito Anopheles
609	gambiae (Jones, Cubbin and Marsh) 347
Helix aspersa:	Light-response rhythm:
Electrophysiology and ionic movements in	The circadian rhythm of flight activity of the
the central nervous system of the snail	mosquito Anopheles gambiae: the (Jones
(Moreton) 513	Cubbin and Marsh) 337
Heterodontus portusjacksoni:	Local reflexes:
Pulsatile pressures in the cranial fluids of	Electrophysiological analysis of peripheral
(SATCHELL and ROSSITER) 161	neurones and their possible role in the, of
	a mollusc (Prior) 133
Inhibition:	Locomotor activity rhythm:
Of spontaneous lateral-line activity by	The, of Talitrus saltator (Montagu) (Crusta-
efferent nerve stimulation (Russell and	cea, Amphipoda) (Bregazzi and Naylor)
ROBERTS) 77	375
Insect:	- The effects of low temperature upon the, of
See Thermobia domestica	Talitrus saltator (Montagu) (Crustacea:

755

737

Neural correlate:

Oculomotor fibres:

A, of behavioural stimulus intensity dis-

Input sources and properties of position-

sensitive, in the rock lobster, Panulirus inter-

ruptus (Randall) (YORK, YANAGISAWA and

crimination in a mollusc (PRIOR)

Locusta migratoria (cont.)

Luminescence induction:

Lung-air-sac anatomy:

CHAPMAN)

The control of changes in peripheral sensilla associated with feeding in (BERNAYS and

A comparison of transmitter and synephrine

on, in the firefly larva (CARLSON)

147

755

And respiratory pressures in the bird	WIERSMA) 229
(Brackenbury) 543	Onchidium verruculatum:
,	Photosensitive neurons in the marine pul-
Mantle:	monate mollusc (HISANO, TATEDA and
Water exchange in the, of a terrestrial snail	Kuwabara) 651
during periods of reduced evaporative loss	Oncopeltus fasciatus:
(Machin) 103	The landing response and visual processing
Marine bivalves:	in the milkweed bug (Coggshall) 401
The nature of cellular volume regulation in	Opercular spine erections:
(PIERCE and GREENBERG) 681	On the interactions between suctorial ad-
Marine caddis fly:	hesion, gill ventilation and, in Xenocara
See Philanisus plebeius (Walk.) (Trichoptera)	occidentalis (GRADWELL) 771
Marine pulmonate mollusc:	Optokinetic motor fibres:
See Onchidium verruculatum	Properties of the, in the rock lobster: build-
Marine teleosts:	up, flipback, afterdischarge and memory,
Evidence for an effect of ovabain on	shown by their firing patterns (YORK,
the branchial sodium-excreting pump of:	WIERSMA and YANAGISAWA) 217
interaction between the inhibitor and	Oral disc:
external Na and K (MOTAIS and ISAIA)	Expansion and contraction of the, in the sea
367	anemone Tealia felina (McFARLANE and
Maxillary palps:	LAWN) 633
Changes in chemoreceptor sensilla on the, of	Osmoregulation:
Locusta migratoria in relation to feeding	In the larva of the marine caddis fly, Philanisus
(Bernays, Blaney and Chapman) 745	plebeius (Walk.) (Trichoptera) (LEADER) 821
Mechanical tuning:	Osmoregulatory system:
Of the acoustic receptor of Prodenia eridania	The, of the amoeba, Acanthamoeba castellanii
(Cramer) (Noctuidae) (ADAMS) 297	(PAL) 55
Medicine:	Osmotic and ionic regulation:
Tissue culture and its contribution to biology	In a terrestrial snail, Pomatias elegans (Gastro-
and (FELL) (George Bidder Lecture)	poda, Prosobranchia) with a note on some
Medulla:	tropical Pomatiasidae (Rumsey) 205
Spatial organization of respiratory neurones	Ouabain:
in the, of tench and goldfish (WALDRON)	Evidence for an effect of, on the branchial
449	sodium excreting pump of marine teleosts:
Metachrony:	interaction between the inhibitor and ex-
Ciliary activity and the origin of, in Para-	ternal Na and K (MOTAIS and ISAIA) 367
mecium: effects of increased viscosity	
(Machemer) 239	Paling centre:
Metathoracic scent glands:	A note on the, of the minnow (Phoximus
On the suggestion that the secretion from	phoxinus) (GENTLE) 709
the, of a surface-dwelling aquatic insect,	Panulirus interruptus (Randall):
Gerris najas (de Geer) (Heteroptera; Gerridae)	Input sources and properties of position-
has a waterproofing function (STADDON)	sensitive oculomotor fibres in the rock lobster
765	(YORK, YANAGISAWA and WIERSMA) 229
Milkweed bug:	Paramecium:
See Oncopeltus fasciatus	Ciliary activity and the origin of metachrony
Minnow:	in: effects of increased viscosity (MACHEMER)
See Phoxinus phoxinus L.	239
Mollusc:	Peripheral neurones:
Electrophysiological analysis of peripheral	Electrophysiological analysis of, and their
neurones and their possible role in the local	possible role in the local reflexes of a mollusc
reflexes of a (PRIOR) 133	(PRIOR) 133
— A neural correlate of behavioural stimulus	Peripheral sensilla:
intensity discrimination in a (PRIOR) 147	The control of changes in, associated with
Mosquito:	feeding in Locusta migratoria (L.) (BERNAYS
See Anopheles gambiae	and Chapman) 755

Periplaneta	americana:
-------------	------------

Specific re-innervation of limbs transplanted between segments in the cockroach (YOUNG)

30

Philanisus plebeius (Walk.) (Trichoptera):

Osmoregulation in the larva of the marine caddis fly (Leader) 821

Photo-excitative neurones:

An electrophysiological study of the, of Onchidium verruculatum in situ (HISANO, TATEDA and KUWABARA) 661

Photosensitive neurones:

In the marine pulmonate mollusc Onchidium verruculatum (HISANO, TATEDA and KUWA-BARA) 651

Phoxinus phoxinus L.:

The eye and colour change in the minnow (GENTLE) 701

— A note on the paling centre of the minnow (Gentle)

Planorbis corneus:

Electrotonic coupling between identified large cells in the buccal ganglia of (BERRY) 173

Plasma chloride and sodium:

And chloride space in the European eel Anguilla anguilla L. (KIRSCH) 113

Pollicipes polymerus (Cirripedia, Lepadomorpha):

Eco-physiological studies of an intertidal crustacean

 I. Tolerance to body temperature change, desiccation and osmotic stress (FYHN, PETER-SEN and JOHANSEN)

Polypterus senegalus:

The in vitro respiratory properties of blood of the primitive fish (Vokac, Nasr El Din Ahmed and Abdel Magid) 461

Pomatias elegans (Gastropoda,

Prosobranchia):

Osmotic and ionic regulation in a terrestrial snail, with a note on some tropical Pomatiasidae (Rumsey) 205

Pomatiasidae:

Osmotic and ionic regulation in a terrestrial snail, *Pomatias elegans* (Gastropoda, Prosobranchia) with a note on some tropical (Rumsey)

Porcellio dilatatus:

Electrophysiology of the heart of an isopod crustacean

— I. General properties (Holley and Delaleu)

589

 II. Effects of ions and membrane permeability inhibitors (Delaleu, Blondeau and Holley)

Porcellio scaber Latr.:

Cuticular water content and the rate of evaporation in the terrestrial isopod (SAL-MINEN and LINDQVIST) 569

Primitive fish:

See Polypterus senegalus

Prodenia eridania (Cramer) (Noctuidae):

Mechanical tuning of the acoustic receptor of (ADAMS) 297

Pulsatile pressures:

In the cranial fluids of Heterodontus portusjacksoni (SATCHELL and ROSSITER) 161

Rainbow trout:

The effect of increased ambient CO₂ on arterial CO₂ tension, CO₂ content and pH in (CAMERON and RANDALL)

673

Red and white muscles:

Electrical and mechanical properties of the, in the silver carp (YAMAMOTO) 551

Re-innervation of limbs:

Specific, of limbs transplanted between segments in the cockroach, *Periplaneta americana* (Young) 305

Respiratory neurones:

Spatial organization of, in the medulla of tench and goldfish (WALDRON) 449

Respiratory pressures:

Lung-air-sac anatomy and, in the bird (Brackenbury) 543

Respiratory properties of blood:

The in vitro, of the primitive fish Polypterus senegalus (VOKAC, NASR EL DIN AHMED and ABDEL MAGID)

461

Rock lobster:

Properties of the optokinetic motor fibres in the: build-up, flipback, afterdischarge and memory, shown by their firing patterns (YORK, WIERSMA and YANAGISAWA)

- See also Panulirus interruptus (Randall)

Scyliorhinus canicula L.:

The relationship between cardiac and respiratory rhythms in the dogfish (HUGHES) 415

Scylla serrata:

Statocyst-induced eye movements in the crab

— I. The sensory input from the statocyst
(SANDEMAN and OKAJIMA)

187

Sea anemone:

See Tealia felina

Sea-urchin egg:

Tension at the surface of the dividing (YONEDA and DAN) 575

Secretion:

On the suggestion that the, from the metathoracic scent glands of a surface-dwelling aquatic insect, *Gerris najas* (de Geer) (Heteroptera; Gerridae) has a waterproofing function (STADDON) 765

Serranus cabrilla:

Comparative effects of temperature on the sodium and water permeabilities of the gills of a stenohaline freshwater fish (Carassius auratus) and a stenohaline marine fish (Serranus scriba,) (ISAIA) 359

Serranus scriba:

Comparative effects of temperature on the sodium and water permeabilities of the gills of a stenohaline freshwater fish (Carassius auratus) and a stenohaline marine fish (, Serranus cabrilla) (ISAIA) Silver carp:

Temperature:

Comparative effects of, on the sodium and water permeabilities of the gills of a steno-

haline freshwater fish (Carassius auratus) and

a stenohaline marine fish (Serranus scriba,

Serranus cabrilla) (ISAIA)

Electrical and mechanical properties of the red and white muscles in the (YAMAMOTO)

 The effects of low, upon the locomotor activity rhythm of Talitrus saltator (Montagu)

(Crustacea: Amphipoda) (BREGAZZI)

Silver eel: Spatial organization of respiratory neurones See Anguilla anguilla L. in the medulla of, and goldfish (WALDRON) Snail: 449 See Helix aspersa Tension: Sodium and water permeabilities: At the surface of the dividing sea-urchin egg Comparative effects of temperature on the, of (YONEDA and DAN) 575 the gills of a stenohaline freshwater fish Terrestrial isopod: (Carassius auratus) and a stenohaline marine See Porcellio scaber Latr. fish (Serranus scriba, Serranus cabrilla) Terrestrial snail: (ISAIA) Water exchange in the mantle of a, during Sound discrimination: periods of reduced evaporative loss (MACHIN) By the bicolor damselfish, Eupomacentrus 103 partitus (MYRBERG and SPIRES) - See Pomatias elegans 727 Spatial organization: Thermobia domestica: Of respiratory neurones in the medulla of Water relations in an insect tench and goldfish (WALDRON) - II. Relationships between water content, Statocyst-induced eye movements: Water uptake from subsaturated atmospheres In the crab Scylla serrata and water loss (OKASHA) - I. The sensory input from the statocyst Tissue culture: (SANDEMAN and OKAJIMA) 187 And its contribution to biology and medicine Stenohaline freshwater fish: (Fell) (George Bidder Lecture) See Carassius auratus Transmitter: Stenohaline marine fish: A comparison of, and synephrine on lumi-See Serranus scriba, and Serranus cabrilla nescence induction in the firefly larva Stepping movements: (CARLSON) 737 Made by jumping spiders during turns mediated by the lateral eyes (LAND) Viscosity: 15 Suctorial adhesion: Ciliary activity and the origin of metachrony On the interactions between, gill ventilation in Paramecium: effects of increased (MACand opercular spine erections in Xenocara HEMER) occidentalis (GRADWELL) Visual processing: 77 I Surface-dwelling aquatic insect: The landing response and, in the milkweed See Gerris najas (de Geer) (Heteroptera; bug, Oncopeltus fasciatus (COGGSHALL) 401 Viviporus conectus (Millet) (Gastropoda: Gerridae) Synephrine: Prosobranchia): A comparison of transmitter and, on lumi-The ionic basis of axonal conduction in the nescence induction in the firefly larva central nervous system of (SATTELLE) (CARLSON) 737 Systemic and pulmocutaneous arches: Water exchange: Factors affecting diastolic blood pressures in In the mantle of a terrestrial snail during the, of anuran amphibia (Jones) 789 periods of reduced evaporative loss (MACHIN) Talitrus saltator (Montagu) (Crustacea, Am-Waterproofing function: phipoda): On the suggestion that the secretion from the The locomotor activity rhythm of (BREGAZZI metathoracic scent glands of a surfaceand NAYLOR) dwelling aquatic insect, Gerris najas (de - The effects of low temperature upon the loco-Geer) (Heteroptera; Gerridae) hasa (STADDON) motor activity rhythm of (BREGAZZI) Water relations: In an insect, Thermobia domestica Expansion and contraction of the oral disc in - II. Relationships between water content, water the sea anemone (McFarlane and Lawn) 633 uptake from subsaturated atmospheres and 285 water loss (OKASHA)

Xenocara occidentalis:

erections in (GRADWELL)

On the interactions between suctorial adhesion, gill ventilation and opercular spine

77 I

The Journal of Experimental Biology

The Journal of Experimental Biology

V. B. WIGGLESWORTH and J. A. RAMSAY

VOLUME 57

CAMBRIDGE
AT THE UNIVERSITY PRESS
1972

PUBLISHED BY

THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© Company of Biologists Ltd., 1972

CONTENTS

No. 1. AUGUST 1972

	PAGE
The George Bidder Lectures. Fell, H. B. Tissue culture and its contribution to biology and medicine	I
LAND, M. F. Stepping movements made by jumping spiders during turns mediated by the lateral eyes	15
SATTELLE, D. B. The ionic basis of axonal conduction in the central nervous system of <i>Viviparus contectus</i> (Millet) (Gastropoda: Prosobranchia)	4 I
PAL, R. A. The osmoregulatory system of the amoeba, Acanthamoeba castellanii .	55
RUSSELL, I. J. and ROBERTS, B. L. Inhibition of spontaneous lateral-line activity by efferent nerve stimulation	77
FYHN, H. J., Petersen, J. A. and Johansen, K. Eco-physiological studies of an intertidal crustacean, <i>Pollicipes polymerus</i> (Cirripedia, Lepadomorpha)	83
MACHIN, J. Water exchange in the mantle of a terrestrial snail during periods of reduced evaporative loss	103
KIRSCH, R. Plasma chloride and sodium, and chloride space in the European eel, Anguilla anguilla L	113
PRIOR, DAVID J. Electrophysiological analysis of peripheral neurones and their possible role in the local reflexes of a mollusc	133
PRIOR, DAVID J. A neural correlate of behavioural stimulus intensity discrimination in a mollusc	147
SATCHELL, G. H. and Rossiter, G. T. Pulsatile pressures in the cranial fluids of Heterodontus portusjacksoni	161
BERRY, MICHAEL S. Electrotonic coupling between identified large cells in the buccal ganglia of <i>Planorbis corneus</i>	173
SANDEMAN, D. C. and OKAJIMA, S. Statocyst-induced eye movements in the crab Scylla serrata. I. The sensory input from the statocyst	187
RUMSEY, T. J. Osmotic and ionic regulation in a terrestrial snail, <i>Pomatias elegans</i> (Gastropoda, Prosobranchia) with a note on some tropical Pomatiasidae.	205
YORK, B., WIERSMA, C. A. G. and YANAGISAWA, K. Properties of the optokinetic motor fibres in the rock lobster: Build-up, flipback, after discharge and memory, shown by their firing patterns	217
YORK, B., YANAGISAWA, K. and WIERSMA, C. A. G. Input sources and properties of position-sensitive oculomotor fibres in the rock lobster, <i>Panulirus interruptus</i> (Randall).	·
MACHEMER, HANS. Ciliary activity and the origin of metachrony in <i>Paramecium</i> : effects of increased viscosity	229
BALLINTIJN, C. M., VAN DEN BURG, A. and EGBERINK, B. P. An electromyographic study of the adductor mandibulae complex of a free-swimming carp (Cyrinus carpio L.) during feeding	2 61

vi Contents

No. 2. OCTOBER 1972	
Okasha, A. Y. K. Water relations in an insect, <i>Thermobia domestica</i> . II. Relationships between water content, water uptake from subsaturated atmospheres and water loss	285
Adams, William B. Mechanical tuning of the acoustic receptor of <i>Prodenia eridania</i> (Cramer) (Noctuidae)	297
Young, D. Specific re-innervation of limbs transplanted between segments in the cockroach <i>Periplaneta americana</i>	305
Thomas, Steven P. and Suthers, Roderick A. The physiology and energetics of bat flight	317
JONES, M. D. R., CUBBIN, C. M. and MARSH, D. The circadian rhythm of flight activity of the mosquito <i>Anopheles gambiae</i> : The light-response rhythm	337
JONES, M. D. R., CUBBIN, C. M. and MARSH, D. Light-on effects and the question of bimodality in the circadian flight activity of the mosquito <i>Anopheles gambiae</i> .	347
ISAIA, J. Comparative effects of temperature on the sodium and water permeabilities of the gills of a stenohaline freshwater fish (Carassius auratus) and a stenohaline marine fish (Serranus scriba, Serranus cabrilla).	359
MOTAIS, R. and ISAIA, J. Evidence for an effect of ouabain on the branchial sodium-excreting pump of marine teleosts: interaction between the inhibitor and external Na and K	367
Bregazzi, P. K. and Naylor, E. The locomotor activity rhythm of <i>Talitrus saltator</i> (Montagu) (<i>Crustacea, Amphipoda</i>)	375
Bregazzi, P. K. The effects of low temperature upon the locomotor activity rhythm of Talitrus saltator (Montagu) (Crustacea: Amphipoda)	393
COGGSHALL, JOHN C. The landing response and visual processing in the milkweed bug, Oncopeltus fasciatus.	401
HUGHES, G. M. The relationship between cardiac and respiratory rhythms in the dogfish, Scyliorhinus canicula L	415
ROBERTS, B. L. and RUSSELL, I. J. The activity of lateral-line efferent neurones in stationary and swimming dogfish	435
Waldron, Ingrid. Spatial organization of respiratory neurones in the medulla of tench and goldfish	449
Vokac, Z., Ahmed, Nasr el Din and Magid, A. M. Abdel. The in vitro respiratory properties of blood of the primitive fish <i>Polypterus senegalus</i>	461
GREENAWAY, PETER. Calcium regulation in the freshwater crayfish, Austropotamobius palipes (Lereboullet)	47 ¹
KIRSCH, R. The kinetics of peripheral exchanges of water and electrolytes in the silver eel (Anguilla anguilla L.) in fresh water and in sea water	484
Moreton, R. B. Electrophysiology and ionic movements in the central nervous system of the snail, <i>Helix aspersa</i>	513
Brackenbury, John H. Lung-air-sac anatomy and respiratory pressures in the bird	543
YAMAMOTO, T. Electrical and mechanical properties of the red and white muscles in the silver carp	55¥

No. 3. DECEMBER 1972	
SALMINEN, INGA and LINDQVIST, OSSI V. Cuticular water content and the rate of evaporation in the terrestrial isopod <i>Porcellio scaber</i> Latr	PAGE 569
YONEDA, MITSUKI and DAN, KATSUMA. Tension at the surface of the dividing sea- urchin egg	575
HOLLEY, A. and DELALEU, J. C. Electrophysiology of the heart of an isopod crustacean: Porcellio dilatatus. I. General properties	589
Delaleu, J. C., Blondeau, A. and Holley, A. Electrophysiology of the heart of an isopod crustacean: <i>Porcellio dilatatus</i> . II. Effects of ions and membrane permeability inhibitors	609
McFarlane, I. D. and Lawn, I. D. Expansion and contraction of the oral disc in the sea anemone <i>Tealia felina</i>	633
HISANO, NOZOMU, TATEDA, HIDEKI and KUWABARA, MASUTARO. Photosensitive neurones in the marine pulmonate mollusc Onchidium verruculatum	651
HISANO, NOZOMU, TATEDA, HIDEKI and KUWABARA, MASUTARO. An electrophysiological study of the photo-excitative neurones of Onchidium verruculatum in situ	661
CAMERON, JAMES N. and RANDALL, DAVID J. The effect of increased ambient CO ₂ on arterial CO ₂ tension, CO ₂ content and pH in rainbow trout	673
PIERCE, SIDNEY K., JR., and GREENBERG, MICHAEL J. The nature of cellular volume regulation in marine bivalves	681
BLAXTER, J. H. S. Brightness discrimination in larvae of plaice and sole	693
GENTLE, MICHAEL J. The eye and colour change in the minnow (Phoxinus phoxinus L.)	701
GENTLE, MICHAEL J. A note on the paling centre of the minnow (Phoxinus phoxinus L.)	709
TAZAKI, KENRO. The burst activity of different cell regions and intercellular co- ordination in the cardiac ganglion of the crab, Eriocheir japonicus	713
MYRBERG, ARTHUR A. JR., and SPIRES, JUANITAY. Sound discrimination by the bicolor damselfish, Eupomacentrus partitus	727
CARLSON, ALBERT D. A comparison of transmitter and synephrine on luminescence induction in the firefly larva	737
BERNAYS, E. A., BLANEY, W. M. and CHAPMAN, R. F. Changes in chemoreceptor sensilla on the maxillary palps of <i>Locusta migratoria</i> in relation to feeding .	745
BERNAYS, E. A. and CHAPMAN, R. F. The control of changes in peripheral sensilla associated with feeding in <i>Locusta migratoria</i> (L.)	755
STADDON, B. W. On the suggestion that the secretion from the metathoracic scent glands of a surface-dwelling aquatic insect, <i>Gerris najas</i> (de Geer), (Heteroptera; Gerridae) has a waterproofing function	765
GRADWELL, NORMAN. On the interactions between suctorial adhesion, gill ventilation and opercular spine erections in <i>Xenocara occidentalis</i>	771
JONES, DAVID R. Factors affecting diastolic blood pressures in the systemic and pulmocutaneous arches of anuran amphibia	 789
Truman, J. W. Physiology of insect rhythms. I. Circadian organization of the endocrine events underlying the moulting cycle of larval tobacco hornworms.	805
LEADER, JOHN P. Osmoregulation in the larva of the marine caddis fly, <i>Philanisus</i>	Q _a ,





All communications should be addressed to the Editors,

The Journal of Experimental Biology, Zoological Laboratory, Downing Street, Cambridge CB2 3EJ, England

MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. MSS. should be type-written (double spacing) on one side only of the paper, and the pages numbered. Tables and Legends should be on separate sheets from the rest of the MS. and should be numbered. The place where they are to be inserted in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: Surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference should be quoted by the author's name and date (in brackets), and not by the numerical order of the paper in the list of references. Every paper must contain a summary of the chief results of the enquiry.

ILLUSTRATIONS

(i) Line blocks. These should be used whenever possible. Illustrations should be pen drawings in Indian ink (jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased in any way. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly in soft pencil. Where considerable reduction is required it is essential that the drawings be of such a character as to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. The blue lines, while ensuring accuracy, are easily eliminated by the printer, only the blackened lines that are

desired remaining.

(ii) Text half-tone blocks. These are suitable for illustrations involving brushwork, or in which the depth of shading is an essential feature. They can be used for such things as oscillograph records and some photographs can be produced in this way, a good glossy bromide print being required. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All

lettering should be drawn in position on a covering sheet of transparent paper.

(iii) Plates. Plates should be used only for illustrations, such as photomicrographs, in which the most accurate reproduction of fine detail is called for. Plates are expensive and the Editors may require an author to defray the cost of plates which in their opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Exclusive of margin, the plate figures should not cover, when reduced an area greater than 7½ in. in length × 5 in. in width when ready for reproduction as a single plate, or 7½ in. × 11½ in., in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper. Authors are asked not to submit sheets of illustrations which are more than foolscap size; or, if this cannot be avoided, to include photographic reductions for the convenience of referees.

ABSTRACTS

Authors should submit with their MSS. five copies (typewritten, double spacing) of an abstract suitable for biological abstracting journals. The abstract will not appear in The Journal of Experimental Biology but will be scrutinized by the Editors before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definitive conclusions of the work. Details of methods are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3 % of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints may be sent.

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editors. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration apart from printer's errors. Authors may be charged for any excess over this average. Authors will receive 50 copies of their papers free; additional copies may be purchased and should be ordered when the proofs are returned to the Editors.

Enquiries about the reproduction of material from The Journal of Experimental Biology should be sent to:

DR D. W. T. CROMPTON,

Secretary, Company of Biologists Limited, The Molteno Institute, Downing Street, Cambridge CB2 3EE, U.K.

ISI Tear Service, 325 Chestnut Street, Philadelphia, Pennsylvania 19106, U.S.A. is authorized to supply single copies of separate articles for private use only.

© Company of Biologists Ltd, 1972

THE SOCIETY FOR EXPERIMENTAL BIOLOGY

The Society holds Conferences four times a year at which the results of experimental investigations are presented and discussed. Enquiries about membership of the Society should be addressed to one of the Secretaries:

Zoological Secretary
Dr A. P. M. Lockwood
Department of Oceanography,
The University,
Southampton, SOg 5NH

Botanical Secretary
Dr N. SUNDERLAND,
John Innes Institute,
Colney Lane,
Norwich, NOR 70F