INDEX OF AUTHORS

- Aidley, D. J. See MILLER and AIDLEY
- Bartholomew, George A. and Casey, Timothy
 M. Effects of ambient temperature on warmup in the moth Hyalophora cecropia 503
- Bartholomew, George A. and Heinrich, Bernd. A field study of flight temperatures in moths in relation to body weight and wing loading 123
- Bernstein, Marvin H., Thomas, Steven P. and Schmidt-Nielsen, Knut. Power input during flight of the fish crow, Corvus ossifragus 401
- Berridge, Michael J. See PRINCE and BERRIDGE Burns, M. D. The control of walking in Orthoptera. I. Leg movements in normal
- Burrows, Malcolm and Hoyle, Graham. The mechanism of rapid running in the ghost crab, Ocypode ceratophthalma 327
- Casey, Timothy M. See Bartholomew and Casey
- Chapman, Robert M. See Lall and Chapman Courtenay, T. H. See Lockwood, Inman and Courtenay
- Eckert, Roger. See Epstein and Eckert
- Eddy, F. B. Oxygen dissociation curves of the blood of the tench, *Tinca tinca* 281
- Elder, Hugh G. Direct peristaltic progression and the functional significance of the dermal connective tissues during burrowing in the polychaete *Polyphysia crassa* (Oersted) 637
- Epstein, Miles and Eckert, Roger. Membrane control of ciliary activity in the protozoan Euplotes 437
- Evans, David H., Mallery, Charles H. and Kravitz, Larry. Sodium extrusion by a fish acclimated to sea water: physiological and biochemical description of a Na-for-K exchange system 627
- Geethabali and Rao, Kandula Pampapathi.

 A metasomatic neural photoreceptor in the scorpion 189
- Goris, Richard C. and Terashima, Shin-Ichia.

 Central response to infra-red stimulation of the pit receptors in a crotaline snake, Trimeresurus flavoviridis
- Gorman, A. L. F. See MIROLLI and GORMAN
- Hanson, D., Mann, T. and Martin, A. W. Mechanism of the spermatophoric reaction in the giant octopus of the North Pacific. Octopus dosteini martini 711
- Hawkins, A. D. See SAND and HAWKINS
 Heinrich, Bernd. See BARTHOLOMEW and
 HEINRICH

- Heinrich, Bernd and Kammer, Ann E. Activation of the fibrillar muscles in the bumblebee during warm-up, stabilization of thoracic temperature and flight 677
- House, C. R. An electrophysiological study of neuroglandular transmission in the isolated salivary glands of the cockroach 29
- Hoyle, Graham. See Burrows and Hoyle
- Hudson, Richard C. L. On the function of the white muscles in teleosts at intermediate swimming speeds 509
- Iles, J. F. See Pearson and Iles
 Inman, C. B. E. See Lockwood, Inman and
 Courtenay
- Kammer, Ann E. See HEINRICH and KAMMER Kaneko, Hiroki. See NAITOH and KANEKO
- ten Kate, J. H. The mechanics of the growing semicircular canal 351
- Katz, Uri. Studies on the adaptation of the toad Bufo viridis to high salinities: oxygen consumption, plasma concentration and water content of the tissues 785
- Kaufman, W. R. and Phillips, J. E. Ion and water balance in the ixodid tick *Dermacentor andersoni*
- I. Routes of ion and water excretion
- II. Mechanism and control of salivary secretion 537
- III. Influence of monovalent ions and osmotic pressure on salivary secretions
- Kirsch, R. and Mayer-Gostan, M. Kinetics of water and chloride exchanges during adaptation of the European eeel to sea water 105 Kravitz, Larry. See EVANS, MALLERY and KRAVITZ
- Lall, Abner B. and Chapman, Robert M.
 Phototaxis in *Limulus* under natural conditions: evidence for reception of near-ultraviolet light in the median dorsal ocellus 213
- Lockwood, A. P. M. and Inman, C. B. E. Water uptake and loss in relation to the salinity of the medium in the amphipod crustacean Gammarus duebeni 149
- Lockwood, A. P. M., Inman, C. B. E. and Courtenay, T. H. The influence of environmental salinity on the water fluxes of the amphipod crustacean Gammarus duebeni 137
- McFarlane, I. D. Spontaneous electrical activity in the sea anemone Calliactis parasitica 77 McGahan, Jerry. Gliding flight of the Andean condor in nature 225
- Flapping flight of the Andean condor in nature
- McNab, Brian K. Body-weight, energetics, and the determination of body temperature 277

- Maetz, J. Na⁺/NH₄⁺, Na⁺/H⁺ exchanges and NH₃ movement across the gill of *Carassius* auratus
- See PAYAN and MAETZ
- Mallery, Charles H. See Evans, Mallery and Kravitz
- Mann, T. See Hanson, Mann and Martin Martin, A. W. See Hanson, Mann and Martin Mayer-Gostan, N. See Kirsch and Mayer-Gostan
- Miller, Jennifer B. and Aidley, D. J. Two rates of relaxation in the dorsal longitudinal muscle of a leech
- Mirolli, M. and Gorman, A. L. F. The extracellular space of a simple molluscan nervous system and its permeability to potassium 423
- Morris, R. See Pickering and Morris
- Naitoh, Yutaka and Kaneko, Hiroki. Control of ciliary activities by adenosine-triphosphate and divalent cations in triton-extracted models of *Paramecium caudatum* 657
- Okajima, A. See Sandeman and Okajima Okasha, A. Y. K. Water relations in an insect, Thermobia domestica. III. Effects of desiccation and rehydration on the haemolymph 385
- Parnas, I. See RAHAT, PRI-PAZ and PARNAS Patterson, John. The eye muscle of Calliphora vomitoria L.
- I. Spontaneous activity and the effects of light and dark adaptation 565
- II. Transient responses to changes in the intensity of illumination 585
- Payan, P. and Maetz, J. Branchial sodium transport mechanisms in Scyliorhinus canicula: evidence for Na+/NH₄+ and Na+/H+exchanges and for a role of carbonic anhydrase 487
- Pearson, K. G. and Iles, J. F. Nervous mechanisms underlying intersegmental co-ordination of leg movements during walking in the cockroach 725
- Phillips, J. E. See Kaufman and Phillips
- Pickens, Peter E. Bioelectric activity during the startle response of a hemichordate worm 295
- Pickering, Alan D. and Morris, R. Localization of ion-transport in the intestine of the migrating river lamprey, Lampetra fluviatilis L.
- Prince, William T. and Berridge, Michael J.

 The role of calcium in the action of 5-hydroxytryptamine and cyclic amp on salivary glands

 367
- Pri-Paz, Y. See RAHAT, PRI-PAZ and PARNAS
- Rahat, M., Pri-Paz, Y. and Parnas, I. Properties of stalk-'muscle' contractions of *Carchesium* sp. 463

- Rao, Kandula Pampapathi. See Geethabali an Rao
- Sand, Olav and Hawkins, A. D. Acoustic properties of the cod swimbladder 797
 Sandeman, D. C. and Okajima, A. Statocyst-induced eye movements in the crab Scylla serrata. II. The responses of the eye muscles
- Sattelle, D. B. The effects of sodium-free solutions on the fast action potentials of *Viviparus contectus* (Millet) (Gastropoda: Prosobranchia)
- Potassium movements in a central nervous ganglion of *Limnaea stagnalis* (L.) (Gastropoda: Pulmonata)
- Schmidt-Nielsen, Knut. See Bernstein, Thomas and Schmidt-Nielsen
- Silvey, Gerald E. Motor control of tail spine rotation of the horseshoe crab, Limulus polythemus 599
- Snow, P. J. The antennular activities of the hermit crab, Pagarus alaskensis (Benedict). I 745
- The motor innervation and musculature of the antennule of the hermit crab, *Pagurus alaskensis* (Benedict). II 767
- Steel, C. G. H. Humoral regulation of the cerebral neurosecretory system of *Rhodnius* prolixus (Stal.) during growth and moulting
- Stephens, Cathy Lamar. Progressive decrements in the activity of Aplysia neurones following repeated intracellular stimulation: implications for habituation 411
- Tazaki, Kenro. Impulse activity and pattern of large and small Neurones in the cardiac ganglion of the lobster, *Panulirus japonicus*
- Terashima, Shin-Ichi. See Goris and Terashima
- Thomas, Steven P. See Bernstein, Thomas and Schmidt-Nielsen
- Truman, James W. Physiology of insect ecdysis.

 III. Relationship between the hormonal control of eclosion and of tanning in the tobacco hornworm, Manduca sexta 821
- Tucker, Vance A. Bird metabolism during flight: evaluaton of a theory 689
- Umezawa, Shun-Ichi and Watanabe, Hideki.
 On the respiration of the killifish Oryzias latipes 305
- Watanabe, Hideki. See UMEZAWA and WATANABE

INDEX OF SUBJECTS

Bumblebee:

Burrowing:

KAMMER)

crassa (Oersted) (ELDER)

Activation of the fibrillar muscles in the, during warm-up, stabilization of thoracic

temperature and flight (HEINRICH and

Direct peristaltic progression and the func-

tional significance of the dermal connective

tissues during, in the poylchaete Polyphysia

Acoustic properties:

Adaptation:

Andean condor:

(Katz)

Of the cod swimbladder (SAND and HAWKINS)

Kinetics of water and chloride exchanges

during, of the European eeel to sea water

Gliding flight of the, in nature (McGahan)

(KIRSCH and MAYER-GOSTAN)

— Flapping flight of the, in nature (McGahan) 239	
Adenosinetriphosphate:	Calcium:
Control of ciliary activities by, and divalent	The role of, in the action of 5-hydroxy-
cations in triton-extracted models of Para-	tryptamine and cyclic amp on salivary glands
mecium caudatum (Naitoh and Kaneko)	(Prince and Berridge) 367
Ambient temperature:	Calliactis parasitica:
Effects of, on warm-up in the moth Hyalo-	Spontaneous electrical activity in the sea
phora cecropia (BARTHOLOMEW and CASEY)	anemone (McFarlane) 77
503	Calliphora vomitoria (L.):
Amphipod crustacean:	The eye muscle of
See Gammarus duebeni	— I. Spontaneous activity and the effects of light
Antennular activities:	and dark adaptation (PATTERSON) 565
The, of the hermit crab, Pagarus alaskensis	- II. Transient responses to changes in the
(Benedict) (Snow) 745	intensity of illumination (PATTERSON) 585
Antennule:	Carassius auratus:
The motor innervation and muculature of the,	Na+/NH ₄ +, Na+/H+ exchanges and NH ₃
of the hermit crab, Pagurus alaskenis (Bene-	movement across the gill of (MAETZ) 255
dict) (Snow) 767	Carchesium sp.:
Aplysia neurones:	Properties of stalk-'muscle' contractions of
Progressive decrements in the activity of,	(RAHAT, PRI-PAZ and PARNAS) 463
following repeated intracellular stimulation:	Cardiac ganglion:
implications for habituation (STEPHENS) 411	Impulse activity and pattern of large and
• • • • • • • • • • • • • • • • • • • •	small neurones in the, of the lobster, Panulirus
Biolelectric activity:	japonicus (TAZAKI) 473
During the startle response of a hemichor-	Central nervous ganglion:
date worm (Pickens) 295	Potassium movements in a, of Limnaea
Bird metabolism:	stagnalis (L.) (Gastropoda: Pulmonata)
During flight: evaluation of a theory (Tucker)	(SATTELLE) 15
689	Central response:
Body temperature:	To infra-red stimulation of the pit receptors
Body-weight, energetics, and the determina-	in a crotaline snake, Trimeresurus flavo-
tion of (McNaB) 277	viridis (Goris and Terashima) 59
Body weight:	Cerebral neurosecretory system:
A field study of flight temperatures in moths	Humoral regulation of the, of Rhodnius
in relation to, and wing loading (BARTHOLO-	prolixus (Stal.) during growth and moulting
MEW and HEINRICH) 123	(STEEL) 177
-, energetics, and the determination of body	Ciliary activities:
temperature (McNaB) 277	Control of, by adenosinetriphosphate and
Branchial sodium transport mechanisms:	divalent cations in triton-extracted models of
In Scyliorhinus canicula: evidence for Na+/	Paramecium caudatum (NAITOH and KANEKO)
NH4+ and Na+/H+ exchanges and for a role	657
of carbonic anhydrase (PAYAN and MAETZ)	Ciliary activity:
487	Membrane control of, in the protozoan
Bufo viridis:	Euplotes (Epstein and Eckert) 437
Studies on the adaptation of the toad, to	Cockroach:
high salinities: oxygen consumption, plasma	An electrophysiological study of neuro-
concentration and water content of the tissues	glandular transmission in the isolated sali-

785

vary glands of the (House)

Nervous mechanisms underlying intersegmental co-ordination of leg movements during walking in the (Pearson and Iles)

725

Cod swimbladder:

Acoustic properties of the (SAND and HAWKINS) 797

Corvus ossifragus:

Power input during flight of the fish crow (BERNSTEIN, THOMAS and SCHMIDT-NIELSEN)

Crab:

See Scylla serrata

Crotaline snake:

See Trimeresurus flavoviridis

Cyclic amp:

The role of calcium in the action of 5hydroxytryptamine and, on salivary glands (PRINCE and BERRIDGE) 367

Decrements:

Progressive, in the activity of Aplysia neurones following repeated intracellular stimulation: implications for habituation (STEPHENS)

411

Dermacentor andersoni:

Ion and water balance in the ixodid tick

— I. Routes of ion and water excretion (Kauf-MAN and PHILLIPS) 523

— II. Mechanism and control of salivary secretion (Kaufman and Phillips) 537

 III. Influence of monovalent ions and osmotic pressure on salivary secretion (KAUFMAN and PHILLIPS)

Dermal connective tissues:

Direct peristaltic progression and the functional significance of the, during burrowing in the polychaete *Polyphysia crassa* (Oersted) (ELDER) 637

Direct peristaltic progression:

And the functional significance of the dermal connective tissues during burrowing in the polychaete *Polyphysia crassa* (Oersted) (ELDER) 637

Divalent cations:

Control of ciliary activities by adenosinetriphosphate and, in triton-extracted models of Paramecium caudatum (NAITOH and KANEKO)

Dorsal longitudinal muscle:

Two rates of relaxation in the, of a leech (MILLER and AIDLEY)

Dorsal ocellus:

Phototaxis in *Limulus* under natural conditions: evidence for reception of near-ultraviolet light in the median (LALL and CHAPMAN)

213

Eel:

Kinetics of water and chloride exchanges during adaptation of the European, to sea water (Kirsch and Mayer-Gostan) 105

Electrical activity:

Spontaneous, in the sea anemone Calliactis parasitica (McFarlane) 77

Electrophysiological study:

An, of neuroglandular transmission in the isolated salivary glands of the cockroach (House)

Energetics:

Body-weight, and the determination of body temperature (McNAB) 277

Environmental salinity:

The influence of, on the water fluxes of the amphipod crustacean *Gammarus duebeni* (Lockwood, Inman and Courtenay) 137

Euplotes:

Membrane control of ciliary activity in the protozoan (EPSTEIN and ECKERT) 437

Extracellular space:

The, of a simple molluscan nervous system and its permeability to potassium (MIROLLI and GORMAN) 423

Eye muscle:

Of Calliphora vomitoria L.

 I. Spontaneous activity and the effects of light and dark adaptation (PATTERSON)

 II. Transient responses to changes in the intensity of illumination (PATTERSON) 585

Fast action potentials:

The effects of sodium-free solutions on the, of *Viviparus contectus* (Millet) (Gastropoda: Prosobranchia) (SATTELLE)

Fibrillar muscles:

Activation of the, in the bumblebee during warm-up, stabilization of thoracic temperature and flight (HEINRICH and KAMMER)

677

Fish crow:

See Corvus ossifragus

Flapping flight:

Of the Andean condor in nature (McGahan)

239

Flight:

Power input during, of the fish crow, Corvus ossifragus (BERNSTEIN, THOMAS and SCHMIDT-NIELSEN)

401

 Activation of the fibrillar muscles in the bumblebee during warm-up, stabilization of thoracic temperature and (Heinrich and Kammer)

 Bird metabolism during: evaluation of a theory (Tucker)

Flight temperatures:

A field study of, in moths in relation to body weight and wing loading (BARTHOLO-MEW and ILEINRICH) 123

Gammarus duebeni:

The influence of environmental salinity on the water fluxes of the amphipod crustacean (Lockwood, Inman and Courtenay) 137

Water uptake and loss in relation to the salinity
 of the medium in the amphipod crustacean
 (LOCKWOOD and INMAN)

Ghost crab:

See Ocypode ceratophthalma

11.		
- 21	1	_

Na⁺/HN₄⁺, Na⁺/H⁺ exchanges and NH₃ movement across the, of *Carassius auratus* (MAETZ) 255

Gliding flight:

Of the Andean condor in nature (McGahan)

225

Hemichordate worm:

Bioelectric activity during the startle response of a (PICKENS) 295

Hermit crab:

See Pagurus alaskensis (Benedict)

High salinities:

Studies of the adaptation of the toad Bufo viridis to: oxygen consumption, plasma concentration and water content of the tissues (KATZ)

785

Horseshoe crab:

See Limulus polyphemus

Humoral regulation:

Of the cerebral neurosecretory system of Rhodnius prolixus (Stal.) during growth and moulting (STEEL)

177

Hyalophora cecropia:

Effects of ambient temperature on warm-up in the moth (BARTHOLOMEW and CASEY) 503

5-Hydroxytryptamine:

The role of calcium in the action of, and cyclic amp on salivary glands (PRINCE and BERRIDGE) 367

Impulse activity and pattern:

Of large and small neurones in the cardiac ganglion of the lobster, *Panulirus japonicus* (TAZAKI) 473

Infra-red stimulation:

Central response to, of the pit receptors in a crotaline snake, *Trimeresurus flavoviridis* (GORIS and TERASHIMA) 59

Insect:

See Thermobia domestica

Insect ecdysis:

Physiology of

— III. Relationship between the hormonal control of eclosion and of tanning in the tobacco hornworm, Manduca sexta (TRUMAN)

821

Intersegmental co-ordination of leg movements:

Nervous mechanisms underlying, during walking in the cockroach (PEARSON and ILES) 725

Intestine:

Localization of ion-transport in the, of the migrating river lamprey, Lampetra fluviatilis L. (PICKERING and MORRIS) 165

Intracellular stimulation:

Progressive decrements in the activity of *Aplysia* neurones following repeated: implications for habituation (STEPHENS) 411

Ion and water balance:

In the ixodid tick Dermacentor andersoni

- Routes of ion and water excretion (KAUFMAN and PHILLIPS) 523

— II. Mechanism and control of salivary secretion (KAUFMAN and PHILLIPS) 537

 III. Influence of monovalent ions and osmotic pressure on salivary secretion (KAUFMAN and PHILLIPS)

Ion-transport:

Localization of, in the intestine of the migrating river lamprey, Lampetra fluviatilis L. (PICKERING and MORRIS) 165

Ixodid tick:

See Dermacentor andersoni

Killifish:

See Oryzias latipes

Kinetics of water and chloride exchanges:

During adaptation of the European eel to sea water (Kirsch and Mayer-Gostan) 105

Lampetra fluviatilis L.:

Localization of ion-transport in the intestine of the migrating river lamprey (PICKERING and Morris) 165

Lamprey:

See Lampetra fluviatilis L.

Leech:

Two rates of relaxation in the dorsal longitudinal muscle of a (MILLER and AIDLEY)

Lymnaea stagnalis (L.) (Gastropoda: Pulmonata):

Potassium movements in a central nervous ganglion of (SATTELLE) 15

Limulus:

Phototaxis in, under natural conditions: evidence for reception of near-ultraviolet light in the median dorsal ocellus (LALL and CHAPMAN)

213

Limulus polyphemus:

Motor control of tail spine rotation of the horseshoe crab (SILVEY) 599

Lobster:

See Panulirus japonicus

Membrane control:

Of ciliary activity in the protozoan Euplotes (EPSTEIN and ECKERT) 437

Metasomatic neural photoreceptor:

A, in the scorpion (GEETHABALI and RAO)

Molluscan nervous system: The extracellular space of a simple, and its permeability to potassium (MIROLLI and GORMAN) 423

Moths:

A field study of flight temperatures in, in relation to body weight and wing loading (BARTHOLOMEW and HEINRICH) 123

— See Hyalophora cecropia

Motor control:

Of tail spine rotation of the horseshoe crab, Limulus polyphemus (SILVEY) 599

Motor innervation and musculature:

The, of the antennule of the hermit crab, Pagurus alaskensis (Benedict) (SNOW) 767

627

Na-for-K exchange system:

Sodium extrusion by a fish acclimated to sea water: physiological and biochemical description of a (EVANS, MALLERY and KRAVITZ)

Na+/NH₄+, Na+/H+ exchanges:

And NH₃ movement across the gill of Carassius auratus (MAETZ) 255

Nervous mechanisms:

Underlying intersegmental co-ordination of leg movements during walking in the cockroach (Pearson and Iles) 725

Neuroglandular transmission:

An electrophysiological study of, in the isolated salivary glands of the cockroach (HOUSE)

Neurones:

Impulse activity and pattern of large and small, in the cardiac ganglion of the lobster, Panulirus japonicus (TAZAKI)

473

NH₃ movement:

Na⁺/NH₄⁺, Na⁺/H⁺ exchanges and, across the gill of Carassius auratus (MAETZ) 255

Octopus:

See Octopus dofleini martini

Octopus dofleini martini:

Mechanism of the spermatophoric reaction in the giant octopus of the North Pacific (Hanson, Mann and Martin) 711

Ocypode ceratophthalma:

The mechanism of rapid running in the ghost crab (Burrows and Hoyle) 327

Orthoptera:

The control of walking in

- I. Leg movements in normal walking (Burns)

Oryzias latipes:

On the respiration of the killifish (UMEZAWA and WATANABE)

Oxygen dissociation curves of the blood:

Of the blood of the tench, Tinca tinca (EDDY)

Pagurus alaskensis (Benedict):

The antennular activities of the hermit crab (Snow) 745

The motor innervation and musculature of the antennule of the hermit crab (SNow) 767

Panuliris japonicus:

Impulse activity and pattern of large and small neurones in the cardiac ganglion of the lobster (TAZAKI)

473

Paramecium caudatum:

Control of ciliary activities by adenosinetriphosphate and divalent cations in tritonextracted models of (NAITOH and KANEKO)

Phototaxis:

In Limulus under natural conditions: evidence for reception of near-ultraviolet light in the median dorsal ocellus (LALL and CHAPMAN)

213

Pit receptors:

Central response to infra-red stimulation of the, in a crotaline snake, *Trimeresurus* flavoviridis (GORIS and TERASHIMA) 59

Polychaete:

See Polyphysia crassa

Polyphysia crassa (Oersted):

Direct peristaltic progression and the functional significance of the dermal connective tissues during burrowing in the polychaete (ELDER) 637

Potassium:

The extracellular space of a simple molluscan nervous system and its permeability to (MIROLLI and GORMAN) 423

Potassium movements:

In a central nervous ganglion of Limnaea stagnalis (L.) (Gastropoda: Pulmonata) (SATTELE)

Power input:

During flight of the fish crow, Corvus ossifragus (Bernstein, Thomas and Schmidt-Nielsen) 401

Protozoan:

See Euplotes

Rapid running:

The mechanism of, in the ghost crab, Ocypode ceratophthalma (Burrows and Hoyle)

327

Relaxation:

Two rates of, in the dorsal longitudinal muscle of a leech (MILLER and AIDLEY)

91

Respiration:

On the, of the killifish Oryzias latipes (UMEZAWA and WATANABE) 305

Rhodnius prolixus (Stal.)

Humoral regulation of the cerebral neurosecretory system of, during growth and moulting (STEEL) 177

Salinity:

Water uptake and loss in relation to the, of the medium in the amphipod crustacean Gammarus duebeni (LOCKWOOD and INMAN) 149

Salivary glands:

An electrophysiological study of neuroglandular transmission in the isolated, of the cockroach (House) 29

— The role of calcium in the action of 5-hydroxytryptamine and cyclic amp on (PRINCE and BERRIDGE) 367

Scorpion:

A metasomatic neural photoreceptor in the (GEETHABALI and RAO) 189

Scyliorhinus canicula:

Branchial sodium transport mechanisms in: evidence for Na⁺/NH₄⁺ and Na⁺/H⁺ exchanges and for a role of carbonic anhydrose (PAYAN and MAETZ) 487

Sea anemone:

See Calliactis parasitica

Thoracic temperature:

Tinca tinca:

Activation of the fibrillar muscles in the

bumblebee during warm-up, stabilization of,

and flight (HEINRICH and KAMMER)

a water:

Semicircular canal:

Kinetics of water and chloride exchanges during adaptation of the European eel to

(KIRSCH and MAYER-GOSTAN)

The mechanics of the growing (TEN KATE)	Oxygen dissociation curves of the blood of the
351	tench (EDDY) 281
Sodium extrusion:	Toad:
By a fish acclimated to sea water: physio-	See Bufo viridis
logical and biochemical description of a Na-	Trimeresurus flavoviridis:
for-K exchange system (Evans, Mallery and	Central response to infra-red stimulation of
Kravitz) 627	the pit receptors in a crotaline snake (Goris
Sodium-free solutions:	and Terashima) 59
The effects of, on the fast action potentials of	39
Viviparus contectus (Millet) (Gastropoda:	Viviparus contectus (Millet) (Gastropoda:
Prosobranchia) (SATTELLE) I	Prosobranchia):
Spermatophoric reaction:	The effects of sodium-free solutions on the
Mechanism of the, in the giant octopus of	fast action potentials of (SATTELLE) 1
the North Pacific, Octopus dofleini martini	last action potentials of (DATTELLE)
(HANSON, MANN and MARTIN) 711	Walking:
Stalk-'muscle' contractions:	Control of, in Orthoptera
Properties of, of Carchesium sp. (RAHAT,	— I. Leg movements in normal walking (Burns)
Pri-Paz and Parnas) 463 Startle response:	Warm-up: 45
Bioelectric activity during the, of a hemi-	
	Effects of ambient temperature on, in the
chordate worm (PICKENS) 295 Statocyst-induced eye movements:	moth Hyalophora cecropia (BARTHOLOMEW and CASEY) 503
In the crab Scylla serrata	— Activation of the fibrillar muscles in the
- II. The responses of the eye muscles (SANDE-	bumblebee during, stabilization of thoracic
MAN and OKAJIMA) 197	temperature and flight (HEINRICH and
Swimming speeds:	KAMMER) 677
On the function of the white muscles in	Water fluxes:
teleosts at intermediate (Hudson) 509	The influence of environmental salinity on
m !! ! !	the, of the amphipod crustacean Gammarus
Tail spine rotation:	duebeni (Lockwood, Inman and Courtenay)
Motor control of, of the horseshoe crab,	137
Limulus polyphemus (SILVEY) 599	Water relations:
Teleosts:	In an insect, Thermobia domestica
On the function of the white muscles in, at	- III. Effects of desiccation and rehydration on
intermediate swimming speeds (HUDSON)	the haemolymph (OKASHA) 385
509	Water uptake and loss:
Tench:	In relation to the salinity of the medium in
See Tinca tinca	the amphipod crustacean Gammarus duebeni
Thermobia domestica:	(Lockwood and Inman) 149
Water relations in an insect	White muscles:
— III. Effects of desiccation and rehydration on	On the function of the, in teleosts at inter-
the haemolymph (OKASHA) 385	mediate swimming speeds (HUDSON) 509
	Wing loading:
	A field study of flight temperatures in moths
	in relation to body weight and (BARTHOLOMEW
	and Heinrich) 123



Experimental Embryology of the Echinoderms

Sven Hörstadius

Since the work of Boveri, Driesch, and Herbst towards the end of the last century, sea urchin eggs and larvae have been one of the most important materials for investigations in embryology, developmental physiology, genetics, biochemistry, and molecular biology. Professor Hörstadius, who is well known for his own classical experiments on isolation and transplantation, here surveys the work done so far in order to open up for students the fascinating world of the biology of development and to give physiologists and biochemists a proper morphogenetic knowledge of their material. 86 text figures £5

Oxford University Press



Bioliterature

Biomedical Physics and Biomaterials Science edited by H. Eugene Stanley \$14.95 hardcover; \$4.75 paper back

The Neurosciences:
Third Study Program
Francis O. Schmitt and Frederic G. Worden,
Editors-in-Chief
\$22.50

Neurosciences Research Symposium Summaries: An Anthology of Work Session Reports from the Neurosciences Research Program Bulletin, Volume six

edited by Francis O. Schmitt, George Adelman, Theodore Melnechuk, and Frederic G. Worden \$12.50

Electronics for Neurobiologists by Paul B. Brown, Bruce W. Maxfield, and Howard Moraff \$18.95

Hematology

lited by William S. Beck

Harvard Pathophysiology Series, Volume I

\$14.95 hardcover; \$5.50 paperback

Schistosomiasis: The Evolution of a Medical Literature Selected Abstracts and Citations, 1852-1972 by Kenneth S. Warren \$25.00

coming soon:

Physical Aspects of Nuclear Medicine edited by S. James Adelstein, Gordon L. Brownell, and Robert E. Zimmerman \$15.95

Structural Macromolecules, Membranes, and Connective Tissue

A Primer on the Partitions and Structural Components of the Human Body by I. V. Yannas, B. W. Burge, J. F. Burke, R. M. Rose, H. E. Stanley, and D. A. Swann \$15.95

(prices subject to change)

The MIT Press

Massachusetts Institute of Technology Cambridge, Massachusetts 02142

The Journal of Experimental Biology

The Journal of Experimental Biology

V. B. WIGGLESWORTH and J. A. RAMSAY

VOLUME 58

CAMBRIDGE
AT THE UNIVERSITY PRESS
1973

PUBLISHED BY

THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NWI 2DB American Branch: 32 East 57th Street, New York, N.Y. 10022 © Company of Biologists Ltd, 1973

CONTENTS


No. 1. FEBRUARY 1973

	PAGE
Sattelle, D. B. The effects of sodium-free solutions on the fast action potentials of <i>Viviparus contectus</i> (Millet) (Gastropoda: Prosobranchia)	1
Sattelle, D. B. Potassium movements in a central nervous ganglion of <i>Limnaea stagnalis</i> (L.) (Gastropoda: Pulmonata)	15
House, C. R. An electrophysiological study of neuroglandular transmission in the isolated salivary glands of the cockroach	29
Burns, M. D. The control of walking in orthoptera. I. Leg movements in normal walking	45
Goris, Richard C. and Terashima, Shin-Ichi. Central response to infra-red stimulation of the pit receptors in a crotaline snake, <i>Trimeresurus flavoviridis</i> .	59
McFarlane, I. D. Spontaneous electrical activity in the sea anemone Calliactis parasitica	7 7
MILLER, JENNIFER B. and AIDLEY, D. J. Two rates of relaxation in the dorsal longitudinal muscle of a leech	91
KIRSCH, R. and MAYER-GOSTAN N. Kinetics of water and chloride exchanges during adaptation of the European eel to sea water	105
BARTHOLOMEW, GEORGE A. and HEINRICH, BERND. A field study of flight temperatures in moths in relation to body weight and wing loading	123
LOCKWOOD, A. P. M., INMAN, C. B. E. and COURTENAY, T. H. The influence of environmental salinity on the water fluxes of the amphipod crustacean <i>Gammarus duebeni</i> .	137
LOCKWOOD, A. P. M. and INMAN, C. B. E. Water uptake and loss in relation to the salinity of the medium in the amphipod crustacean <i>Gammarus duebeni</i>	149
PICKERING, ALAN D. and MORRIS, R. Localization of ion-transport in the intestine of the migrating river lamprey, Lampetra fluviatilis L.	165
STEEL, C. G. H. Humoral regulation of the cerebral neurosecretory system of <i>Rhodnius prolixus</i> (Stål.) during growth and moulting	177
GEETHABALI and RAO, KANDULA PAMPAPATHI. A metasomatic neural photoreceptor in the scorpion	189
SANDEMAN, D. C. and OKAJIMA, A. Statocyst-induced eye movements in the crab Scylla serrata. II. The responses of the eye muscles.	197
LALL, ABNER B. and CHAPMAN, ROBERT M. Phototaxis in <i>Limulus</i> under natural conditions: evidence for reception of near-ultraviolet light in the median dorsal	- '
ocellus	213
McGahan, Jerry. Gliding flight of the Andean condor in nature	225

vi Contents

P
McGahan, Jerry. Flapping flight of the Andean condor in nature
MAETZ, J. Na ⁺ /NH ₄ ⁺ Na ⁺ /H ⁺ exchanges and NH ₃ movement across the gill of Carassius auratus
No. 2. APRIL 1973
McNab, Brian K. Body-weight, energetics, and the determination of body temperature.
EDDY, F. B. Oxygen dissociation curves of the blood of the tench <i>Tinca tinca</i> .
PICKENS, PETER E. Biolectric activity during the startle response of a hemichordate worm
UMEZAWA, SHUN-ICHI and WATANABE, HIDEKI. On the respiration of the killifish Oryzias latipes
Burrows, Malcolm and Hoyle, Graham. The mechanism of rapid running in the ghost crab, Ocypode ceratophthalma.
TEN KATE, J. H. The mechanics of the growing semicircular canal
PRINCE, WILLIAM T. and BERRIDGE, MICHAEL J. The role of calcium in the action of 5-hydroxytryptamine and cyclic AMP on salivary glands
OKASHA, A. Y. K. Water relations in an insect, <i>Thermobia domestica</i> . III. Effects of desiccation and rehydration on the haemolymph
Bernstein, Marvin H., Thomas, Steven P. and Schmidt-Nielsen, Knut. Power input during flight of the fish crow, Corvus ossifragus
STEPHENS, CATHY LAMAR. Progressive decrements in the activity of Aplysia neurones following repeated intracellular stimulation: implications for habituation.
MIROLLI, M. and GORMAN, A. L. F. The extracellular space of a simple molluscan nervous system and its permeability to potassium
EPSTEIN, MILES and ECKERT, ROGER. Membrane control of ciliary activity in the protozoan Euplotes
RAHAT, M., PRI-PAZ, Y. and PARNAS, I. Properties of stalk-'muscle' contractions of Carchesium sp
TAZAKI, KENRO. Impulse activity and pattern of large and small neurones in the cardiac ganglion of the lobster, <i>Panulirus japonicus</i>
PAYAN, P. and MAETZ, J. Branchial sodium transport mechanisms in Scyliorhinus canicula: evidence for Na ⁺ /NH ₄ ⁺ and Na ⁺ /H ⁺ exchanges and for a role of carbonic anhydrase
BARTHOLOMEW, GEORGE A. and CASEY, TIMOTHY M. Effects of ambient temperature on warm-up in the moth <i>Hyalophora cecropia</i>
HUDSON, RICHARD C. L. On the function of the white muscles in teleosts at intermediate swimming speeds
KAUFMAN, W. R. and PHILLIPS, J. E. Ion and water balance in the ixodid tick Dermacentor andersoni. I. Routes of ion and water excretion

Contents	vii
	PAGE
KAUFMAN, W. R. and PHILLIPS, J. E. Ion and water balance in the ixodid tick <i>Dermacentor andersoni</i> . II. Mechanism and control of salivary secretion	537
KAUFMAN, W. R. and PHILLIPS, J. E. Ion and water balance in the ixodid tick <i>Dermacentor andersoni</i> . III. Influence of monovalent ions and osmotic pressure on salivary secretion	549
No. 3. JUNE 1973	
PATTERSON, JOHN. The eye muscle of <i>Calliphora vomitoria</i> L. I. Spontaneous activity and the effects of light and dark adaptation	565
PATTERSON, JOHN. The eye muscle of Calliphora vomitoria L. II. Transient responses to changes in the intensity of illumination	585
SILVEY, GERALD E. Motor control of tail spine rotation of the horshoe crab, Limulus polyphemus	599
EVANS, DAVID H., MALLERY, CHARLES H. and KRAVITZ, LARRY. Sodium extrusion by a fish acclimated to sea water: physiological and biochemical description of a NA-for-K exchange system	627
ELDER, HUGH Y. Direct peristaltic progression and the functional significance of the dermal connective tissues during burrowing in the polychaete <i>Polyphysia crassa</i> (Oersted)	637
NAITOH, YUTAKA and KANEKO, HIROKI. Control of ciliary activities by adenosinetri- phosphate and divalent cations in triton-extracted models of <i>Paramecium caudatum</i>	657
HEINRICH, BERND and KAMMER, ANN E. Activation of the fibrillar muscles in the bumblebee during warm-up, stabilization of thoracic temperature and flight .	677
Tucker, Vance A. Bird metabolism during flight: evaluation of a theory	689
Hanson, D., Mann, T. and Martin, A. W. Mechanism of the spermatophoric reaction in the giant octopus of the north pacific, Octopus dofleini martini.	711
Pearson, K. G. and Iles, J. F. Nervous mechanisms underlying intersegmental co-ordination of leg movements during walking in the cockroach	725
Snow, P. J. The antennular activities of the hermit crab, <i>Pagurus alaskensis</i> (Benedict). I	745
Snow, P. J. The motor innervation and musculature of the antennule of the hermit crab, <i>Pagurus alaskensis</i> (Benedict). II	767
KATZ, URI. Studies on the adaptation of the toad <i>Bufo viridis</i> to high salinities: oxygen consumption, plasma concentration and water content of the tissues	785
SAND, OLAV and HAWKINS, A. D. Acoustic properties of the cod swimbladder	797
TRUMAN, JAMES W. Physiology of insect ecdysis. III. Relationship between the hormonal control of eclosion and of tanning in the tobacco hornworm, <i>Manduca</i>	
sexta	821



All communications should be addressed to the Editors.

The Journal of Experimental Biology, Zoological Laboratory, Downing Street, Cambridge CB2 3EJ, England

MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. MSS. should be type-written (double spacing) on one side only of the paper, and the pages numbered. Tables and Legends should be on separate sheets from the rest of the MS. and should be numbered. The place where they are to be inserted in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: Surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference should be quoted by the author's name and date (in brackets), and not by the numerical order of the paper in the list of references. Every paper must contain a summary of the chief results of the enquiry.

ILLUSTRATIONS

(i) Line blocks. These should be used whenever possible. Illustrations should be pen drawings in Indian ink(jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased in any way. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly in soft pencil. Where considerable reduction is required it is essential that the drawings be of such a character as to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. The blue lines, while ensuring accuracy, are easily eliminated by the printer, only the blackened lines that are

desired remaining.

(ii) Text half-tone blocks. These are suitable for illustrations involving brushwork, or in which the depth of shading is an essential feature. They can be used for such things as oscillograph records and some photographs can be produced in this way, a good glossy bromide print being required. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.

(iii) Plates. Plates should be used only for illustrations, such as photomicrographs, in which the most accurate reproduction of fine detail is called for. Plates are expensive and the Editors may require an author to defray the cost of plates which in their opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Exclusive of margin, the plate figures should not cover, when reduced an area greater than 7½ in. in length × 5 in. in width when ready for reproduction as a single plate, or 7½ in.×11½ in., in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper. Authors are asked not to submit sheets of illustrations which are more than foolscap size; or, if this cannot be avoided, to include photographic reductions for the convenience of referees.

ABSTRACTS

Authors should submit with their MSS. five copies (typewritten, double spacing) of an abstract suitable for biological abstracting journals. The abstract will not appear in The Journal of Experimental Biology but will be scrutinized by the Editors before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definitive conclusions of the work. Details of methods are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3 % of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints may be sent.

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editors. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration apart from printer's errors. Authors may be charged for any excess over this average. Authors will receive 50 copies of their papers free; additional copies may be purchased and should be ordered when the proofs are returned to the Editors.

Enquiries about the reproduction of material from *The Journal of Experimental Biology* should be sent to: Dr R. J. Skaer,

Secretary, Company of Biologists Limited, Department of Medicine, University of Cambridge, Hills Road, Cambridge CB2 1QT

ISI Tear Service, 325 Chestnut Street, Philadelphia, Pennsylvania 19106, U.S.A. is authorized to supply single copies of separate articles for private use only.

© Company of Biologists Ltd, 1973

THE SOCIETY FOR EXPERIMENTAL BIOLOGY

The Society holds Conferences four times a year at which the results of experimental investigations are presented and discussed. Enquiries about membership of the Society should be addressed to one of the Secretaries:

Zoological Secretary
Dr P. Spencer Davies
Department of Zoology,
University of Glasgow,
Glasgow G12 8QQ
Tel. Glasgow (041) 339-8855 Ext. 7156

Botanical Secretary
Dr N. SUNDERLAND,
John Innes Institute,
Colney Lane,
Norwich, NOR 70F
Tel. Norwich (0603) 52571