INDEX OF AUTHORS

Bennet, S., McConnell, T. and Trubatch, S. L. Quantitative analysis of the speed of snakes as	1
a function of peg spacing 161	
Bergfors, Tommy. See HANSSON MILD, LØV-	_
TRUP and BERGFORS	
Blaney, W. M. Electrophysiological responses of	_
the terminal sensilla of the maxillary palps of	
Locusta migratoria (L.) to some electrolytes	
and non-electrolytes 275 Bowerman, R. F. and Larimer, J. L. Command	
fibres in the circumoesophageal connectives	I
of crayfish	
·	
— II. Phasic fibres	1
Comment and Dallamore Take A	_
Cameron, James N. and Polhemus, John A.	I
Theory of CO ₂ exchange in trout gills 183	
Camhi, Jeffrey M. and Hinkle, Maija. Response	
modification by the central flight oscillator of	•
locusts 477	(
Cavagna, Giovanni A. See Dubois, Cavagna and Fox	
Chapman, Grace Y. See Murdock and Chapman	
Chase, Ronald. The electrophysiology of photo-	
receptors in the nudibranch molluse, Tritonia	I
diomedia 707	
Clements, A. N. and May, Terry E. Studies on	
locust neuromuscular physiology in relation to	
glutamic acid 673	1
Coakley, C. J. and Holwill, M. E. J. Effects of	
pressure and temperature changes on the	1
flagellar movement of Crithidia oncopelti 605	Ī
Crabtree, Robert L. and Page, Charles T.	-
Oxygen-sensitive elements in the book gills	
of Limulus polyphemus 631	I
or Diminus porypicinus	Ī
Davis, Minh-Tam Bui. Changes in critical	-
temperature during nymphal and adult	
development in the rabbit tick, Haemaphysalis	
	F
leporispalustris (Acari: Ixodidas: Ixodidas) 85	•
Drewes, C. D. and Pax, R. A. Neuromuscular	
physiology of the longitudinal muscle of the	
earthworm, Lumbricus terrestris	F
- I. Effects of different physiological salines 445	
— II. Patterns of innervation 453	
— III. Mapping of motor fields 469	
Dubois, Arthur B., Cavagna, Giovanni A. and	_
Fox, Richard S. Pressure distribution on the	I
body surface of swimming fish 581	Ι
	Ι
Eddy, F. B. Blood gases of the tench (Tinca tinca)	-
in well-aerated and oxygen-deficient waters	
71	-
Emilio, M. G. Gas exchanges and blood gas	

concentrations in the frog Rana ridibunda

Emilio, M. G. and Shelton, G. Gas exchange

the amphibian, Xenopus laevis

and its effect on blood gas concentrations in

901

567

- Farquarson, Patricia Anne. A study of the Malpighian tubules of the pill millipede, Glomeris marginata (Villers)
- I. The isolation of the tubules in a Ringer solution
- II. The effect of variations in osmotic pressure and sodium and potassium concentrations on fluid production
- III. The permeability characteristics of the tubule
- Fleming, Warren R., Nichols, James and Potts, W. T. W. The effect of low-calcium sea water and actinomycin-D on the sodium metabolism of Fundulus kansae 267
- Fox, Richard S. See Dubois, Cavagna and Fox Freeman, R. F. H. See Shuttleworth and Freeman
- Gardiner, B. O. C. See MADDRELL and GARDINER
 Gillary, Howard L. Light-evoked electrical
 potentials from the eye and optic nerve of
 Strombus: response waveform and spectral
 sensitivity 383
- Hansson Mild, Kjell, Løvtrup, Søren 'and Bergfors, Tommy. On the mechanical properties of the vitelline membrane of the frog egg 807
- Hendler, P. See SHIMOZAWA, SUGA, HENDLER and SCHUETZE
- Hinkle, Maija. See Camhi and Maija
- Holbertson, D. V. Attachment of Giardia A hydrodynamic model based on flagellar activity 207
- Holwill, M. E. J. See OAKLEY and HOLWILL
 Holwill, M. E. J. and McGregor, J. L. Micromanipulation of the flagellum of Crithidia
 oncopelti. I. Mechanical effects
 437
- Koopowitz, Harold and Stone, George. Neuronal modulation of photoreceptor activity in the bee moth Galleria mellonella 795
- Kristensen, K. and Skadhauge, E. Flow along the gut and intestinal absorption of salt and water in euryhaline teleosts: a theoretical analysis 557
- Larimer, J. L. See Bowerman and Larimer Leader, John P. See Nicolson and Leader
- Lewis, D. B. The physiology of the Tettigoniid ear

 I. The implications of the anatomy of the ear to
 its function in sound reception

 821
- II. The response characteristics of the ear to differential inputs: lesion and blocking experiments
- III. The response characteristics of the intact ear and some biophysical considerations 853
- IV. A new hypothesis for acoustic orientation behaviour
 861

- Lockwood, A. P. M. See RIEGEL, LOCKWOOD, NORFOLK, BULLEID and TAYLOR
- Lotan, R. See SKADHAUGE and LOTAN
- Løvtrup, Søren. See Hansson Mild, Løvtrup and Bergfors
- McConnell, T. See Bennet, McConnell and Trubatch
- McFarlane, I. D. Excitatory and inhibitory control of inherent contractions in the sea anemone Calliactis parasitica 397
- McGregor, J. L. See HOLWILL and McGregor McMahon, B. R., Burggren, W. W. and Wilkens, J. L. Respiratory responses to long-term hypoxic stress in the crayfish
- Orconectes virilis

 McVean, Alistair. The nervous control of autonomy in Carcinus maenas

 423
- Maddrell, S. H. P. and Gardiner, B. O. C.
 The passive permeability of insect Malpighian tubules to organic solutes

 641
- May, Terry E. See CLEMENTS and MAY
- Millard, R. W. and Johansen, K. Ventricular outflow dynamics in the lizard, Varanus miloticus: responses to hypoxia, hypercarbia and diving 871
- Murdock, Larry L. and Chapman, Grace Y.

 L-Glutamate in arthropod blood plasma:
 physiological implications 783
- Nicols, James. See Fleming, Nichols and Potts Nicolson, Susan W. and Leader, John P. The permeability to water of the cuticle of the larva of Opifex fuscus (Hutton) (Diptera, Culcidae) 593
- Norfolk, J.R.W. See RIEGEL, LOCKWOOD, NORFOLK, BULLEID and TAYLOR
- O'Shea, M., Rowell, C. H. F. and Williams, J. L. D. The anatomy of a locust visual interneurone; the descending contralateral movement detector
- Page, Charles H. See CRABTREE and PAGE Pax, R. A. See Drewes and Pax
- Popper, Arthur N. The response of the swim bladder of the goldfish (Carassius auratus) to acoustic stimuli 295
- Potts, W. T. W. See FLEMING, NICHOLS and POTTS
 Priede, Imants G. The effect of swimming
 activity and section of the vagus nerve on
 heart rate in rainbow trout
 305
- Riddiford, Lynn M. See TRUMAN and RIDDIFORD Riegel, J. A., Lockwood, A. P. M., Norfolk, J. R. W., Bulleid, N. C. and Taylor, P. A. Urinary bladder volume and the reabsorption of water from the urine of crabs 167
- Rosser, B. L. A study of the afferent pathways of the dragonfly lateral ocellus from extracellularly recorded spike discharges 135

- Rowell, C. H. F. See O'SHEA, ROWELL and WILLIAMS
- Sand, Olav. Directional sensitivity of microphonic potentials from the perch ear 881
- Sattelle, D. B. Electrophysiology of the giant nerve cell bodies of *Limnaea stagnalis* (L.) (Gastropoda, Pulmonata) 653
- Schuetze, S. See Shimozawa, Suga, Hendler and Schuetze
- Shelton, G. See Emílio and Shelton
- Shepheard, Peter. Control of head movement in the locust, Schistcerca gregaria 735
- Shimozawa, T., Suga, N., Hendler, P. and Schuetze, S. Directional sensitivity of echolocation system in bats producing frequencymodulated signals
- Shuttleworth, T. J. and Freeman, R. F. H. Net fluxes of water in the isolated gills of Anguilla dieffenbachii 769
- Skaer, Helen Le B. The water balance of a serpulid polychaete, *Mercierella enigmatica* (Fauvel)
- I. Osmotic concentration and volume regulation
- II. Ion concentration 331
- -- III. Accessibility and the extracellular compartment and related studies 339
- IV. The excitability of the longitudinal muscle cells 351
- Skadhauge, E. See KRISTENSEN and SKADHAUGE, E. Skadhauge, Erik. Coupling of transmural flows of NaCl and water in the intestine of the eel (Anguilla anguilla) 535
- Skadhauge, E. and Lotan, R. Drinking rate and oxygen consumption in the euryhaline teleost Aphanius dispar in waters of high salinity 547
- Spencer, H. J. Analysis of the electrophysiological responses of the trochanteral hair receptors of the cockroach 223
- Stobbart, R. H. Electrical potential differences and ionic transport in the larva of the mosquito Aèdes aegypti (L.)

 493
- Stone, George. See Koopowitz and Stone Suga, N. See Shimozawa, Suga, Hendler and
- Schuetze
- Trubatch, S. L. See BENNET, McConnell and Trubatch Truman, James W. and Riddiford, Lynn M.
- Physiology of insect rhythms. III. The temporal organization of the endocrine events underlying pupation of the tobacco hornworm

 371
- Williams, J. L. D. See O'SHEA, ROWELL and WILLIAMS
- Wood, Chris M. A critical examination of the physical and adrenergic factors affecting blood flow through the gills of the rainbow trout 241

INDEX OF SUBJECTS

493

Carassius auratus:

Carcinus maenas:

(McVean)

(SPENCER)

Contractions:

Cockroach:

The response of the swim bladder of the gold-

The nervous control of autonomy in

Analysis of the electrophysiological responses of the trochanteral hair receptors of the

Ventricular outflow dynamics in the lizard,

Varanus niloticus: response to hypoxia,

871

hypercarbia and (MILLARD and JOHANSEN)

fish to acoustic stimuli (POPPER)

Acoustic stimuli:

Action potentials:

Aëdes egypti (L.):

(STOBBART)

Anguilla anguilla:

Calliactis parasitica:

LANE)

Excitatory and inhibitory control of inherent contractions in the sea anemone (McFar-

The response of the swim bladder of the gold-

The initiation and conduction of, in the optic

Electrical potential differences and ionic transport in the larva of the mosquito

fish (Carassius auratus) to (POPPER)

nerve of Tritonia (CHASE)

Coupling of transmural nows of NaCl and	Excitatory and inhibitory control of inherent,
water in the intestine of the eel (SKADHAUGE)	in the sea anemone Calliactis parasitica
535	(McFarlane) 397
Anguilla dieffenbachii:	CO, exchange:
Net fluxes of water in the isolated gills of	Theory of, in trout gills (CAMERON and
(SHUTTLEWORTH and FREEMAN) 769	Polhemus) 183
Aphanius dispar:	Command fibres:
Drinking rate and oxygen consumption in	In the circumoesophageal connectives of the
the euryhaline teleost in waters of high	crayfish
salinity (SKADHAUGE and LOTAN) 547	- I. Tonic fibres (Bowerman and Larimer) 95
Autonomy:	- II. Phasic fibres (Bowerman and Larimer)
The nervous control of, in Carcinus maenas	119
(McVean) 423	Crabs:
1-3	Urinary bladder volume and the reabsorption
Bats:	of water from the urine of (RIEGEL, LOCK-
Directional sensitivity of echolocation sys-	wood, Norfolk, Bulleid and Taylor)
tems in, producing frequency-modulated	167
signals (Shimozawa, Suga, Hendler and	Crayfish:
Schuetze) 53	Command fibres in the circumoesophageal
Bee moth:	connectives of
See Galleria mellonella	— I. Tonic fibres (Bowerman and Larimer) 95
Blood flow:	- II. Phasic fibres (Bowerman and Larimer)
A critical examination of the physical and	110
adrenergic factors affecting the, through the	- Respiratory responses to long-term hypoxic
gills of the rainbow trout (WOOD) 241	stress in Orconectes virilis (McMahon,
Blood gas concentrations:	Burrgren and Wilkens) 195
Gas exchange and its effect on, in the	Crithidia oncopelti:
amphibian Xenopus laevis (EMILIO and	Effects of pressure and temperature changes
SHELTON) 567	on the flagellar movement of (Coakley and
— Gas exchanges and, in the frog Rana ridi-	Holwill) 605
bunda (Emílio) 901	— Micromanipulation of the flagellum of. I.
Blood gases:	Mechanical effects (Holwill and McGregor)
Of the tench (<i>Tinca tinca</i>) in well-aerated	•
	Critical temperatures
and oxygen-deficient waters (EDDY) 71 Blood plasma:	Changes in during pumphal and adult
L-Glutamate in arthropod: physiological	Changes in, during nymphal and adult
	development in the rabbit tick, Haema-
implications (MURDOCK and CHAPMAN) 783	physalis leporispalustris (Acari: Ixodides:
Body surface:	Ixodidae) (Davis) 85
Pressure distribution on the, of swimming	Cuticle:
fish (Dubois, Cavagna and Fox) 581	The permeability to water of the, of the larva
Book gills:	of Opifex fuscus (Hutton) (Diptera, Culicidae)
Oxygen-sensitive elements in the, of Limulus	(Nicolson and Leader) 593
polyphemus (CRABTREE and PAGE) 631	5. .
	Diving:

397

Dragonfly:

A study of the afferent pathways of the lateral ocellus of the, from extracellularly recorded spike discharges (ROSSER) 135

Drinking rate:

And oxygen consumption in the euryhaline teleost *Aphanius dispar* in water of high salinity (Skadhauge and Lotan) 547

Ear:

Directional sensitivity of microphonic potentials from the perch (SAND) 881

Earthworm:

See Lumbricus terristris

Echolocation system:

Directional sensitivity of, in bats producing frequency-modulated signals (SHIMOZAWA, SUGA, HENDLER and SCHURTZE) 53

Eel:

See Anguilla anguilla

Egg:

On the mechanical properties of the vitelline membranes of the, of the frog (Hansson Mild, Løvirup and Bergfors) 807

Electrolytes and non-electrolytes:

Electrophysiological responses of the terminal sensilla on the maxillary palps of Locusta migratoria (L.) to some (BLANEY) 275

Euryhaline teleosts:

Drinking rate and oxygen consumption in Aphanius dispar in waters of high salinity (SKADHAUGE and LOTAN) 547

 Flow along the gut and intestinal absorption of salt and water in: a theoretical analysis (Kristensen and Skadhauge) 557

Eye:

Light-evoked electrical potentials from the, and optic nerve of *Strombus*: response waveform and spectral sensitivity (GILLARY)

Flagellar activity:

Attachment of Giardia - A hydrodynamic model based on (HOLBERTON) 207

Flagellar movement:

Effects of pressure and temperature changes on the, of Crithidia oncopelti (COAKLEY and HOLWILL) 605

Flagellum:

Micromanipulation of the, of Crithidia oncopelti. I. Mechanical effects (Holwill and McGregor)
437

Flight oscillator:

Response modification by the central, of locusts (CAMHI and HINKLE)
477

Fluxes of water:

Net, in the isolated gills of Anguilla dieffenbachii (Shuttleworth and Freeman) 769

Frog:

On the mechanical properties of the vitelline membrane of the egg of the (HANSSON MILD, LOYTRUP and BERGFORS) 807

— See also Rana ridibunda

Fundulus kansae:

The effect of low-calcium sea water and actinomycin-D on the sodium metabolism of (FLEMING, NICHOLS and POTTS) 267

Galleria mellonella:

Neuronal modulation of photoreceptor activity in the bee moth (Koopowitz and Stone) 795

Gas exchanges:

And blood gas concentrations in the frog Rana ridibunda (EMILIO) 901

Giant nerve cell bodies:

Electrophysiology of the, of Limnaea stagnalis (L.) (Gastropoda: Pulmonata) (SAT-TELLE) 653

Giardia:

Attachment of. A hydrodynamic model based on flagellar activity (HOLBERTON) 207

Gills:

Net fluxes of water in the isolated, of Anguilla diffenbachii (SHUTTLEWORTH and FREE-MAN) 769

Glomeris marginata:

A study of the Malpighian tubules of the pill millipede

— I. The isolation of the tubules in a Ringer solution (FARQUARSON)

 II. The effect of variations in osmotic pressure and sodium and potassium concentrations on fluid production (FARQUARSON)

 III. The permeability characteristics of the tubule (FARQUARSON)
 41

L-Glutamate:

In arthropod blood plasma: physiological implications (MURDOCK and CHAPMAN) 783

Glutamic acid:

Studies on locust neuromuscular physiology in relation to (CLEMENTS and MAY) 673

Goldfish: See Carassius auratus

Haemaphysalis leporispalustris:

Changes in critical temperature during nymphal and adult development in the rabbit tick (Acari: Ixodides: Ixodidae) (DAVIS) 85

Head movement:

Control of in the locust, Schistocerca gregaria (SHEPHEARD) 735

Heart rate:

The effect of swimming activity and section of the vagus nerves on, in rainbow trout (PRIEDE) 305

Hypercarbia:

Ventricular outflow dynamics in the lizard, Varanus niloticus: responses to hypoxia, diving and (MILLARD and JOHANSEN) 871

Hypoxia:

Ventricular outflow dynamics in the lizard, Varanus niloticus: responses to hypercarbia, diving and (MILLARD and JOHANSEN) 871

Hypoxic stress:

Respiratory responses to long-term, in the crayfish Orconectes virilis (McMahon, Burg-GREN and WILKENS) 195 Insect rhythms:

Malpighian tubules:

marginata (Villers)

solution (FARQUARSON)

The passive permeability of insect, to organic

solutes (MADDRELL and GARDINER)

- A study of the, in the pill millipede, Glomeris

- I. The isolation of the tubules in a Ringer

II. The effect of variations in osmotic pressure

fluid production (FARQUARSON)

and sodium and potassium concentrations on

Physiology of. III. The temporal organiza-

tion of the endocrine events underlying pupa-

795

707

- III. The permeability characteristics of the

tubule (FARQUARSON)

Mercierella enigmatica (Fauvel):

tion of the tobacco hornworm (TRUMAN) 371	The water balance of the serpulid polychaete
Intestinal absorption:	— I. Osmotic concentration and volume regula-
Flow along the gut and, of salt and water in euryhaline teleosts: a theoretical analysis	tion (SKAER) 321
/** 1.0 · · ·	— II. Ion concentration (SKAER) 331
(Kristensen and Skadhauge) 557 Intestine:	— III. Accessibility of the extracellular compart-
	ment and related studies (SKAER) 339
Coupling of transmural flows of NaCl and	- IV. The excitability of the longitudinal muscle
water in the, of the eel (Anguilla anguilla)	cells (Skaer) 351
(SKADHAUGE) 535	Mosquito:
Ionic transport:	See Aēdes aegypti (L.)
Electrical potential differences and, in the	
larva of the mosquito Aëdes egypti (L.)	Neuronal modulation:
(Stobbart) 493	Of photoreceptor activity in the bee moth
T: : : : : : : : : : : : : : : : : : :	Galleria mellonella (KOOPOWITZ and STONE)
Limnaea stagnalis (L.) (Gastropoda: Pulmo-	795
nata):	773
Electrophysiology of the giant nerve cell	Ocellus:
bodies of (SATTELLE) 653	A study of the afferent pathways of the
Limulus polyphemus:	lateral, in the dragonfly, from extracellularly
Oxygen-sensitive elements in the book gills	recorded spike discharges (ROSSER) 135
of (CRABTREE and PAGE) 631	Opifex fuscus (Hutton) (Diptera, Culicidae):
Lizard:	The permeability to water of the cuticle of the
See Varanus niloticus	larva of (Nicolson and Leader) 593
Locust:	Optic nerve:
The anatomy of a visual interneurone in; the	Light-evoked electrical potentials from the
descending contralateral movement detector	eye and, of Strombus: response waveform and
(O'SHEA, ROWELL and WILLIAMS) I	spectral sensitivity (GILLARY) 383
- Response modification by the central flight	— The initiation and conduction of action
oscillator of locusts (CAMHI and HINKLE) 477	potentials in the, of <i>Tritonia</i> (CHASE) 721
- Studies on, neuromuscular physiology in	Orconectes virilis:
relation to glutamic acid (CLEMENTS and	See Crayfish
May) 673	Oxygen consumption:
 See also Locusta migratoria and Schistocerca 	Drinking rate and, in the euryhaline teleost
gregaria	Aphanius dispar in waters of high salinity
Locusta migratoria (L.):	, i
Electrophysiological responses of the termi-	(SKADHAUGE and LOTANA) 547
nal sensilla on the maxillary palps of, to some	
electrolytes and non-electrolytes (BLANEY)	Peg spacing:
275	Quantitative analysis of the speed of snakes
Longitudinal muscle:	as a function of (BENNET, McConnell and
See Lumbricus terrestris	Trubatch) 161
Lumbricus terrestris:	Perch:
Neuromuscular physiology of the longitudi-	Directional sensitivity of microphonic po-
nal muscle of the earthworm	tentials from the ear of the (SAND) 881
— I. Effects of different physiological salines	Permeability to water:
(Drewes and Pax) 445	The, of the cuticle of the larva of Opifex
- II. Patterns of innervation (DREWES and PAX)	fuscus (Hutton) (Diptera, Culicidae) (NICOL-
453	son and Leader) 593
- III. Mapping of motor fields (Drewes and	Photoreceptor activity:
Pax) 469	Neuronal modulation of, in the bee moth
	Galleria mellonella (KOOPOWITZ and STONE)

Photoreceptors:

Pill millipede:

13

Potential differences:

The electrophysiology of, in the nudibranch

Electrical, and ionic transport in the larva of

the mosquito Aëdes egypti (L.) (STOBBART)

mollusc, Tritonia diomedia (CHASE)

See Glomeris marginata

493

305

Pressure	distribution:
----------	---------------

On the body surface of swimming fish (Dubois, Cavagna and Fox) 581

Rabbit tick:

See Haemaphysalis leporispalustris

Rainbow trout:

A critical examination of the physical and adrenergic factors affecting blood flow through the gills of the (Wood)

- The effect of swimming activity and section of the vagus nerves on heart rate in (PRIEDE)

Rana ridibunda:

Gas exchanges and blood gas concentrations in the frog (EMÍLIO)

Reabsorption of water from urine:

Urinary bladder volume and the, of crabs (RIEGEL, LOCKWOOD, NORFOLK, BULLEID and TAYLOR)

Respiratory responses:

To long-term hypoxic stress in the crayfish Orconectes virilis (McMahon, Burrgren and Wilkens)

Schistocerca gregaria:

Control of head movement in the locust (SHEPHEARD) 735

Sea anemone:

See Calliactis parasitica

Quantitative analysis of the speed of, as a function of peg spacing (BENNET, McCONNELL and TRUBATCH) 161

Sodium metabolism:

The effect of low-calcium sea water and actinomycin-D on the, of Fundulus kansae (FLEMING, NICHOLS and POTTS) 267

Speed of snakes:

Quantitative analysis of, as a function of peg spacing (BENNET, McConnell and Tru-BATCH) 161

Strombus:

Light-evoked electrical potentials from the eye and optic nerve of: response waveform and spectral sensitivity (GILLARY)

Swim bladder:

The response of the, of the goldfish (Carassius auratus) to acoustic stimuli (POPPER)

Swimming fish:

Pressure distribution on the body surface of the (Dubois, Cavagna and Fox) 581

Tettigoniid ear:

The physiology of the

- I. The implications of the anatomy of the ear to its function in sound reception (LEWIS) 821
- II. The response characteristics of the ear to differential inputs: Lesion and blocking experiments (LEWIS)
- III. The response characteristics of the intact ear and some biophysical considerations (LEWIS)

- IV. A new hypothesis for acoustic orientation behaviour (LEWIS)

Tinca tinca:

Blood gases in the tench in well-aerated and oxygen-deficient waters (EDDY)

Tobacco hornworm:

Physiology of insect rhythms. III. The temporal organization of the endocrine events underlying pupation of the (TRUMAN and RIDDIFORD)

Transmural flows:

Coupling of, of NaCl and water in the intestine of the eel (Anguilla anguilla) (Skadhauge)

Tritonia:

The initiation and conduction of action potentials in the optic nerve of (CHASE) 721

Tritonia diomedia:

The electrophysiology of photoreceptors in the nudibranch mollusc (CHASE) 707

Trochanteral hair receptors:

Analysis of the electrophysiological responses of the, of the cockroach (SPENCER) 223

Trout:

Theory of CO₂ exchange in the gills of (CAMERON and POLHEMUS) 183

Urinary bladder volume:

And the reabsorption of water from the urine of crabs (RIEGEL, LOCKWOOD, NORFOLK, BULLEID and TAYLOR)

Varanus niloticus:

Ventricular outflow dynamics in the lizard: responses to hypoxia, hypercarbia and diving (MILLARD and JOHANSEN) 871

Ventricular outflow dynamics:

See Varanus niloticus

Visual interneurone:

The anatomy of, in the locust; the descending contralateral movement detector (O'SHEA, ROWELL and WILLIAMS)

Vitelline membrane:

On the mechanical properties of the, of the frog egg (HANSSON MILD, LØVTRUP and Bergfors) 807

Water balance:

The, of a serpulid polychaete, Mercierella enigmatica

- I. Osmotic concentration and volume regulation (SKAER) 321
- II. Ion concentration (SKAER)
- III. Accessibility of the extracellular compartment and related studies (SKAER) **330**

331

 IV. The excitability of the longitudinal muscle cells (Skaer)

Xenopus laevis:

Gas exchange and its effect on blood gas concentrations in the amphibian (EMILIO and SHELTON) 567

The Journal of Experimental Biology

The Journal of Experimental Biology

V. B. WIGGLESWORTH and J. A. RAMSAY

VOLUME 60

CAMBRIDGE
AT THE UNIVERSITY PRESS
1974

PUBLISHED BY

THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NWI 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© Company of Biologists Ltd, 1974

CONTENTS

No. 1. FEBRUARY 1974

	PAGE
O'Shea, M., Rowell, C. H. F. and Williams, J. L. D. The anatomy of a locust visual interneurone; the descending contralateral movement detector	I
FARQUHARSON, PATRICIA ANN. A study of the Malpighian tubules of the pill millipede, Glomeris marginata (Villers). I. The isolation of the tubules in a Ringer solution	13
FARQUHARSON, PATRICIA ANN. A study of the Malpighian tubules of the pill millipede, Glomeris marginata (Villers). II. The effect of variations in osmotic pressure and sodium and potassium concentrations on fluid production	29
FARQUHARSON, PATRICIA ANN. A study of the Malpighian tubules of the pill millipede, Glomeris marginata (Villers). III. The permeability characteristics of the tubule	41
SHIMOZAWA, T., SUGA, N., HENDLER, P. and SCHUETZE, S. Directional sensitivity of echolocation system in bats producing frequency-modulated signals	53
EDDY, F. B. Blood gases of the tench (<i>Tinca tinca</i>) in well aerated and oxygendeficient waters	71
DAVIS, MINH-TAM BUI. Changes in critical temperature during nymphal and adult development in the rabbit tick, <i>Haemaphysalis leporispalustris</i> (Acari: Ixodides: Ixodidae)	85
BOWERMAN, R. F. and LARIMER, J. L. Command fibres in the circumoesophageal connectives of crayfish. I. Tonic fibres	95
BOWERMAN, R. F. and LARIMER, J. L. Command fibres in the circumoesophageal connectives of crayfish. II. Phasic fibres	119
ROSSER, B. L. A study of the afferent pathways of the dragonfly lateral ocellus from extracellularly recorded spike discharges	135
BENNET, S., McConnell, T. and Trubatch, S. L. Quantitative analysis of the speed of snakes as a function of peg spacing	161
RIEGEL, J. A., LOCKWOOD, A. P. M., NORFOLK, J. R. W., BULLEID, N. C. and TAYLOR, P. A. Urinary bladder volume and the reabsorption of water from the urine of crabs	167
CAMERON, JAMES N. and POLHEMUS, JOHN A. Theory of CO2 exchange in trout gills	183
McMahon, B. R., Burggren, W. W. and Wilkens, J. L. Respiratory responses to long-term hypoxic stress in the crayfish <i>Orconectes virilis</i>	195
HOLBERTON, D. V. Attachment of Giardia – A hydrodynamic model based on flagellar activity	207
Spencer, H. J. Analysis of the electrophysiological responses of the trochanteral hair receptors of the cockroach	223
WOOD, CHRIS M. A critical examination of the physical and adrenergic factors affecting blood flow through the gills of the rainbow trout	241

vi Contents

No. 2. APRIL 1974

PAGE

FLEMING, WARREN R., NICHOLS, JAMES and POTTS, W. T. W. The effect of low-calcium sea water and actinomycin-D on the sodium metabolism of Fundulus kansae	267
BLANEY, W. M. Electrophysiological responses of the terminal sensilla on the maxillary palps of <i>Locusta migratoria</i> (L.) to some electrolytes and non-electrolytes .	275
POPPER, ARTHUR N. The response of the swim bladder of the goldfish (Carassius auratus) to acoustic stimuli	295
PRIEDE, IMANTS G. The effect of swimming activity and section of the vagus nerves on heart rate in rainbow trout	305
Skaer, Helen le B. The water balance of a serpulid polychaete, <i>Mercierella enigmatica</i> (Fauvel). I. Osmotic concentration and volume regulation	321
Skaer, Helen le B. The water balance of a serpulid polychaete, <i>Mercierella enigmatica</i> (Fauvel). II. Ion concentration	331
SKAER, HELEN LE B. The water balance of a serpulid polychaete, <i>Mercierella enigmatica</i> (Fauvel). III. Accessibility of the extracellular compartment and related studies	339
Skaer, Helen le B. The water balance of a serpulid polychaete, Mercierella enigmatica (Fauvel). IV. The excitability of the longitudinal muscle cells	351
TRUMAN, JAMES W. and RIDDIFORD, LYNN M. Physiology of insect rhythms. III. The temporal organization of the endocrine events underlying pupation of the tobacco hornworm	371
GILLARY, HOWARD L. Light-evoked electrical potentials from the eye and optic nerve of Strombus: response waveform and spectral sensitivity	383
McFarlane, I. D. Excitatory and inhibitory control of inherent contractions in the sea anemone Calliactis parasitica	397
McVean, Alistair. The nervous control of autonomy in Carcinus maenas	423
HOLWILL, M. E. J. and McGregor, J. L. Micromanipulation of the flagellum of Crithidia oncopelti. I. Mechanical effects	437
Drewes, C. D. and Pax, R. A. Neuromuscular physiology of the longitudinal muscle of the earthworm, <i>Lumbricus terrestris</i> . I. Effects of different physiological	
DREWES, C. D. and Pax, R. A. Neuromuscular physiology of the longitudinal muscle	445
Drewes, C. D. and Pax, R. A. Neuromuscular physiology of the longitudinal muscle	453 469
CAMHI, JEFFREY M. and HINKLE, MAIJA. Response modification by the central flight	477
STOBBART, R. H. Electrical potential differences and ionic transport in the larva of	493

Contents	V11

	PAGE
Skadhauge, Erik. Coupling of transmural flows of NaCl and water in the intestine of the eel (Anguilla anguilla)	535
SKADHAUGE, E. and LOTAN, R. Drinking rate and oxygen consumption in the eury-haline teleost <i>Aphanius dispar</i> in waters of high salinity	547
Kristensen, K. and Skadhauge, E. Flow along the gut and intestinal absorption of salt and water in euryhaline teleosts: a theoretical analysis	557
EMILIO, M. G. and Shelton, G. Gas exchange and its effect on blood gas concentrations in the amphibian, <i>Xenopus laevis</i>	567
No. 3. JUNE 1974	
DUBOIS, ARTHUR B., CAVAGNA, GIOVANNI A. and FOX, RICHARD S. Pressure distribu-	
tion on the body surface of swimming fish	581
NICOLSON, SUSAN W. and LEADER, JOHN P. The permeability to water of the cuticle of the larva of <i>Opifex fuscus</i> (Hutton) (Diptera: Culicidae)	593
COAKLEY, C. J. and HOLWILL, M. E. J. Effects of pressure and temperature changes on the flagellar movement of <i>Crithidia oncopelti</i>	605
CRABTREE, ROBERT L. and PAGE, CHARLES H. Oxygen-sensitive elements in the book gills of Limulus polyphemus	631
MADDRELL, S. H. P. and GARDINER, B. O. C. The passive permeability of insect Malpighian tubules to organic solutes	641
SATTELLE, D. B. Electrophysiology of the giant nerve cell bodies of <i>Limnaea stagnalis</i> (L.) (Gastropoda: Pulmonata)	653
CLEMENTS, A. N. and MAY, TERRY E. Studies on locust neuromuscular physiology in relation to glutamic acid	673
CHASE, RONALD. The electrophysiology of photoreceptors in the nudibranch mollusc, *Tritonia diomedia**	707
CHASE, RONALD. The initiation and conduction of action potentials in the optic nerve of <i>Tritonia</i>	721
Shepheard, Peter. Control of head movement in the locust, Schistocerca gregaria.	735
SHUTTLEWORTH, T. J. and FREEMAN, R. F. H. Net fluxes of water in the isolated gills of Anguilla dieffenbachii	769
MURDOCK, LARRY L. and CHAPMAN, GRACE Y. L-Glutamate in arthropod blood plasma: physiological implications	783
KOOPOWITZ, HAROLD and STONE, GEORGE. Neuronal modulation of photoreceptor activity in the bee moth Galleria mellonella	795
MILD, KJELL HANSSON., LØYTRUP, SØREN and BERGFORS, TOMMY. On the mechanical properties of the vitelline membrane of the frog egg	807
Lewis, D. B. The physiology of the Tettigoniid ear. I. The implications of the anatomy of the ear to its function in sound reception	821

viii Contents

															PAGE
Lewis, I of th	D. B. Ti he ear t												terist		839
Lewis, I															
of the	he intac	t ear a	nd son	ne bio	phy	sical c	onsi	deratio	ns	•	•	•	•	•	853
Lewis, I orie	D. B. Th ntation														861
Millari niloi	o, R. W. ticus: re														
Sand, O	LAV. Di	rection	al sen	sitivit	y of	micro	pho	nic po	tentia	ıls fro	m the	perc	h ear		881
Емílio,									ntrat	ions	in th	e fro	g, <i>Ra</i>	ma	
ridil	bunda .	•	•	•	٠	•	•	•	٠	•	•	•	•	•	901
Index															911



All communications should be addressed to the Editors,

The Journal of Experimental Biology, Zoological Laboratory, Downing Street, Cambridge CB2 3EJ, England

MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. MSS, should be typewritten (double spacing) on one side only of the paper, and the pages numbered. Tables and Legends should be on separate sheets from the rest of the MS. and should be numbered. The place where they are to be inserted in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: Surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference should be quoted by the author's name and date (in brackets), and not by the numerical order of the paper in the list of references. Every paper must contain a summary of the chief results of the enquiry.

(i) Line blocks. These should be used whenever possible. Illustrations should be pen drawings in Indian ink (jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased in any way. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly in soft pencil. Where considerable reduction is required it is essential that the drawings be of such a character as to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. The blue lines, while ensuring accuracy, are easily eliminated by the printer, only the blackened lines that are

(ii) Text half-tone blocks. These are suitable for illustrations involving brushwork, or in which the depth of shading is an essential feature. They can be used for such things as oscillograph records and some photographs can be produced in this way, a good glossy bromide print being required. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.

(iii) Plates. Plates should be used only for illustrations, such as photomicrographs, in which the most accurate reproduction of fine detail is called for. Plates are expensive and the Editors may require an author to defray the cost of plates which in their opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Exclusive of margin, the plate figures should not cover, when reduced an area greater than $7\frac{1}{2}$ in. in length × 5 in. in width when ready for reproduction as a single plate, or $7\frac{1}{2}$ in. × 11 $\frac{1}{2}$ in., in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper. Authors are asked not to submit sheets of illustrations which are more than foolscap size; or, if this cannot be avoided, to include photographic reductions for the convenience of referees.

Authors should submit with their MSS. five copies (typewritten, double spacing) of an abstract suitable for biological abstracting journals. The abstract will not appear in *The Journal of Experimental Biology* but will be scrutinized by the Editors before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definitive conclusions of the work. Details of methods are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3% of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints may be sent.

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editors. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration apart from printer's errors. Authors may be charged for any excess over this average. Authors will receive 50 copies of their papers free; additional copies may be purchased and should be ordered when the proofs are returned to the Editors.

Enquiries about the reproduction of material from The Journal of Experimental Biology should be sent to: DR R. J. SKAER

Secretary, Company of Biologists Limited, Department of Medicine, University of Cambridge, Hills Road, Cambridge CB2 1QT

ISI Tear Service, 325 Chestnut Street, Philadelphia, Pennsylvania 19106, U.S.A. is authorized to supply single copies of separate articles for private use only.

© Company of Biologists Ltd, 1974

THE SOCIETY FOR EXPERIMENTAL BIOLOGY

The Society holds Conferences four times a year at which the results of experimental investigations are presented and discussed. Enquiries about membership of the Society should be addressed to one of the Secretaries:

> Zoological Secretary Dr P. SPENCER DAVIES Department of Zoology, University of Glasgow, Glasgow G12 8QQ

Botanical Secretary Dr N. SUNDERLAND, John Innes Institute, Colney Lane, Norwich, NOR 70F Tel. Glasgow (041) 339-8855 Ext. 7156 Tel. Norwich (0603) 52571