INDEX OF AUTHORS

- Ahearn, Gregory A. and Gomme, Jørgen.
 Transport of exogenous D-glucose by the integument of a polychaete worm (Nereis diversicolor Müller)

 243
- Ahearn, Gregory A. and Townsley, Sidney J.

 Integumentary amino acid transport and metabolism in the apodous sea cucumber, Chiridota rigida 733
- Atkinson, H. J. The functional significance of the haemoglobin in a marine nematode, *Enoplus brevis* (Bastian)
- Baginski, Richard M. and Pierce, Sidney K., Jr.
 Anaerobiosis: a possible source of osmotic
 solute for high-salinity acclimation in marine
 molluscs 589
- Ballintijn, C. M. and Bamford, O. S. Proprioceptive motor control in fish respiration 99
- Bamford, O. S. see BALLINTIJN and BAMFORD
 Blaney, W. M. Behavioural and electrophysiological studies of taste discrimination by the
 maxillary palps of larvae of Locusta migratoria (L.)

 555
- Brokaw, C. J. Effects of viscosity and ATP concentration on the movement of reactivated sea-urchin sperm flagella 701
- Bennett, R. R. See TREHERNE, BUCHAN and
- Bennett, R. R., Buchan, P. B. and Treherne, J. E. Sodium and lithium movements and axonal function in cockroach nerve cords 231
- Berridge, Michael J., Lindley, Barry D. and Prince, William T. Stimulus-secretion coupling in an insect salivary gland: cell activation by elevated potassium concentrations 620
- Berry, M. S. and Pentreath, V. W. Problems associated with the use of tetraethylammonium to test for monosynaptic connexions
- Buchan, P. B., See BENNETT, BUCHAN and TRE-HERNE
- See also Treherne, Buchan and Bennett
- Buckley, S. K. L. See Wells, O'Dor and Buckley
- Burrows, Malcolm. Monosynaptic connexions between wing stretch receptors and flight motoneurones of the locust 189
- Cabada, Marcelo O. Sperm concentration and fertilization rate in *Bufo arenarum* (Amphibia: Anura) 481
- Chen, Liming. See WINE, KRASNE and CHEN Cook, Anthony. The withdrawal response of a freshwater snail (Lynnnaea stagnalis L.) 783
- Crowe, John H. See WRIGHT, JOHNSON and CROWE
- Evans, P. D. The uptake of L-glutamate by the central nervous system of the cockroach, Periplaneta americana 55

- Fay, Richard R. and Popper, Arthur N.
 Modes of stimulation of the teleost ear 379
 Field, Laurence H. and Larimer, James L.
 The cardioregulatory system of crayfish:
- neuroanatomy and physiology 519

 The cardioregulatory system of crayfish: the
- role of circumoesophageal interneurones 531

 Frost, B. J. Eye movements in Daphnia pulex
 (De Geer)

 175
- Galbreath, R. A. Water balance across the cuticle of a soil insect
- Gomme, Jørgen. See AHEARN and GOMME
- Hartline, Daniel K. and Maynard, Donald M.

 Motor patterns in the stomatogastric ganglion of the lobster, Panulirus argus

 405
- Harvey, William R. See JUNGREIS and HARVEY Heinrich, Bernd and Pantle, Curt. Thermoregulation in small flies (Syrphus sp.): basking and shivering 599
- Jen, Philip H.-S. See Suga and Jen Johnson, Treve L. See Wright, Johnson and Crowe
- Jungreis, Arthur M. and Harvey, William R.
 Role of active potassium transport by integumentary epithelium in secretion of larval-pupal moulting fluid during silkmoth development
- Knowles, G. The reduced glucose permeability of the isolated Malpighian tubules of the blowfly Calliphora vomitoria 327
- Koopowitz, Harold. Activity and habituation in the brain of the polyclad flatworm Freemania litoricola
- Electrophysiology of the peripheral nerve net in the polyclad flatworm Freemania litoricola 469
- Krasne, Franklin B. See Wine, Krasne and Chen
- Lardner, T. J. See Yundt, Shack and Lardner Larimer, James L. See FIELD and LARIMER
- Laverack, M. S. See Thorpe, Shelton and Laverack
- Lindley, Barry D. See BERRIDGE, LINDLEY and PRINCE
- McMahon, B. R. and Wilkens, J. L. Respiratory and circulatory responses to hypoxia in the lobster *Homarus americanus* 637
- Maddrell, S. H. P. and Phillips, J. E. Active transport of sulphate ions by the Malpighian tubules of larvae of the mosquito, Aedes campestris 367
- Secretion of hypo-osmotic fluid by the lower Malpighian tubules of Rhodnius prolixus 671

- Magura, I. S., Valeyev, A. E. and Zamekhovsky
 I. Z. The effect of temperature on the outward currents in the soma of molluscan
 neurones in voltage-clamp conditions 265
- Maynard, Denald M. See HARTLINE and MAYNARD
- Miller, Jennifer B. The length-tension relationship of the dorsal longitudinal muscle of a leech 43
- Neil, D. M. The control of eyestalk movements in the mysid shrimp *Praumus flexuosus* 487
- The optokinetic responses of the mysid shrimp
 Praunus flexuosus 505
- The mechanism of statecyst operation in the mysid shrimp Praumus flexuosus 685
- Nijhout, H. Frederik. Excretory role of the midgut in larvae of the tobacco hornworm, Manduca sexta (L.)
- Noble-Nesbitt, J. Reversible arrest of uptake of water from subsaturated atmospheres by the firebrat, *Thermobia domestica* (Packard) 657
- O'Dor, R. K. See Wells, O'Dor and Buckley
- Page, Charles H. See THOMPSON and PAGE Pantle, Curt. See HEINRICH and PANTLE Pentreath, V. W. See BERRY and PENTREATH Phillips, J. E. See MADDRELL and PHILLIPS Piddington, R. W. See SATTELLE and PIDDING-
- Pierce, Sidney K., Jr. See Baginski and Pierce Pond, Caroline M. The role of the 'walking legs' in aquatic and terrestrial locomotion of the crayfish (Austropotamobius pallipes) (Lereboullet) 447
- Popper, Arthur N. See FAY and Popper Pratt, Graham E. See Tobe and Pratt
- Prince, William T. See BERRIDGE, LINDLEY and PRINCE
- Reynolds, Stuart E. The mechanical properties of the abdominal cuticle of *Rhodnius* larvae
- The mechanism of plasticization of the abdominal cuticle in *Rhodnius* 81
- Sattelle, D. B. and Piddington, R. W. Potassium-induced motion increase in a central nervous ganglion 753
- Shack, W. J. See YUNDT, SHACK and LARDNER Shelton, G. A. B. The transmission of impulses in the ectodermal slow conduction system of the sea anemone Calliactis parasitica (Couch)
- Colonial conduction systems in the Anthozoa:
 Octocorallia 571
- See also Thorpe, Shelton and Laverack
- Sommerville, Barbara A. Factors affecting the heart activity and blood pressure of the swan mussel, Anodonta cygnea 341
- Suga, Nobuo and Jen, Philip H.-S. Peripheral control of acoustic signals in the auditory system of echolocating bats 277

- Suzuki, Hikaru. Convergence of olfactory in puts from both antennae in the brain of the honeybee.
- Thompson, Charles and Page, Charles H.
 Nervous control of respiration: oxygensensitive elements in the prosoma of Limulus
 polyphemus 545
- Thorpe, J. P., Shelton, G. A. B. and Laverack, M. S. Electrophysiology and co-ordinated behavioural responses in the colonial bryozoan Membranipora membranacea (L.) 389
- Tobe, Stephen S. and Pratt, Graham E. Corpus allatum activity in vitro during ovarian maturation in the desert locust, Schistocerca gregaria 611
- Townsley, Sidney J. See Ahearn and Townsley Trehesne, J. E. See Bennett, Buchan and Trehesne
- Treherne, J. E., Buchan, P. B. and Bennett, R. R. Sodium activity of insect blood: physiological significance and relevance to the design of physiological saline 721
- Valeyev, A. E. See Magura, Valeyev and Zamekhovsky
- Wells, J. See WELLS AND WELLS
- Wells, M. J., O'Dor, R. K. and Buckley, S. K. L. An in vitro bioassay for a molluscan gonadetropin 433
- Wells, M. J. and Wells, J. Optic gland implants and their effects on the gonads of Octopus
- Wilkens, J. L. See McMahon and WILKENS
- Wine, Jeffrey J., Krasne, Franklin B. and Chen, Liming. Habituation and inhibition of the crayfish lateral giant fibre escape response
- Wright, D. A. Sodium regulation in the larvae of Chironomus dorsalis (Meig) and Campto-chironomus tentans (Fabr.): the effect of salt depletion and some observations on temperature changes
- The effect of external sodium concentration upon sodium fluxes in *Chironomus dorsalis* (Meig.) and *Camptochironomus tentans* (Fabr.), and the effect of other ions on sodium influx in *C. tentans*
- The relationship between transepithelial sodium movement and potential difference in the larva of Camptochironomus tentans (Fabr.) and some observations on the accumulation of other ions
- Wright, Stephen H., Jehnson, Treve L. and Crowe, John H. Transport of amino acids by isolated gills of the mussel, Mytilus californianus Conrad 313
- Yundt, A. P., Shack, W. J. and Lardner, T. J.

 Applicability of hydrodynamic analyses of
 spermatozoan motion 27
- Zamekhovsky, I. Z. See Magura, Valeyev and Zamekhovsky

341

INDEX OF SUBJECTS

81

Blood pressure:

See Calliphora vomitoria

Blowfly:

Brain:

Factors affecting the heart activity and, of the

swan mussel, Anodonta cygnea (SOMMERVILLE)

Convergence of olfactory inputs from both

antennae in the, of the honeybee (Suzuki)

Abdominal cuticle:

Acoustic signals:

Aedes campestris:

larvae (REYNOLDS)

Rhodnius (Reynolds)

The mechanical properties of the, of Rhodnius

Peripheral control of, in the auditory system

- The mechanism of plasticization of the, in

of echolocating bats (SUGA and JEN)

Active transport of sulphate ions by the	Bufo arenarum:
Malpighian tubules of larvae of the mosquito	Sperm concentration and fertilization rate in,
(MADDRELL and PHILLIPS) 367	(Amphibia: Anura) (CABADA) 481
Amino acid(s):	
Transport of, by isolated gills of the mussel,	Calliactis parasitica (Couch):
Mytikus californianus Conrad (WRIGHT,	The transmission of impulses in the ecto-
JOHNSON and CROWE) 313	dermal slow conduction system of the sea
- Integumentary, transport and metabolism in	anemone (SHELTON) 421
the apodous sea cucumber, Chiridota nigida	Calliphora vomitoria:
(AHBARN and Townsley) 733	The reduced glucose permeability of the
Anaerobiosis:	isolated Malphighian tubules of the blowfly
A possible source of osmotic solute fer	(Knowles) 327
high-salinity acclimation in marine molluses	Camptochironomus tentans (Rabr.):
(BAGINSKI and PIERCE) 589	Sodium regulation in the larvae of Chirono-
Anodonta cygnea:	mus dorsalis (Meig.) and: the effect of salt
Factors affecting the heart activity and bloed	depletion and some observations on tem-
pressure of the swan mussel (SOMMERVILLE)	perature changes (WRIGHT) 121
341	- The effect of external sodium concentration
Antennae:	upon sodium fluxes in Chironomus dorsalis
Convergence of olfactory inputs from both,	(Meig.) and, and the effect of other ions on
in the brain of the honeybee (Suzuki) 11	sodium influx in C. tentans (WRIGHT) 141
ATP:	- The relationship between transepithelial so-
Effects of viscosity and, concentration on the	dium movement and potential difference in
movement of reactivated sea-unchin sperm	the larva of, and some observations on the
flagella (Brokaw) 701	accumulation of other ions (WRIGHT) 157
Austropotamobius pallipes (Lerebeullet):	Cardioregulatory system:
The role of the 'walking legs' in aquatic	The, of the crayfish: neuroanatomy and
and terrestrial locomotion of the crayfish	physiology (FIELD and LARIMER) 519
(POND) 447	- The, of the crayfish: the role of circumoeso-
Axonal function:	phageal interneurones (FIELD and LARIMER)
Sodium and lithium movements and, in	531
oockroach nerve cords (BENNEYT, BUCHAN and	Central nervous ganglion:
Treherne) 231	Potassium-induced motion increase in a
,	(SATTELLE and PIDDINGTON) 753
Basking:	Central nervous system:
Thermoregulation in small flies (Syrphus sp.):	The uptake of L-glutamate by the, of the
and shivering (HHINRICH and PANTLE) 599	cockroach, Periplaneta americana (EVANS) 55
Bats:	Chiridota rigida:
Peripheral control of acoustic signals in the	Integumentary amino acid transport and
auditory system of echolocating (Suga and	metobalism in the apodous sea cucumber
[HN) 277	(AHEARN and Townsley) 733
Behavioural responses:	Chironomus dorsalis (Meig.):
Electrophysiology and co-ordinated, in the	Sodium regulation in the larvae of, and
colonial bryozoan Membranipora membranacea	Camptochironomus tentans (Fabr.): the effect
(L.) (Thorne, Sherton and Laverack) 389	of salt depletion and some observations on
Bleod:	temperature changes (WRIGHT) 121
Sodium activity of insect: physiological	- The effect of external sodium concentration
eignificance and relevance to the design of	upon sodium fluxes in, and Camptochironomus
physiological saline (TREERNE, BUCMAN and	tentans (Fabr.), and the effect of other ions on
BENNETT) 721	sodium influx in C. tentans (WRIGHT) 141

Circumoesophageal interneurones:

Fish respiration:

771- 1: 1 - C C 1 - 3	TD
The cardioregulatory system of crayfish: the	Proprioceptive motor control in (Ballin-
role of (Field and Larimer) 531	TIJN and BAMFORD) 99
Cockroach:	Flagella:
The uptake of L-glutamate by the central	Effects of viscosity and ATP concentration
nervous system of the, Periplaneta americana	on the movement of reactivated sea-urchin
(17)	(D)>
(EVANS) 55	sperm (Brokaw) 701
 Sodium and lithium movements and axonal 	Flatworm:
function in, nerve cords (BENNETT, BUCHAN	See Freemania litoricola
and Treherne) 231	Flight motoneurones:
Conduction systems:	Monosynaptic connexions between wing
Colonial, in the Anthozoa: Octocorallia	stretch receptors and, of the locust (Burrows)
(Shelton) 571	189
Corpus allatum:	Freemania litoricola:
Activity in vitro during ovarian maturation	Activity and habituation in the brain of the
in the desert locust, Schistocerca gregaria	polyclad flatworm (Koopowitz) 455
	polyciae natworm (120010W112) 455
(TOBE and PRATT) 611	a
Crayfish:	Ganglion:
The role of the 'walking legs' in aquatic and	Motor patterns in the stomatogastric, of the
terrestrial locomotion of the, Austropotamo-	lobster, Panulirus argus (HARTLINE and
bius pallipes (Lereboullet) (POND) 447	MAYNARD) 405
- The cardioregulatory system of: neuroanatomy	Giant fibre:
and physiology (FIELD and LARIMER) 519	Habituation and inhibition of the crayfish
— The cardioregulatory system of: the role of	lateral, escape response (WINE, KRASNE and
circumoesophageal interneurones (FIELD and	Chen) 771
LARIMER) 531	Gills:
- Habituation and inhibition of the, lateral	Transport of amino acids by isolated, of the
giant fibre escape response (WINE, KRASNE	mussel, Mytilus californianus Conrad
and CHEN) 771	(Wright, Johnson and Crowe) 313
Cuticle:	D-Glucose:
Water balance across the, of a soil insect	Transport of exogenous, by the integument
(Galbreath) 115	of a polychaete worm (Nereis diversicolor
(Müller) (AHEARN and GOMME) 243
Daphnia pulex (de Geer):	Glucose permeability:
	The reduced, of the isolated Malpighian
Eye movements in (FROST) 175	
Desert locust:	tubules of the blowfly Calliphora vomitoria
See Schistocerca gregaria	(Knowles) 327
	L-Glutamate:
Ear:	The uptake of, by the central nervous system
Modes of stimulation of the teleost (FAY and	of the cockroach, Periplaneta americana
·	√₽ \
POPPER) 379	
Echolocating bats:	Gonadotropin:
Peripheral control of acoustic signals in the	An in vitro bioassay for a molluscan (WRLLS,
auditory system of (SUGA and JEN) 277	O'Dor and Buckley) 433
Ectodermal slow conduction system:	Gonads:
The transmission of impulses in the, of the	Optic gland implants and their effects on the
sea anemone Calliactis parasitica (Couch)	of Octopus (WELLS and WELLS) 579
	or company (vinenza una vinenza) 3/9
	Transaciality.
Enoplus brevis (Bastian):	Haemoglobin:
The functional significance of the haemoglobin	The functional significance of the, in a
in a marine nematode (ATKINSON) 1	marine nematode, Enoplus brevis (Bastian)
Escape response:	(ATKINSON)
Habituation and inhibition of the crayfish	Heart activity:
lateral giant fibre (WINE, KRASNE and	Factors affecting the, and blood pressure of
· · · · · · · · · · · · · · · · · · ·	
CHEN) 771	the swan mussel, Anodonta cygnea (Sommer-
Eye:	VILLE) 341
Movements in Daphnia pulex (de Geer)	High-salinity acclimation:
(Frost) 175	Anaerobiosis: a possible source of osmotic
Eyestalk:	solute for, in marine molluscs (BAGINSKI and
The control of, movements in the mysid	Pierce) 589
shrimp, Prannus flexuosus (NBIL) 487	Homarus americanus:
emmp, rrumas jamusis (11611) 40/	
*** • .	Respiratory and circulatory responses to
Firebrat:	hypoxia in the lobster (McMahon and
See Thermobia domestica (Packard)	Wilkens) 63

PHILLIPS)

Maxillary palps:

Manduca sexta (L.):

Joneybee:

Hydrodynamic analyses:

Locusta migratoria (L.):

of larvae of (BLANEY)

Lymnaea stagnalis L.:

(MADDRELL and PHILLIPS)

snail (Cook)

(Knowles)

Malphighian tubules:

Behavioural and electrophysiological studies of taste discrimination by the maxillary palps

The withdrawal response of a freshwater

The reduced glucose permeability of the

isolated, of the blowfly Calliphora vomitoria

larvae of the mosquito, Aedes campestris

- Active transport of sulphate ions by the, of

Hypo-osmotic fluid:

Convergence of olfactory inputs from both

Applicability of, of spermatozoan motion

antennae in the brain of the (SUZUKI)

(YUNDT, SHACK and LARDNER)

- Secretion of hypo-osmotic fluid by the lower,

tobacco hornworm (Nijhout)

of Rhodnius prolixus (MADDRELL and

Excretory role of the midgut in larvae of the

tubules of Rhodnius prolixus (MADDRELL and	Behavioural and electrophysiological studies
PHILLIPS) 671	of taste discrimination by the, of larvae of
Hypoxia:	Locusta migratoria (L.) (BLANEY) 555
Respiratory and circulatory responses to, in	Membranipora membranacea (L.):
the lobster, Homarus americanus (McMahon	Electrophysiology and co-ordinated be-
	havioural responses in the colonial bryozoan
and WILKENS) 637	(Thorpe, Shelton and Laverack) 389
Insect blood:	Metabolism:
Sodium activity of: physiological significance	Integumentary amino acid transport and, in
and relevance to the design of physiological	the apodous sea cucumber, Chiridota rigida
saline (Treherne, Buchan and Bennert)	(AHEARN and Townsley) 733
· · · · · · · · · · · · · · · · · · ·	Midgut:
Integument:	Excretory role of the, in larvae of the tobacco
Transport of exogenous D-glucose by the, of a	hornworm, Manduca sexta (L.) (NIJHOUT) 221
	Molluscan gonadotropin:
polychaete worm (Nereis diversicolor Müller)	An in vitro bioassay for a (WELLS, O'DOR and
(AHEARN and GOMME) 243	BUCKLEY) 433
Leech:	Molluscs:
The length-tension relationship of the dorsal	Anaerobiosis: a possible source of osmotic
	solute for high-salinity acclimation in marine
` , ,	(BAGINSKI and PIERCE) 589
Limulus polyphemus:	Monosynaptic connexions:
Nervous control of respiration: oxygen-	Between wing stretch receptors and flight
sensitive elements in the prosoma of (THOMP-	motoneurones of the locust (Burrows) 189
son and PAGE) 545 Lithium:	- Problems associated with the use of tetraethyl-
	ammonium to test for (BERRY and PENT-
Sodium and, movements and axonal func-	REATH) 797
tion in cockroach nerve cords (BENNETT,	Mosquito:
Buchan and Treherne) 231	See Aedes campestris
Lobster:	Motor control:
See Homarus americanus and Panulirus argus	Proprioceptive, in fish respiration (BAL-
Locomotion:	LINTIJN and BAMFORD) 99
The role of the 'walking legs' in aquatic	Motor patterns:
and terrestrial, of the crayfish (Austro-	In the stomatogastric ganglion of the lobster,
potamobius pallipes) (Lereboullet) (POND)	Panulirus argus (HARTLINE and MAYNARD)
447	405
Locust:	Moulting fluid:
Monosynaptic connexions between wing	Role of active potassium transport by in-
stretch receptors and flight motoneurones of	tegumentary epithelium in secretion of larval-
the (Burrows) 189	pupal, during silkmoth development (Jung-
- See also Locusta migratoria (L.) and Schisto-	REIS and HARVEY) 357
cerca gregaria	Muscle:

Nematode:

donta cygnea

Mussel:

The functional significance of the haemoglobin in a marine, *Enoplus brevis* (Bastian) (ATKINSON)

The length-tension relationship of the dorsal

See Mytilus californianus Conrad and Ano-

Transport of amino acids by isolated gills of

the mussel (WRIGHT, JOHNSON and CROW)

longitudinal, of a leech (MILLER)

Nereis diversicolor (Müller):

Mytilus californianus Conrad:

Transport of exogenous D-glucose by the

Nereis diversicolor (cont.)

integument of a polychaete worm (AHRARN and GOMME) 243

Nerve cords:

Sodium and lithium movements and axonal function in cockroach (BENNETT, BUCHAN and TREHERNE) 231

Nerve net:

Electrophysiology of the peripheral, in the polyclad flatworm *Freemania litoricola* (Koopowitz)

Neurones:

The effect of temperature on the outward currents in the some of molluscen, in voltage-clamp conditions (MAGURA, VALEYEV and ZAMEKHOVSKY) 265

Octocorallia:

Colonial conduction system in the Anthozoa: (SHELTON) 571

Octopus:

Optic gland implants and their effects on the gonads of (WELLS and WELLS) 579

Olfactory inputs:

Convergence of, from both antennae in the brain of the honeybee (SUZUKI)

Optic gland implants:

And their effects on the gonads of Octopus (Wells and Wells) 579

Optokinetic responses:

The, of the mysid shrimp Praumus flexuosus (NELL) 505

Osmetic solute:

Anaerobiosis: a possible source of, for highsalinity acclimation in marine molluscs (BAGINSKI and PIERCE) 589

Ovarian maturation:

Corpus allatum activity in vitro during, in the desert locust, Schistocerca gregaria (TOBE and PRATT) 611

Panulirus argus:

Motor patterns in the stomatogastric ganglion of the lobster (HARTLINE and MAYNARD)

Periplaneta americana:

The uptake of L-glutamate by the central nervous system of the cockroach (EVANS)

Plasticization:

The mechanism of, of the abdominal cuticle in Rhodnius (REYNOLDS) 81

Potassium:

Role of active, transport by integumentary epithelium in secretion of larval-pupal moulting fluid during silkmoth development (JUNGREIS and HARVEY)

- -- Stimulus-secretion coupling on an insect salivary gland: cell activation by elevated, concentrations (Berridge, Lindley and Prince) 629
- Induced motion increase in a central nervous ganglion (SATTELLE and PIDDINGTON)

Potential difference:

The relationship between transepithelial sodium movement and, in the larva of Camptochironomus tentans (Fabr.) and some observations on the accumulation of other ions (WRIGHT)

Praunus flexuosus:

The control of eyestalk movements in the mysid shrimp (NRIL) 487

- The optokinetic responses of the mysid shrimp (Nell.) 505
- The mechanism of statocyst operation in the mysid shrimp (NeIL) 685

Prosoma:

Nervous control of respiration: oxygensensitive elements in the, of *Limulus poly*phemus (THOMPSON and PAGE) 545

Respiration:

Nervous control of: oxygen-sensitive elements in the prosoma of *Limulus poly*phemus (Thompson and Page) 545

Rhodnius:

The mechanical properties of the abdominal cuticle of, larvae (REYNOLDS) 69

The mechanism of plasticization of the abdominal cuticle in (REYNOLDS)

81

Rhodnius prolixus:

Secretion of hypo-osmotic fluid by the lower Malpighian tubules of (MADDRELL and PHILLIPS) 671

Saline:

Sodium activity of insect blood: physiological significance and relevance to the design of physiological (TREHERNE, BUCHAN and BENNETT) 721

Salivary gland:

Stimulus secretion coupling in an insect: cell activation by elevated potassium concentrations (BERREDGE, LINDLEY and PRINCE)

Salt depletion:

Sodium regulation in the larvae of Chisonomus dorsalis (Meig.) and Comptochironomus tentans (Fabr.): The effect of, and some observations on temperature changes (WRIGHT)

Schistocerca gregaria:

Corpus allatum activity in vitro during ovarian maturation in the desert locust (TOBE and PRATT) 611

Sea anemone:

See Calliactis parasitica (Couch)

Sea cucumber:

See Chiridota rigida

Sea urchin:

Effects of viscosity and ATP concentration on the movement of reactivated, sperm flagella (Brokaw) 701

Shivering:

Thermoregulation in small flies (Syrphus sp.): basking and (HEINRICH and PANTLE)

hrimp:

See Praunus flexuosus

Silkmoth:

Role of active potassium transport by integumentary epithelium in secretion of larvalpupal moulting fluid during, development (JUNGREIS and HARVEY) 357

Snail:

See Lymnaea stagnalis L.

Sodium:

Regulation in the larvae of Chironomus dorsalis (Meig.) and Camptochironomus tentans (Fabr.): the effect of salt depletion and some observations on temperature changes (WRIGHT)

- The effect of external, concentration upon, fluxes in *Chironomus dorsalis* (Meig.) and *Camptochironomus tentans* (Fabr.), and the effect of other ions on, influx in *C. tentans* (WRIGHT)
- The relationship between transepithelial, movement and potential difference in the larva of Camptochironomus tentans (Fabr.) and some observations on the accumulation of other ions (WRIGHT)
- And lithium movements and axonal function in cockroach nerve cords (Bennett, Buchan and Treherne)
- Activity of insect blood: physiological significance and relevance to the design of physiological saline (Treherne, Buchan and Bennett)

 721

Soil insect:

Water balance across the cuticle of a (GAL-BREATH) 115

Soma:

The effect of temperature on the outward currents in the, of molluscan neurones in voltage-clamp conditions (MAGURA, VALEYEV and ZAMEKHOVSKY) 265

Sperm:

Concentration and fertilization rate in Bufo arenarum (Amphibia: Anura) (CABADA)

-- Effects of viscosity and ATP concentration on the movement of reactivated sea-urchin, flagella (Brokaw) 701

Spermatozoan motion:

Applicability of hydrodynamic analyses of (Yundt, Shack and Lardner) 27

Statocyst:

The mechanism of, operation in the mysid shrimp Praumus flexuosus (Neil) 685

Stomatogastric ganglion:

Motor patterns in the, of the lobster, Panulirus argus (HARTLINE and MAYNARD) 405 Sulphate ions:

Active transport of, by the Malpighian tubules of larvae of the mosquito, Aedes campestris (MADDRELL and PHILLIPS)

367

Swan mussel:

See Anodonta cygnea

Syrphus sp.:

Thermoregulation in small flies: basking and shivering (HEINRICH and PANTLE) 599

Taste discrimination:

Behavioural and electrophysiological studies of, by the maxillary palps of larvae of Locusta migratoria (L.) (BLANEY) 555

Teleost ear:

Modes of stimulation of the (FAY and POPPER)
379

Temperature:

Sodium regulation in the larvae of *Chironomus dorsalis* (Meig.) and *Camptochironomus tentans* (Fabr.): The effect of salt depletion and some observations on, changes (WRIGHT)

— The effect of, on the outward currents in the soma of molluscan neurones in voltage-clamp conditions (MAGURA, VALEYEV and ZAMEKHOVSKY)

265

Tetraethylammonium:

Problems associated with the use of, to test for monosynaptic connexions (BERRY and PENTREATH) . 797

Thermobia domestica (Packard):

Reversible arrest of uptake of water from subsaturated atmospheres by the firebrat (NOBLE-NESBITT) 657

Thermoregulation:

In small flies (Syrphus sp.): basking and shivering (Heinrich and Pantle) 599

Tobacco hornworm:

See Manduca sexta (L.)

Uptake of water:

Reversible arrest of, from subsaturated atmospheres by the firebrat, *Thermobia domestica* (Packard) NOBLE-NESBITT 657

Viscosity:

Effect of, and ATP concentration on the movement of reactivated sea-urchin sperm flagella (Brokaw) 701

Voltage clamp:

The effect of temperature on the outward currents in the soma of molluscan neurones in, conditions (MAGURA, VALEYEV and ZAMEKHOVSKY) 265

Water balance:

Across the cuticle of a soil insect (GALB-REATH)

Wing stretch receptors:

Monosynaptic connexions between, and flight motoneurones of the locust (Burrows)

Withdrawal response:

The, of a freshwater snail (Lymnaea stagnalis L.) (COOK) 783 Simple Nervous Systems

Editors: P. N. R. USHERWOOD and D. R. NEWTH

The book consists of papers delivered at an international symposium held in Glasgow and Edinburgh in 1973. The subject matter is from a wide range of research projects in neurophysiology which have relevance in both biological and medical fields. **Publication June**

Ultrastructure and the Biology of Plant Cells BRIAN E. S. GUNNING and MARTIN W. STEER

More than 220 largely original and previously unpublished electron micrographs (mostly taken using transmission electron microscopes, but including light and scanning micrographs as aids to 'orientation') are the basis of this essentially visual approach to the structure and function of the internal components of plant cells. Each of the plates carries a comprehensive caption which is integrated with the text by a simple cross-referencing system. The bibliography contains 1000 entries. This book can be used in conjunction with Plant Cell Biology - an ultrastructural approach, by the same authors, (see below). Publication September

Plant Cell Biology – an ultrastructural approach BRIAN E. S. GUNNING and MARTIN W. STEER

Teachers and students of biology in both schools and universities have for a long time needed a reasonably-priced and up-to-date collection of illustrations depicting the ultrastructure of plant cells. The 49 plates presented here cover major aspects of cell biology particularly in relation to plant cells. The pictures, together with their comprehensive captions give a wideranging view of the subject and can be used in a variety of teaching and learning situations. Teachers will find the larger volume Ultrastructure and the Biology of Plant Cells by the same authors, (see above), a great asset in preparing courses for which members of the class could use this set of illustrations. Publication September

£2.75 net approx.

Handy Matrices For the Conversion of Units in Mechanics and Biology C. J. PENNÝČUICK

Scientists confronted with the various systems of units used in the scientific and technical literature have long been in need of a convenient source of conversion factors. The main purpose of this book is to provide a generous selection of such conversion factors, arranged in such a way that the particular one required can be rapidly located. Information on dimensigns and on the origins of some units has been included, and the book can also be used as a rudimentary guide to the SI systems.

Principles of Environmental Physics

Contemporary Biology Series

JOHN L. MONTEITH

The author reviews the relevant basic physics before progressing to a discussion of radiation exchange and heat, mass and momentum transfer. The second half of the book examines the application of these transfer principles to the heat balance of plants and animals, and to the Cloth £6.00 net Paper £3.00 net micrometeorology of crops.

The Locomotion of Soft-Bodied Animals Contemporary Biology Series

E. R. TRUEMAN

The book presents a coherent picture of locomotory structures and mechanisms in invertebrates in the context of modern biomechanical studies, to consider their evolutionary importance and to indicate some of the ways in which we can begin to make comparative quantitative assessments of the locomotory ability of soft-bodied animals.

Cloth £8.50 net Paper £4.25 net



Edward Arnold

25 Hill Street, London W1X 8LL

The Journal of Experimental Biology

The Journal of Experimental Biology

EDITED BY J. E. TREHERNE

WITH THE ASSISTANCE OF W. A. FOSTER & P. K. SCHOFIELD

VOLUME 62

CAMBRIDGE
AT THE UNIVERSITY PRESS
1975

PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB 32 East 57th Street, New York, N.Y.10022

Company of Biologists Ltd, 1974

CONTENTS


No. 1 FEBRUARY 1975

A TT T 779 6 . 1 1 1 10 C.1 1 11 1 1	PAGE
ATKINSON, H. J. The functional significance of the haemoglobin in a marine nematode, <i>Enoplus brevis</i> (Bastian)	1
SUZUKI, HIKARU. Convergence of olfactory inputs from both antennae in the brain of the honeybee	11
YUNDT, A. P., SHACK, W. J. and LARDNER, T. J. Applicability of hydrodynamic analyses of spermatozoan motion	27
MILLER, JENNIFER B. The length-tension relationship of the dorsal longitudinal muscle of a leech	43
Evans, P. D. The uptake of L-glutamate by the central nervous system of the cockroach <i>Periplaneta americana</i>	55
REYNOLDS, STUART E. The mechanical properties of the abdominal cuticle of <i>Rhodnius</i> larvae	69
REYNOLDS, STUART E. The mechanism of plasticization of the abdominal cuticle in <i>Rhodnius</i>	81
BALLINTIJN, C. M. and BAMFORD, O. S. Proprioceptive motor control in fish respira-	99
GALBREATH, R. A. Water balance across the cuticle of a soil insect	115
WRIGHT, D. A. Sodium regulation in the larvae of <i>Chironomus dorsalis</i> (Meig.) and <i>Camptochironomus tentans</i> (Fabr.): the effect of salt depletion and some observations on temperature changes	121
WRIGHT, D. A. The effect of external sodium concentration upon sodium fluxes in <i>Chironomous dorsalis</i> (Meig.) and <i>Camptochironomus tentans</i> (Fabr.), and the effect of other ions on sodium influx in <i>C. tentans</i> .	141
WRIGHT, D. A. The relationship between transepithelial sodium movement and potential difference in the larva of Camptochironomus tentans (Fabr.) and some	
observations on the accumulation of other ions	157
FROST, B. J. Eye movements in Daphnia pulex (de Geer)	175
Burrows, Malcolm. Monosynaptic connexions between wing stretch receptors and flight motoneurones of the locust	189
NIJHOUT, H. FREDERIK. Excretory role of the midgut in larvae of the tobacco hornworm, Manduca sexta (L.)	221
BENNETT, R. R., BUCHAN, P. B. and TREHERNE, J. E. Sodium and lithium movements and axonal function in cockroach nerve cords	231
No. 2 APRIL 1975	
AHEARN, GREGORY A. and GOMME, JØRGEN. Transport of exogenous D-glucose by the integument of a polychaete worm (Nereis diversicolor Müller)	243
MAGURA, I. S., VALEYEV, A. E. and ZAMEKHOVSKY, I. Z. The effect of temperature on the outward currents in the soma of molluscan neurones in voltage-clamp con-	13
ditions	265

Suga, Nubuo and Jen, Philip HS. Peripheral control of acoustic signals in the	AGB
	277
WRIGHT, STEPHEN H., JOHNSON, TREVE L. and CROW, JOHN H. Transport of amino acids by isolated gills of the mussel <i>Mytilus californianus</i> Conrad	313
KNOWLES, G. The reduced glucose permeability of the isolated Malpighian tubules	327
SOMMERVILLE, BARBARA A. Factors affecting the heart activity and blood pressure of	341
JUNGREIS, ARTHUR M. and HARVEY, WILLIAM R. Role of active potassium transport by integumentary epithelium in secretion of larval-pupal moulting fluid during	•
MADDRELL, S. H. P. and PHILLIPS, J. E. Active transport of sulphate ions by the Mal-	357 367
	379
THORPE, J. P., SHELTON, G. A. B. and LAVERACK, M. S. Electrophysiology and co- ordinated behavioural responses in the colonial Bryozoan <i>Membranipora membra</i> -	389
HARTLINE, DANIEL K. and MAYNARD, DONALD M. Motor patterns in the stomato-	405
Shelton, G. A. B. The transmission of impulses in the ectodermal slow conduction	421
Wells, M. J., O'Dor, R. K. and Buckley, S. K. L. An in vitro bioassay for a mol-	433
POND, CAROLINE M. The role of the 'walking legs' in aquatic and terrestrial loco-	
KOOPOWITZ, HAROLD. Activity and habituation in the brain of the polyclad flatworm	14 7 455
KOOPOWITZ, HAROLD. Electrophysiology and the peripheral nerve net in the polyclad	
CABADA, MARCELO O. Sperm concentration and fertilization rate in Bufo arenatum	469
NEIL, D. M. The control of eyestalk movements in the mysid shrimp Praumus	481
	487 505
No. 3 JUNE 1975	
FIELD, LAURENCE H. and LARIMER, JAMES L. The cardioregulatory system of cray-fish: neuroanatomy and physiology	519
FIELD, LAURENCE H. and LARIMER, JAMES L. The cardioregulatory system of cray-	
THOMPSON, CHARLES and PAGE, CHARLES H. Nervous control of respiration: oxygen-	531
the state of the s	545
BLANEY, W. M. Behavioural and electrophysiological studies of taste discrimination by the maxillary palps of larvae of <i>Locusta migratoria</i> (L.)	555

Contents	vii

	PAGE
SHELTON, G. A. B. Colonial conduction systems in the Anthozoa: Octocorallia .	571
Wells, M. J. and Wells, J. Optic gland implants and their effects on the gonads of Octopus	579
BAGINSKI, RICHARD M. and PIERCE, SIDNEY K., Jr. Anaerobiosis: a possible source of osmotic solute for high-salinity acclimation in marine molluses	589
HEINRICH, BERND and PANTLE, CURT. Thermoregulation in small flies (Syrphus sp.): basking and shivering	599
TOBE, STEPHEN S. and PRATT, GRAHAME E. Corpus allatum activity in vitro during ovarian maturation in the desert locust, Schistocerca gregaria	611
Berridge, Michael J., Lindley, Barry D., and Prince, William T. Stimulus-secretion coupling in an insect salivary gland: cell activation by elevated potassium concentrations.	629
McMahon, B. R. and Wilkens, J. L. Respiratory and circulatory responses to hypoxia in the lobster <i>Homarus americanus</i>	637
NOBLE-NESBITT, J. Reversible arrest of uptake of water from subsaturated atmospheres by the firebrat, <i>Thermobia domestica</i> (Packard)	657
MADDRELL, S. H. P. and PHILLIPS, J. E. Secretion of hypo-osmotic fluid by the lower Malpighian tubules of <i>Rhodnius prolixus</i>	671
Neil, D. M. The mechanism of statocyst operation in the mysid shrimp <i>Praunus flexuosus</i>	685
Brokaw, C. J. Effects of viscosity and ATP concentration on the movement of reactivated sea-urchin sperm flagella	701
TREHERNE, J. E., BUCHAN, P. B. and BENNETT, R. R. Sodium activity of insect blood: physiological significance and relevance to the design of physiological saline.	721
AHEARN, GREGORY A. and TOWNSLEY, SIDNEY J. Integumentary amino acid transport and metabolism in the apodous sea cucumber, <i>Chiridota rigida</i>	733
SATTELLE, D. B. and PIDDINGTON, R. W. Potassium-induced motion increase in a central nervous ganglion	753
Wine, Jeffrey J., Krasne, Franklin, B. and Chen, Liming. Habituation and inhibition of the crayfish lateral giant fibre escape response	771
COOK, ANTHONY. The withdrawal response of a freshwater snail (Lymnaea stagnalis L.)	783
BERRY, M. S. and PENTREATH, V. W. Problems associated with the use of tetra- ethylammonium to test for monosynaptic connexions	797



All communications should be addressed to the Editor, The Journal of Experimental Biology, Department of Zoology, Downing Street, Cambridge CB2 3EJ, England.

MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. Two copies of MSS must be submitted, together with five copies of an abstract (see below). The text should be typewritten (double-spaced) on one side only of the paper, and the pages numbered. Serial numbers must not be incorporated in the title. Tables and Legends should be numbered and on separate sheets: their position in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference must be quoted by the author's name and the date (in brackets), not by the numerical order of the paper in the list of references. Every paper must contain a short and concise Summary of the chief results of the enquiry, to be placed before the Introduction.

ILLUSTRATIONS

Line blocks should be used wherever possible. Text half-tone blocks should only be used when it is essential to show depth of shading. Plates will only be accepted for essential illustrations in which the most accurate reproduction of fine detail is called for, such as photomicrographs.

Illustrations should be numbered as they are to appear in print: plates will be placed at the end of

he article

Authors are asked not to submit sheets of illustrations which are of more than foolscap size or, if this cannot be avoided, to include photographic reductions to be sent to referees.

(i) Line blocks. Pen drawings should be in Indian ink (jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased in any way. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly with a soft pencil. Where considerable reduction is required it is essential that the drawing be of such a character as to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. The blue lines, while ensuring accuracy, are easily eliminated by the printer, only the blackened lines that are desired remaining. Whenever possible oscilloscope recordings should be submitted in a form suitable for reproduction with line blocks.

- (ii) Text half-tone blocks. Photographs can be produced in this way if a good glossy bromide print is supplied. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.
- (iii) Plates. Plates are expensive and the Editor may require an author to defray the cost of plates which in his opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Exclusive of margin the plate figures should not cover, when reduced, an area greater than $7\frac{1}{2}$ in. in length $\times 5$ in. in width $(19\cdot1\times12\cdot7$ cm.) for reproduction as a single plate, or $7\frac{1}{2}\times11\frac{1}{2}$ in. $(19\cdot1\times29\cdot2$ cm.) in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper.

ABSTRACTS

The five copies of the abstract are required for biological abstracting journals. The abstract will not appear in *The Journal of Experimental Biology* but will be scrutinized by the Editor before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definite conclusions of the work. Details of method are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3 % of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints should be sent. The abstract should be typewritten (double-spaced).

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editor. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration errors not made by the printers. Authors may be charged for any excess over this average. They will receive 50 complimentary copies of their papers: additional copies may be purchased and should be ordered when the proofs are returned to the Editor.