All communications should be addressed to the Editor,

The Journal of Experimental Biology, Department of Zoology,

Downing Street, Cambridge CB2 3E1, England.

#### MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. Two copies of MSS must be submitted, together with five copies of an abstract (see below). The text should be typewritten (double-spaced) on one side only of the paper, and the pages numbered. Tables and Legends should be numbered and on separate sheets: their position in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference must be quoted by the author's name and the date (in brackets). Every paper must contain a short and concise Summary of the chief results of the enquiry, to be placed before the Introduction.

#### ILLUSTRATIONS

Line blocks should be used wherever possible. Text half-tone blocks should only be used when it is essential to show depth of shading. Plates will only be accepted for essential illustrations in which the most accurate reproduction of fine detail is called for, such as photomicrographs.

Illustrations, including half-tones and plates, should be assigned figure numbers. Their desired

position in the text should be indicated in the MS.

Authors are asked not to submit sheets of illustrations which are of more than foolscap size or, if

this cannot be avoided, to include photographic reductions to be sent to referees.

(i) Line blocks. Pen drawings should be in Indian ink (jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly with a soft pencil. Where considerable reduction is required it is essential that the drawing be able to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. Whenever possible, oscilloscope recordings, with white background, should be submitted in a form suitable

for reproduction with line blocks.

(ii) Half-tone blocks. Photographs can be produced in this way if a good glossy bromide print is supplied. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.

(iii) Plates. Plates are expensive and the Editor may require an author to defray the cost of plates which in his opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Exclusive of margin the plate figures should not cover, when reduced, an area greater than 1911 cm in length × 1277 cm in width for reproduction as a single plate, or 1911 × 292 cm in the case of double plates. All lettering should be shown in position on a covering sheet of transparent paper.

#### ABSTRACTS

Five copies of an abstract are required for biological abstracting journals. The abstract will not appear in *The Journal of Experimental Biology* but will be scrutinized by the Editor before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definite conclusions of the work. Details of method are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3% of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints should be sent. The abstract should be typewritten (double-spaced).

#### PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editor. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration errors not made by the printers. Authors may be charged for any excess over this average. They will receive 200 complimentary copies of their papers: additional copies may be purchased at modest cost, from Cambridge University Press, and should be ordered when the proofs are returned to the Editor.

# The Journal of Experimental Biology

EDITED BY

J. E. TREHERNE

WITH W. A. FOSTER & P. K. SCHOFIELD

VOLUME 69 1977

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE · LONDON · NEW YORK

## PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP Bentley House, 200 Euston Road, London, NWI 2DB 32 East 57th Street, New York, N.Y.10022

Company of Biologists Ltd 1977

### CONTENTS

	PAGE
MURPHY, DENNIS J. Metabolic and tissue solute changes associated with changes in the freezing tolerance of the bivalve mollusc <i>Modiolus demissus</i>	r
MURPHY, DENNIS J. A calcium-dependent mechanism responsible for increasing the freezing tolerance of the bivalve mollusc <i>Modiolus demissus</i>	13
Peters, M. Innervation of the ventral diaphragm of the locust (Locusta migratoria).	23
ABU-HAKIMA, RANDA and DAVEY, K. G. The action of juvenile hormone on the follicle cells of <i>Rhodnius prolixus</i> : the importance of volume changes	33
EPP, LEONARD G. and KOBLICK, DANIEL C. Relationship of intracellular potassium to asexual reproduction in <i>Hydra</i>	45
STOBBART, R. H. The control of the diuresis following a blood meal in females of the yellow fever mosquito Aëdes aegypti (L.)	53
KOEHL, M. A. R. Effects of sea anemones on the flow forces they encounter	87
KOEHL, M. A. R. Mechanical diversity of connective tissue of the body wall of sea anemones	107
KOEHL, M. A. R. Mechanical organizations of cantilever-like sessile organisms: sea anemones	127
TAYLOR, H. H. The ionic and water relations of embryos of Lymnaea stagnalis, a freshwater pulmonate mollusc	143
WOOD, CHRIS M., McMahon, B. R. and McDonald, D. G. An analysis of changes in blood pH following exhausting activity in the starry flounder, <i>Platichthys stellatus</i>	173
Lewis, S. V. and Potter, I. C. Oxygen consumption during the metamorphosis of the parasitic lamprey, <i>Lampetra fluviatilis</i> (L). and its non-parasitic derivative, <i>Lampetra planeri</i> (Bloch)	187
Gesser, Hans. The effects of hypoxia and reoxygenation on force development in myocardia of carp and rainbow trout: protective effects of CO <sub>3</sub> /HCO <sub>3</sub> <sup>-</sup>	199
Suga, Nobuo and Jen, Philip HS. Further studies of the peripheral auditory system of 'CF-FM' bats specialized for fine frequency analysis of Doppler-shifted echoes.	
BUTLER, P. J., TAYLOR, E. W. and SHORT, S. The effect of sectioning cranial nerves V, VII, IX and X on the cardiac response of the dogfish Scyliorhimus canicula to environmental hypoxia.	207
KICENIUK, JOE W. and JONES, DAVID R. The oxygen transport system in trout (Salmo gairdneri) during sustained exercise	-33 247
BENNETT, LEON. Clap and fling aerodynamics – an experimental evaluation	261