All communications should be addressed to the Editor,

The Journal of Experimental Biology, Department of Zoology,

Downing Street, Cambridge CB2 3EI, England.

MANUSCRIPTS

Authors are requested to present their work in as concise a form as possible. Two copies of MSS must be submitted, together with five copies of an abstract (see below). The text should be typewritten (double-spaced) on one side only of the paper, and the pages numbered. Tables and Legends should be numbered and on separate sheets: their position in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume and pages of references (first and last). In the text a reference must be quoted by the author's name and the date (in brackets). Every paper must contain a short and concise Summary of the chief results of the enquiry, to be placed before the Introduction. Short Communications may be accepted. These should be original contributions to the literature and not preliminary reports. They should not exceed four published pages in length, including illustrations. Illustrations should be submitted at the size they are to appear in print.

ILLUSTRATIONS

Line blocks should be used wherever possible. Text half-tone blocks should only be used when it is essential to show depth of shading. Plates will only be accepted for essential illustrations in which the most accurate reproduction of fine detail is called for, such as photomicrographs.

Illustrations, including half-tones and plates, should be assigned figure numbers. Their desired

position in the text should be indicated in the MS.

Authors are asked not to submit sheets of illustrations which are of more than foolscap size or, if

this cannot be avoided, to include photographic reductions to be sent to referees.

(i) Line blocks. Pen drawings should be in Indian ink (jet black and waterproof) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased. Where a drawing is labelled, the label lines should be drawn in black but the lettering should be put in lightly with a soft blue pencil. Where considerable reduction is required it is essential that the drawing be able to bear such reduction. All brush work, tinting or pencil shading is to be avoided. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on graph paper ruled in pale blue. Whenever possible, oscilloscope recordings, with white background, should be submitted in a form suitable

for reproduction with line blocks.

(ii) Half-tone blocks. Photographs can be produced in this way if a good glossy bromide print is supplied. Illustrations should be gummed on white card, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.

(iii) Plates. Plates are expensive and the Editor may require an author to defray the cost of plates which in his opinion are not essential. The photographs making up the plate should be gummed on white card, grouped and numbered, as they are to appear in print. Plates should be of the size as to appear in print, i.e., exclusive of margin, no greater than 19.1 cm in length × 12.7 cm in width for a single plate, or 19.1 × 29.2 cm for a double plate. All lettering should be shown in position on a covering sheet of transparent paper.

ABSTRACTS

Five copies of an abstract are required for biological abstracting journals. The abstract will not appear in *The Journal of Experimental Biology* but will be scrutinized by the Editor before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definite conclusions of the work. Details of method are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3 % of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints should be sent. The abstract should be typewritten (double-spaced).

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editor. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration errors not made by the printers. Authors may be charged for any excess over this average. They will receive 200 complimentary copies of their papers: additional copies may be purchased at modest cost, from Cambridge University Press, and should be ordered when the proofs are returned to the Editor.

The Journal of Experimental Biology

EDITED BY

J. E. TREHERNE

WITH W. A. FOSTER & P. K. SCHOFIELD

VOLUME 94 1981

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE LONDON NEW YORK NEW ROCHELLE MELBOURNE SYDNEY Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 IRP
32 East 57th Street, New York, N.Y.10022

© Company of Biologists Ltd 1981

Printed in Great Britain at the University Press, Cambridge

CONTENTS

	PAGE
PRINGLE, J. W. S. The Bidder Lecture, 1980. The evolution of fibrillar muscle in insects	I
Goslow, G. E., Jr., Seeherman, H. J., Taylor, C. R., McCutchin, M. N. and Heglund, N. G. Electrical activity and relative length changes of dog limb muscle as a function of speed and gait	15
ZILL, SASHA N., MORAN, DAVID T. and VARELA, FRANCISCO G. The exoskeleton and insect proprioception. II. Reflex effects of tibial campaniform sensilla in the American cockroach, <i>Periplaneta americana</i>	43
ZILL, SASHA N. and MORAN, DAVID T. The exoskeleton and insect proprioception. III. Activity of tibial campaniform sensilla during walking in the American cockroach, <i>Periplaneta americana</i>	57
DORSETT, D. A. and SIGGER, J. N. Sensory fields and properties of the oesophageal proprioceptors in the mollusc, <i>Philine</i>	77
SIGGER, J. N. and Dorsett, D. A. Synaptic actions of oesophageal proprioceptors in the mollusc, <i>Philine</i>	95
CHILLEMI, S. and TADDEI-FERRETTI, CHLOE. Landing reaction of <i>Musca domestica</i> . VI. Neurones responding to stimuli that elicit the landing response in the fly.	105
CASEY, TIMOTHY M., HEGEL, JERI R. and BUSER, CHARLENE S. Physiology and energetics of pre-flight warm-up in the eastern tent caterpillar moth <i>Mala-cosoma americanum</i>	119
WINLOW, W., HAYDON, P. G. and BENJAMIN, P. R. Multiple postsynaptic actions of the giant dopamine-containing neurone R.Pe.D.1 of Lymnaea stagnalis.	137
HAYDON, P. G. and WINLOW, W. Morphology of the giant dopamine-containing neurone R.Pe.D.1, in <i>Lymnaea stagnalis</i> revealed by Lucifer Yellow CH.	149
Paul, Dorothy Hayman. Homologies between body movements and muscular contractions in the locomotion of two decapods of different families	159
Paul, Dorothy Hayman. Homologies between neuromuscular systems serving different functions in two decapods of different families	169
HERREID, CLYDE F., II, FULL, ROBERT J. and PRAWEL, DAVID A. Energetics of cockroach locomotion	189
King, Michael G. and Spencer, Andrew N. The involvement of nerves in the epithelial control of crumpling behaviour in a hydrozoan jellyfish	203
RIBEIRO, J. M. C. and GARCIA, E. S. The role of the salivary glands in feeding in <i>Rhodnius prolixus</i>	219
THOMAS, STEVEN P. Ventilation and oxygen extraction in the bat <i>Pteropus gouldii</i> during rest and steady flight	231
FISCHER, LUDWIG and FLOREY, ERNST. Temperature effects on neuromuscular transmission (opener muscle of crayfish, Astacus leptodactylus)	251
Henry, R. P., Kormanik, G. A., Smatresk, N. J. and Cameron, J. N. The role of CaCO ₃ dissolution as a source of HCO ₃ for the buffering of hypercapnic acidosis in aquatic and terrestrial decapod crustaceans	269

iv Contents

	PAGE
LILLYWHITE, HARVEY B. and SMITH, LAURENS H. Haemodynamicresponses to haemorrhage in the snake, Elaphe obsoleta obsoleta	275
LINGLE, CHRIS. The modulatory action of dopamine on crustacean foregut neuro-muscular preparations	285
FARMER, J., MADDRELL, S. H. P. and Spring, J. H. Absorption of fluid by the midgut of <i>Rhodnius</i>	301
SIMKISS, K. Cellular discrimination processes in metal accumulating cells	317
GOVIND, C. K. and LANG, F. Physiological identification and asymmetry of lobster claw closer motoneurones	329
SHORT COMMUNICATIONS	
MAXWELL, DAVID J. The presence of gap junctions in the septate desmosome of the salivary apparatus of the cockroach, Nauphoeta cinerea	341
JACKLET, JON W. and LOTSHAW, DAVID P. Light and high potassium cause similar phase shifts of the Aplysia eye circadian rhythm	245
phase simes of the approach eye encadality than	345