

All communications should be addressed to the Editor,
The Journal of Experimental Biology, Department of Zoology,
Downing Street, Cambridge CB2 3EJ, England.

MANUSCRIPTS

Authors are requested to present their work in as *concise* a form as possible. Two copies of MSS with two sets of figures, including, or in addition to, the original illustrations, must be submitted, together with five copies of an abstract (see below). The text should be *typewritten* (double-spaced) on one side only of the paper, and the pages numbered. *Tables* and *Legends* should be numbered and on separate sheets: their position in the text should be indicated in the margin of the MS. Bibliography should be given under the heading of 'References' and in the following form: surname of authors (in alphabetical order), initials, date of publication, title of paper, title of journal (abbreviated according to the *World List of Scientific Periodicals*), volume and pages of references (*first and last*). In the text a reference must be quoted by the author's name and the date (in brackets). Every paper must contain a short and concise *Summary* of the chief results of the enquiry, to be placed before the *Introduction*. *Short Communications* may be accepted. These should be original contributions to the literature and not preliminary reports. *They should not exceed four published pages in length, including illustrations*. Illustrations should be submitted at the size they are to appear in print.

ILLUSTRATIONS

Line blocks should be used wherever possible. Text half-tone blocks should only be used when it is essential to show depth of shading. Plates will only be accepted for essential illustrations in which the most accurate reproduction of fine detail is called for, such as photomicrographs.

Illustrations, including half-tones and plates, should be assigned figure numbers. Their desired position in the text should be indicated in the MS.

Authors are asked not to submit sheets of illustrations which are of more than foolscap size or, if this cannot be avoided, to include photographic reductions to be sent to referees.

(i) *Line blocks*. Pen drawings should be in Indian ink (*jet black and waterproof*) on smooth white Bristol board, heavy drawing paper or good quality tracing paper. Drawings must not be folded or creased. Where a drawing is labelled, *the label lines should be drawn in black but the lettering should be put in lightly with a soft blue pencil*. Where considerable reduction is required it is essential that the drawing be able to bear such reduction. *All brush work, tinting or pencil shading is to be avoided*. Mechanical stipple, if too fine, may not stand reduction in size when the block is made.

Charts and curves can often be drawn to best advantage on *graph paper ruled in pale blue*. Whenever possible, oscilloscope recordings, with white background, should be submitted in a form suitable for reproduction with line blocks.

(ii) *Half-tone blocks*. Photographs can be produced in this way if a good glossy bromide print is supplied. Illustrations should be gummed on *white card*, grouped and numbered as they are to appear in print. All lettering should be drawn in position on a covering sheet of transparent paper.

(iii) *Plates*. Plates are expensive and the Editor may require an author to defray the cost of plates which in his opinion are not essential. The photographs making up the plate should be gummed on *white card*, grouped and numbered, as they are to appear in print. Plates should be of the size as to appear in print, i.e., exclusive of margin, no greater than 19.1 cm in length \times 12.7 cm in width for a single plate, or 19.1 \times 29.2 cm for a double plate. All lettering should be shown in position on a covering sheet of transparent paper.

ABSTRACTS

Five copies of an abstract are required for biological abstracting journals. The abstract will not appear in *The Journal of Experimental Biology* but will be scrutinized by the Editor before being passed for publication. The text of the summary may serve as an abstract provided that it conforms to the following requirements. The abstract should outline as briefly as possible the results and the definite conclusions of the work. Details of method are generally not required. A paper of average length should be abstracted in about 100 words and the abstract should never exceed 3% of the original. Each copy of the abstract should bear the title of the paper, the name(s) of the author(s) and an address to which applications for offprints should be sent. The abstract should be typewritten (double-spaced).

PROOFSHEETS AND OFFPRINTS

Authors will receive one set of slip proofs for correction and return to the Editor. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration errors not made by the printers. Authors may be charged for any excess over this average. They will receive 200 complimentary copies of their papers: additional copies may be purchased at modest cost, from Cambridge University Press, and should be ordered when the proofs are returned to the Editor.

The Journal of
Experimental Biology

EDITED BY
J. E. TREHERNE
WITH W. A. FOSTER & P. K. SCHOFIELD

VOLUME 98
1982

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Company of Biologists Ltd 1982

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

	PAGE
GRILLNER, STEN and WALLÉN, PETER. On peripheral control mechanisms acting on the central pattern generators for swimming in the dogfish	1
KONDOH, Y. and OBARA, Y. Anatomy of motoneurons innervating mesothoracic indirect flight muscles in the silkworm, <i>Bombyx mori</i>	23
STEPHENS, PHILIP J. and ATWOOD, HAROLD L. Thermal acclimation in a crustacean neuromuscular system	39
HETHERINGTON, THOMAS E. and LOMBARD, R. ERIC. Biophysics of underwater hearing in anuran amphibians	49
KIRSCH, R. and MEISTER, M. F. Progressive processing of ingested water in the gut of sea-water teleosts	67
LATZ, MICHAEL I. and CASE, JAMES F. Light organ and eyestalk compensation to body tilt in the luminescent midwater shrimp, <i>Sergestes similis</i>	83
OGILVY, CHRISTOPHER S. and DUBOIS, ARTHUR B. Tail thrust of bluefish <i>Pomatomus saltatrix</i> at different buoyancies, speeds and swimming angles	105
WILKES, P. R. H. and MCMAHON, B. R. Effect of maintained hypoxic exposure on the crayfish <i>Orconectes rusticus</i> I. Ventilatory, acid-base and cardiovascular adjustments	119
WILKES, P. R. H. and MCMAHON, B. R. Effect of maintained hypoxic exposure on the crayfish <i>Orconectes rusticus</i> II. Modulation of haemocyanin oxygen affinity	139
VARJÚ, D. and SANDEMAN, D. C. Eye movements of the crab <i>Leptograpsus variegatus</i> elicited by imposed leg movements	151
SCHWAB, WALTER E. and JOSEPHSON, ROBERT K. Lability of conduction velocity during repetitive activation of an excitable epithelium	175
MCCLELLAN, ANDREW D. Movements and motor patterns of the buccal mass of <i>Pleurobranchaea</i> during feeding, regurgitation and rejection	195
MCCLELLAN, ANDREW D. Re-examination of presumed feeding motor activity in the isolated nervous system of <i>Pleurobranchaea</i>	213
SMITH, P. J. S. The contribution of the branchial heart to the accessory branchial pump in the Octopoda	229
KOEHL, M. A. R. Mechanical design of spicule-reinforced connective tissue: stiffness	239
HILLS, B. A., HUGHES, G. M. and KOYAMA, T. Oxygenation and deoxygenation kinetics of red cells in isolated lamellae of fish gills	269
HUGHES, G. M., PEYRAUD, C., PEYRAUD-WAITZENEGGER, M. and SOULIER, P. Physiological evidence for the occurrence of pathways shunting blood away from the secondary lamellae of eel gills	277
BIEWENER, ANDREW A. Bone strength in small mammals and bipedal birds: do safety factors change with body size?	289
DERBY, CHARLES D. and ATEMA, JELLE. Chemosensitivity of walking legs of the lobster <i>Homarus americanus</i> : neurophysiological response spectrum and thresholds	303
DERBY, CHARLES D. and ATEMA, JELLE. The function of chemo- and mechanoreceptors in lobster (<i>Homarus americanus</i>) feeding behaviour	317

DAVID, J. A. and PITMAN, R. M. The effects of axotomy upon the extrasynaptic acetylcholine sensitivity of an identified motoneurone in the cockroach <i>Periplaneta americana</i>	329
KAUFMAN, SUSAN E., KAUFMAN, WILLIAM R. and PHILLIPS, J. E. Mechanism and characteristics of coxal fluid excretion in the argasid tick <i>Ornithodoros moubata</i> .	343
WASHIO, HIROSHI. A dual effect of cobalt ions on the spontaneous release of transmitter at insect motor nerve terminals	353
SCHLICHTER, L. C. Unstirred mucus layers: ion exchange properties and effect on ion regulation in <i>Lymnaea stagnalis</i>	363
TAGHERT, PAUL H. and TRUMAN, JAMES W. The distribution and molecular characteristics of the tanning hormone bursicon, in the tobacco hornworm <i>Manduca sexta</i>	373
TAGHERT, PAUL H. and TRUMAN, JAMES W. Identification of the bursicon-containing neurones in abdominal ganglia of the tobacco hornworm <i>Manduca sexta</i> . . .	385
MCDONALD, D. G., WALKER, R. L., WILKES, P. R. H. and WOOD, C. M. H ⁺ excretion in the marine teleost <i>Parophrys vetulus</i>	403
PRIOR, DAVID J. and GREGA, DEBRA S. Effects of temperature on the endogenous activity and synaptic interactions of the salivary burster neurones in the terrestrial slug <i>Limax maximus</i>	415
O'GRADY, S. M., ELLORY, J. C. and DEVRIES, A. L. Protein and glycoprotein antifreezes in the intestinal fluid of polar fishes	429
GLEESON, TODD T. and BENNETT, ALBERT F. Acid-base imbalance in lizards during activity and recovery	439

SHORT COMMUNICATIONS

THEOPHILIDIS, G. and BURNS, M. D. A gold-plated suction electrode for extracellular recording and dye infusion	455
KOEFOD, BODIL M. and ZERAHN, KARL. Transport of sodium and potassium across the isolated midgut of the larvae of <i>Tenebrio molitor</i> related to the fine structure of the epithelium	459